


# Adaptive Protocols for Lake Okeechobee Operations – Status Update

Water Resources Advisory Commission

October 8, 2009

Susan Gray, Ph.D.

# Lake Okeechobee Water Level History and Projected Stages



# Adaptive Protocols Status Update

- Held two meetings on August 27<sup>th</sup> and September 17<sup>th</sup>
- Reviewed assumptions in Lake Okeechobee Regulation Schedule (LORS) 2008 modeling
- Reviewed modeling with inclusion of releases up to 650 cfs in the beneficial use band
- Reviewed performance measures



# Adaptive Protocols Status Update

Areas of discussion:

- Define advisory role for SFWMD
- Release volumes early and late in the dry season
- Release volumes in base flow and beneficial use bands
- Refinements to real-time performance measures



# Draft Guiding Principles – Key Components

- Balance water supply, flood protection, and environmental protection
- Provide guidance where releases are expressed as a range of volumes, i.e. “up to 2000 cfs”
- Provide guidance where the schedule allows “additional operational flexibility”
- Identify opportunities for “win-win” or “win-neutral” improvements
- Provide guidance on environmental deliveries to the estuaries in the base flow and beneficial use zones



# Adaptive Protocols Status Update

- Next meeting will examine events and results of releases from the beneficial use zone last spring (March 6<sup>th</sup> – May 8<sup>th</sup>)
- Identify areas of agreement and revisions
- Meeting schedule:
  - October 22<sup>nd</sup> – West Palm Beach
  - November 19<sup>th</sup> – West Palm Beach
  - December 16<sup>th</sup> – Ft. Myers
  - January 21, 2010 – West Palm Beach

