



APT: pg. \_\_\_\_\_

Started: 11/1/83  
 Duration: 25h  
 Discharge: 524  
 Recovery: 10

Comments:

- 1) \_\_\_\_\_  
\_\_\_\_\_
- 2) \_\_\_\_\_  
\_\_\_\_\_
- 3) \_\_\_\_\_  
\_\_\_\_\_
- 4) \_\_\_\_\_  
\_\_\_\_\_

CONSULTANT'S ANALYSIS: pg. \_\_\_\_\_

Method: Walton  
 Results: \_\_\_\_\_

Well	Transmissivity (GPD/FT)	S	Sy	K' /b' <sup>GPD/FT<sup>3</sup></sup>
9	13,647	$3.16 \times 10^{-5}$	-	$5.46 \times 10^{-4}$
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

Method: GWAP  
 Results: \_\_\_\_\_

Well	Transmissivity (GPD/FT)	S	Sy	K' /b'
9	18,990	$3.078 \times 10^{-5}$	-	-
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

Method: WITIP  
 Results: \_\_\_\_\_

Well	Transmissivity (GPD/FT)	S	Sy	K' /b'
9	17,309	$3.25 \times 10^{-5}$	-	$2.46 \times 10^{-4}$
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

REANALYSIS:

Method: \_\_\_\_\_

Results: \_\_\_\_\_

Well	Transmissivity (GPD/FT)	S	Sy	K' /b'
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

Method: \_\_\_\_\_

Results: \_\_\_\_\_

Well	Transmissivity (GPD/FT)	S	Sy	K' /b'
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

RECOMMENDED VALUES:

Transmissivity (GPD/FT)	Storage	Sy	Leakance
15000	$3 \times 10^{-5}$	/	$5 \times 10^{-4}$ gpd/ft <sup>2</sup>

REFERENCES:

AQ K 30  
 CZ K'  $5.5 \times 10^{-3}$  field  
 AQ T -67  
 B -1357  
 Th 687  
 CZ T +15  
 B -67  
 Th 82

AWLA

location x 317250  
y 906400