

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
021000040	070880	W11C	-2025D	COLLIER	026	09	1600	081	18	5300	

WELL LOCATION CARD TWO

17	20	37	39	42	45	61
CARD	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT	PLANNING AREA
W12	NE1/4; NE1/4; 1/4	04	50S	30E	LOWER WEST COAST	

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21		00			MSL-; LS-X; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	D. O. T.		305	6868800	M.O.M.I.T.O.R.

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41	S. F. W. M. D.	W. P. B.	ROTARY	070880

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
021000040	070880	W51	300	300	300		5.80		YES-X: NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52						

WELL DESCRIPTION - CONFIGURATION CARD. SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610		P.V.C.	6.0	0		0.3	CEMENT

WELL DESCRIPTION - CONFIGURATION CARD. SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD. SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

WELL SURVEY REPORT

FORM BP-39
Rev. 12/79

(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72										
STATION I. D.	SURVEY DATE	CARD C	LOGGED BY	WITNESSED BY	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
021000040070880		W71	S. ANDERSON	P. DAUENHAUER	X	X	X	X									X	X						

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION I. D.	SURVEY DATE	CARD C	SAMPLE SOURCE (WELLHEAD, ETC.)	TYPE FLUID	DATE SAMPLED	TIME SAMPLED
		W81	WELL HEAD	DRILL MUD	07.08.80	14.0.0

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION I. D.	SURVEY DATE	CARD C	TEMP. OF SAMPLE	C FIELD SP. GRAVITY	FIELD PH	CHLORIDE (MG/L)	DISSOLVED SOLIDS	SPEC. COND. (U-MHO/CM)	STATIC WATER LEVEL (FEET)	W/L REF FROM	FLOW RATE (GAL/MIN)	PUMP RATE (GAL/MIN)
		W82										

COMMENT CARDS

1	17	20	40	60	76
STATION I. D.	SURVEY DATE	CARD C	COMMENTS - LINE 1	COMMENTS - LINE 2	COMMENTS - LINE 3
		W91	PART 1	POLY SAL USED IN	DRILLING

1	17	20	40	60	76
STATION I. D.	SURVEY DATE	CARD C	COMMENTS - LINE 4	COMMENTS - LINE 5	COMMENTS - LINE 6
		W92	OPEN HOLE WAS	LOGGED THEN	CASING WAS SET

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Handwritten mark or signature.

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
021000040	081980	W11C	-2025D	COLLIER	026	09	16.00	081	18	53.00	

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA	
		W12	NE1/4; NE1/4; 1/4	04	50S30E	LOWER WEST COAST.	

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21		0.0			MSL- ; LS- ; TOC-X

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	D. P. T.		305	6868800	MONITOR

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41	S.F.W.M.D.	W.P.B.	ROTARY	08/1980

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
021000040	081980	W51	1220	1218	300	300	580	42	YES-X:NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52	OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD. SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610		P.V.C.	60	0	300	03	CEMENT

WELL DESCRIPTION - CONFIGURATION CARD. SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD. SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

W E L L S U R V E Y R E P O R T

FORM RP-39
Rev. 12/79
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021000040081980		W71	S. ANDERSON	P. DAUENHAUER	X	X	X	X					X	X

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	FORMATION WATER	08.19.80	140.0

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	83.40 F					70.00			≈ 30.0	

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91	PART 3, TOTAL	DEPTH OF WELL	

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
021000040	071680		W11C-2025D	COLLIER	026	09	1600	081	18	5300	✓

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
			W12 NE1/4; NE1/4; 1/4	04	50S	30E	FLOWER WEST COAST

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
				00			MSL- ; LS- ; TOC-X

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
			W31 D. O. T.		3.05	686.8800	M. O. N. I. T. O. R.

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
			W41 S. F. W. M. D.	W. P. B.	ROTARY	071680

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
02110000400	071680	W51	880	880	300	300	5.80	5.2	YES-X; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52	OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610		P.V.C.	6.00	0	300	0.3	CEMENT

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

WELL SURVEY REPORT

FORM BP-39
Rev. 12/79
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021000040	07.16.80	W71	S. ANDERSON	P. DAUENHAVER	X	X	X	X	X				X	X

*Corrected
SPD?*

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	DRILL MUD	07.16.80	1800

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	85.2 F					1.6920				

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91	PART 2 OF 3 PARTS	300' OF P.V.C. WAS	SET AT EARLIER

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92	DATE		

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000040
Date 10-16-80 Well No. C-2025D
Latitude 026°-09'-16" Longitude 081° 18' 53"
NE 1/4 1/4 Section 04 Township 50S Range 30E
Owner D.O.T. Phone 305-646-8800
Driller S.F.W.M.D. Date Drilled 07-16-80

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other
T. Depth - Driller 880' T. Depth - Logger 880'
Casing Depth Driller 300' Casing Depth Logger 300'
Bit Size 5.2" Casing Dia. I.D. 5.80"
Hole Dia. 6.0" From 0 To 300' Dia. From To
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen OPEN HOLE Screen Int. From To
Type of Packing Well Use MONITOR
Static Water Level Date
Yield Flow Pump

DATUM

K.B. L.S. 0.0 T.O.C.


FLUID QUALITY

Date 10-16-80 Time 1400 Source of Sample WELLHEAD
Cl mg/l Type of Fluid FORMATION WATER
Temp. 81.4°F X Field Density @ °C
T.D.S. mg/l Spec. Cond. umhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAVENNAUES
Comments:

TYPE OF SURVEYS RUN

Lateral 6' Density
Caliper 20
Flow meter Fluid Sampler
16", 64" normals Temperature
Neutron Delta Temp.
Natural Gamma SP
Fluid Resistivity

C-2025D
TEMPERATURE DIFFERENTIAL TEMPERATURE GRADIENT



TEMPERATURE DIFFERENTIAL TEMPERATURE GRADIENT

C-2025D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000040
Date 08-19-80 Well No. C-2025D
Latitude 026°09'16" Longitude 081°18'53"
NE-NE 1/4 Section 04 Township S05 Range 30E
Owner D.O.T. Phone 686-8800
Driller S.F.W.M.D. Date Drilled 08-19-80

DATUM

K.B. _____ L.S. _____ T.O.C. C.O.L.S. _____

FLUID QUALITY

Date 08-19-80 Time 1400 Source of Sample WELL HEAD
CI _____ mg/l Type of Fluid FRESHWATER
Temp. 83.4°F Field Density _____
T.D.S. _____ mg/l Spec. Cond. 7000 µmhos/cm
Logged By: S. ANDERSON Witnessed By: P. DWENHAEVER
Comments: PART 3, TOTAL DEPTH OF WELL

WELL CONSTRUCTION

Drilling Method: Rot Air CT Auger Other _____
T. Depth - Driller 1220' T. Depth - Logger 1218'
Casing Depth Driller 300' Casing Depth Logger 300'
Bit Size _____ Casing Dia. I.D. 5.80"
Hole Dia. 6.0" From 0 To 300' Dia. From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen OPEN HOLE Screen Int. From 300' To 1220'
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date 08-19-80
Yield Flow 300 G.P.H.


TYPE OF SURVEYS RUN

Lateral 6' Density
Caliper ccl
Flow meter Fluid Sampler
16" 54" normals Temperature
Neutron Delta Temp.
Natural Gamma SP
Fluid Resistivity

C-2025D
6' LATERAL



30'/MIN. ↑



6' LATERAL
C-2025D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000040
Date 07-08-80 Well No. C-2025 D
Latitude 026°09'16" Longitude 081°18'53"
N1E1/4 Section 04 Township 50S Range 30E
Owner D.O.T. Phone 686-8800
Driller S.F.W.M.D. Date Drilled 07-08-80

DATUM

K.B. _____ L.S. 0.0 T.O.C. X

FLUID QUALITY

Date 07-08-80 Time 1400 Source of Sample WELL HEAD
Cl _____ mg/l Type of Fluid DRILL MUD
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAUENHAVER

WELL CONSTRUCTION


Drilling Method: Rot. X Air CT Auger _____ Other _____
T. Depth - Driller 300' T. Depth - Logger 300'
Casing Depth Driller 300' Casing Depth Logger _____
Bit Size 10.4" Casing Dia. I.D. 5.80"
Hole Dia. 6.0" From 0 To 300' Dia. From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen _____ Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date 07-08-80
Yield Flow _____ Pump _____

Comments: PART 1

POLY SAL WAS USED FOR DRILLING
OPEN HOLE WAS LOGGED, THEN
CASING WAS SET

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP






WELL LOG

WELL LOCATION
 County Collier
 Station I. D. 021000040
 Date 07-16-80 Well No. C-2025D
 Latitude 026-09-16.00 Longitude 081-18-53.00
 NE 1/4 NE 1/4 Section 04 Township 50S Range 30E
 Owner D.O.T. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 07-16-80

DATUM
 K.B. _____ L.S. 0.0 T.O.C. X
 FLUID QUALITY
 Date 07-16-80 Time 1800 Source of Sample Wellhead
 Cl _____ mg/l Type of Fluid Drill Mud
 Temp. 85.2 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 1692.0 µmhos/cm
 Logged By: S. Anderson Witnessed By: P. Dauenbauer
 Comments: Part 2 of 3 Parts. 300' of P.V.C. was set at earlier date.

WELL CONSTRUCTION
 Drilling Method: Rot Air Auger Other _____
 T. Depth - Driller 880' T. Depth - Logger 880'
 Casing Depth Driller 300' Casing Depth Logger 300'
 Bit Size 5.2" Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 300' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.3"
 Type of Screen Openhole Screen Int. From _____ To _____
 Type of Packing _____ Well Use Monitor
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN
 Lateral 6'
 Caliper
 Flow meter
 16" 64" normals
 Neutron
 Natural Gamma
 Fluid Resistivity
 Density
 ccl
 Fluid Sampler
 Temperature
 Delta Temp.
 SP



-350'

-400'

-450'

-500'

-550'

30'/MIN. ↑

-600'

-650'


-700'

-750'


-800'

-850'

-878'



6' LATERAL
 C-2025 D



WELL LOG

WELL LOCATION
 County Collier
 Station I. D. 021000010
 Date 07-16-80 Well No. C-2025D
 Latitude 024-09-1600 Longitude 081-12-5300
 NE 1/4 Section 04 Township 30S Range 30E
 Owner D.O.T. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 07-16-80

WELL CONSTRUCTION
 Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller 880' T. Depth - Logger 880'
 Casing Depth - Driller 300' Casing Depth - Logger 300'
 Bit Size 5.2" Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 300' Dia. From To
 Type of Casing P.V.C. Casing Thickness 0.3"
 Type of Screen Open Hole Screen Int. From To
 Type of Packing Well Use Monitor
 Static Water Level Date
 Yield Flow Pump

DATUM
 K.B. L.S. 0.0 T.O.C. X

FLUID QUALITY
 Date 07-16-80 Time 1800 Source of Sample Wellhead
 Cl mg/l Type of Fluid Drill Mud
 Temp. 85.2 °F Field Density 0 °C
 T.D.S. mg/l Spec. Cond. 1692.0 umhos/cm
 Logged By: S. Anderson Witnessed By: P. Daughave
 Comments: Part 2 of 3 Parts. 300' of P.V.C. was set at earlier date.


TYPE OF SURVEYS RUN

Lateral 6"	00	Density	()
Caliper	00	cc	()
Flow meter	()	Fluid Sampler	()
16" 54" normals	00	Temperature	()
Neutron	00	Delta Temp.	()
Natural Gamma	00	SP	00
Fluid Resistivity	()		

C-2025 D

GAMMA

NEUTRON



500 cps
T.C.-3

500 cps
T.C.-3


C-2025 D

GAMMA CAL.
500 cps
T.C.-3

100 API

NEUTRON CAL
1000 cps
T.C.-3

1000 API





WELL LOG

WELL LOCATION
 County COLLIER
 Station I. D. 021000040
 Date 07-08-80 Well No. C-2025 D
 Latitude 026°09'16" Longitude 081°18'53"
NE 1/4 Section 04 Township 50S Range 30E
 Owner D.O.T. Phone 686-8800
 Driller S.F.W.M.D. Date Drilled 07-08-80

WELL CONSTRUCTION
 Drilling Method: Rot. Air Auger Other
 T. Depth - Driller 300' T. Depth - Logger 300'
 Casing Depth Driller 300' Casing Depth Logger
 Bit Size 10.4" Casing Dia. I.D. 5.80"
 Hole Dia. 6.0" From 0 To 300' Dia. From To
 Type of Casing P.V.C. Casing Thickness 0.3"
 Type of Screen Screen Int. From To
 Type of Packing Well Use MONITOR
 Static Water Level Date 07-08-80
 Yield Flow Pump

DATUM
 K.B. L.S. 0.0 T.O.C.


FLUID QUALITY
 Date 07-08-80 Time 1400 Source of Sample WELL HEAD
 Cl mg/l Type of Fluid DRILL MUD
 Temp. °C Field Density @ °C
 T.D.S. mg/l Spec. Cond. umhos/cm

Logged By: S. ANDERSON Witnessed By: P. DAVENHAVER

Comments: PART 1
POLY SAL WAS USED FOR DRILLING
OPEN HOLE WAS LOGGED, THEN
CASING WAS SET

TYPE OF SURVEYS RUN


Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	ccl	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>		




GAMMA
500 cps
T.C.-3

NEUTRON
500 cps
T.C.-3


C-2025 D



GAMMA CAL.
500 cps
T.C.-3



NEUTRON CAL.
1000 cps
T.C.-3



WELL LOG

WELL LOCATION
 County COLLIER
 Station I.D. 02100040
 Date 08-19-80 Well No. C-2025D
 Latitude 026°09'16" Longitude 081°18'53"
 NE:NE Section 04 Township 50S Range 30E
 Owner D.O.T. Phone 686-8800
 Driller S.F.W.M.D. Date Drilled 08-19-80



DATUM
 C.B. _____ E.S. _____ T.O.C. X 0.012

FLUID QUALITY
 Date 08-19-80 Time 1400 Source of Sample WELL HEAD
 Temp. 83.4 F X Field Density _____ °C
 T.D.S. _____ mg/l Spec. Cond. 700 umhos/cm

Logged By: S. ANDERSON Witnessed By: P. BAUENHAUSER
 Comments: PART 3, TOTAL DEPTH OF WELL

WELL CONSTRUCTION
 Drilling Method: Rot X Air CT Auger Other _____
 T. Depth - Driller 1220' T. Depth - Logger 1218'
 Casing Depth Driller 300' Casing Depth Logger 300'
 Bit Size _____ Casing Dia. I.D. 5.80"
 Hole Dia. 6.0" From 0 To 300' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From 300' To 1220'
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date 08-19-80
 Yield Flow 300 G.P.M. Pump _____

TYPE OF SURVEYS RUN
 Lateral ()
 Caliper ()
 Flow meter ()
 15" 54" normals ()
 15" 54" normals ()
 Density ()
 Fluid Sampler ()
 Temperature ()
 Delta Temp. ()
 SP ()





WELL LOG


WELL LOCATION
 County Collier
 Station I. D. 021000040
 Date 07-16-80 Well No. C-2025D
 Latitude 026-09-1600 Longitude 081-18-5300
 NE 1/4 NE 1/4 Section 04 Township 50S Range 30E
 Owner D.O.T. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 07-16-80

WELL CONSTRUCTION
 Drilling Method: Rot X Air CT Auger Other
 T. Depth - Driller 380' T. Depth - Logger 380'
 Casing Depth Driller 300' Casing Depth Logger 300'
 Bit Size 5.8" Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 300' Dia. From To
 Type of Casing P.V.C. Casing Thickness 0.3"
 Type of Screen Open Hole Screen Int. From To
 Type of Packing Well Use Monitor
 Static Water Level Date
 Yield Pump

DATUM
 K.B. L.S. 0.0 T.O.C. X
 FLUID QUALITY
 Date 07-16-80 Time 1800 Source of Sample Wellhead
 Cl mg/l Type of Fluid Drill Mud
 Temp. 85.2 °F Field Density @ °C
 T.D.S. mg/l Spec. Cond. 1692.0 umhos/cm
 Logged By: S. Anderson Witnessed By: P. Dauenhauer
 Comments: Part 2 of 3 Parts. 300' of P.V.C. was set at earlier date.

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	col	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16" 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>		



S.P. 16" x 64" NORMAL RES.
 C-2025 D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000040
Date 07-08-80 Well No. C-2025 D
Latitude 026°09'16" Longitude 081°18'53"
NE 1/4 Section 04 Township 50S Range 30E
Owner D.O.T. Phone 686-8800
Driller S.F.W.M.D. Date Drilled 07-08-80

DATUM

K.B. _____ L.S. 0.0 T.O.C. X

FLUID QUALITY

Date 07-08-80 Time 1400 Source of Sample WELL HEAD
Cl _____ mg/l Type of Fluid DRILL MUD
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAUENHAVER

WELL CONSTRUCTION


Drilling Method: Rot. X Air CT Auger _____ Other _____
T. Depth - Driller 300' T. Depth - Logger 300'
Casing Depth Driller 300' Casing Depth Logger _____
Bit Size 10.4" Casing Dia. I.D. 5.80"
Hole Dia. 6.0" From 0 To 300' Dia. From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen _____ Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date 07-08-80
Yield Flow _____ Pump _____

Comments: PART 1

POLY SAL WAS USED FOR DRILLING
OPEN HOLE WAS LOGGED, THEN
CASING WAS SET

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | (X) | Density | () |
| Caliper | (X) | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | (X) | Temperature | () |
| Neutron | (X) | Delta Temp. | () |
| Natural Gamma | (X) | SP | (X) |
| Fluid Resistivity | () | | |



C-2025 D

16" + 64" NORMAL RES.

S.P.

5MV

Ohm-METERS

-50'

16" 64"

-100'

-150'

-200'

30'/MIN. ↑

64" 16"

-250'

-300'

Ohm-METERS

5MV

16" + 64" NORMAL RES.

S.P.

C-2025 D




WELL LOG

WELL LOCATION
 County COLLIER
 Station I. D. 021000040
 Date 08-19-80 Well No. C-2025D
 Latitude 026°09'16" Longitude 081°18'53"
 NE:NE: Section 04 Township 50S Range 30E
 Owner D.O.T. Phone 686-8800
 Driller S.F.W.M.D. Date Drilled 08-19-80

WELL CONSTRUCTION
 Drilling Method: Rot Air Auger Other
 T. Depth - Driller 1220' T. Depth - Logger 1218'
 Casing Depth Driller 300' Casing Depth Logger 300'
 Bit Size _____ Casing I. D. 5.80"
 Hole Dia. 6.0" From 0 To 300' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From 300' To 1220'
 Type of Packing _____ Well Use HUNTER
 Static Water Level _____ Date 08-19-80
 Yield Flow 300 g.p.m. Pump _____

DATUM _____ L.S. _____ T.O.C. O.G.L.S. _____
 FLUID QUALITY
 Date 08-19-80 Time 1400 Source of Sample WELL HEAD
 Cl _____ mg/l Type of Fluid FRESH WATER
 Temp. 83.4°F X Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 7000 umhos/cm
 Logged By: S. ANDERSON Witnessed By: P. DADENHAUER
 Comments: PART 3, TOTAL DEPTH OF WELL

TYPE OF SURVEYS RUN
 Lateral 6' Density ()
 Caliper Fluid Sampler ()
 Flow meter Fluid Temperature ()
 16" 64" normals Temperature ()
 Neutron Delta Temp. ()
 Natural Gamma _____
 Fluid Resistivity _____



Vertical scale markings: 0, 350', 400', 450', 500', 550', 600', 650', 700', 750', 800', 850', 900', 950', 1000', 1050', 1100', 1150', 1200', 1218'

Horizontal scale markings: 0, 50, 100 Ohm-METERS

Labels: S.P., 10MV, 16", 64", 30'/MIN. ↑, Ohm-METERS, C-2025D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000040
Date 10-16-80 Well No. C-2025D
Latitude 026°-09'-16" Longitude 081° 11' 53"
NE 1/4 Section 04 Township 50S Range 30E
Owner D.O.T. Phone 305-646-6800
Driller S.F.V.M.D. Date Drilled 07-16-80

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller 880' T. Depth - Logger 880'
Casing Depth Driller 300' Casing Depth Logger 300'
Bit Size 5.2" Casing Dia. I.D. 5.80"
Hole Dia. 6.0" From 0 To 300' Dia. From To
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen OPEN HOLE Screen Int. From To
Type of Packing Well Use MONITOR
Static Water Level Date
Yield Flow Pump

DATUM

K.B. L.S. 0.0 T.O.C. X

FLUID QUALITY

Date 10-16-80 Time 1400 Source of Sample WELLHEAD
Cl mg/l Type of Fluid FORMATION WATER
Temp. 81.4°F X Field Density @ °C
T.D.S. mg/l Spec. Cond. umhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAVENHAUES


Comments:

TYPE OF SURVEYS RUN

Lateral G' () Density ()
Caliper () ccl ()
Flow meter () Fluid Sampler ()
16", 64" normals () Temperature ()
Neutron () Delta Temp. ()
Natural Gamma () SP ()
Fluid Resistivity

C-2025D

FLUID RESISTIVITY



Ohm-METERS -300'

-350'

20'/MIN. ↓

-400'

-450'

-500'

-550'

-600'

-650'


-700'

-750'

-800'

-850'

Ohm-METERS -890'



FLUID RESISTIVITY

C-2025D



WELL LOG

WELL LOCATION
 County COLLIER
 Station I. D. 021000040
 Date 08-19-80 Well No. C-2025D
 Latitude 026° 09' 16" Longitude 081° 18' 53"
 NE 1/4 Section 04 Township S05 Range 30E
 Owner D. O. T. Phone 686-8820
 Driller S.F.W.M.D. Date Drilled 08-19-80

DATUM
 K.B. _____ L.S. _____ T.O.C. X 0.0 L.S.
 FLUID QUALITY
 Date 08-19-80 Time 1400 Source of Sample WELL HEAD
 Cl _____ mg/l Type of Fluid FORMATION WATER
 Temp. 83.4 °F X Field Density _____ °C
 T.D.S. _____ mg/l Spec. Cond. 7000 µmhos/cm
 Logged By S. ANDERSON Witnessed By P. WADENHAEGER
 Comments PART 3, TOTAL DEPTH OF WELL


WELL CONSTRUCTION
 Drilling Method: Rot. X Air CT Auger _____ Other _____
 T. Depth - Driller 1220' T. Depth - Logger 1218'
 Casing Depth Driller 300' Casing Depth Logger 300'
 Bit Size _____ Casing Dia. I.D. 5.80"
 Hole Dia. 6.0" From 0 To 300' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From 300' To 1220'
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date 08-19-80
 Yield Flow 300 G.P.M. Pump _____

TYPE OF SURVEYS RUN
 Lateral G
 Flow meter
 16" 54" normals
 Neutron
 Natural Gamma
 Acid Neutrality
 Density cell
 Fluid Sampler
 Temperature
 Delta Temp.
 SP

C-2025D

CALIPER

HOLE DIA.



CALIPER

C-2025D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000040
Date 07-08-80 Well No. C-2025 D
Latitude 026°09'16" Longitude 081°18'53"
NE 1/4 Section 04 Township 50S Range 30E
Owner D.O.T. Phone 686-8800
Driller S.F.W.M.D. Date Drilled 07-08-80

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller 300' T. Depth - Logger 300'
Casing Depth Driller 300' Casing Depth Logger
Bit Size 10.4" Casing Dia. I.D. 5.80"
Hole Dia. 6.0" From 0 To 300' Dia. From To
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen Screen Int. From To
Type of Packing Well Use MONITOR
Static Water Level Date 07-08-80
Yield Flow Pump

DATUM

K.B. L.S. 0.0 T.O.C.

FLUID QUALITY

Date 07-08-80 Time 1400 Source of Sample WELL HEAD
Cl mg/l Type of Fluid DRILL MUD
Temp. °C Field Density @ °C
T.D.S. mg/l Spec. Cond. μmhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAUENHAVER

Comments: PART 1

POLY SAL WAS USED FOR DRILLING
OPEN HOLE WAS LOGGED, THEN
CASING WAS SET



TYPE OF SURVEYS RUN

Lateral 6'
Caliper Density
Flow meter ccl
16", 64" normals Fluid Sampler
Neutron Temperature
Natural Gamma Delta Temp.
Fluid Resistivity SP

C-2025D

CALIPER

HOLE DIA.



CALIPER

C-2025D



WELL LOG

WELL LOCATION

County Collier
 Station I. D. 021000040
 Date 07-16-80 Well No. C-2025D
 Latitude 026-09-1600 Longitude 081-18-5300
 NE 1/4 NE 1/4 Section 04 Township 50S Range 30E
 Owner D.O.T. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 07-16-80

DATUM

B. L.S. 0.0 T.O.C. X

FLUID QUALITY

Date 07-16-80 Time 1800 Source of Sample Wellhead
 Cl mg/l Type of Fluid Drill Mud
 Temp. 85.2 °F Field Density @ °C
 T.D.S. mg/l Spec. Cond. 1692.0 µmhos/cm
 Logged By: S. Anderson Witnessed By: P. Davenport
 Comments: Part 2 of 3 Pacts. 300' of PVC was set at earlier date.

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller 880' T. Depth - Logger 880'
 Casing Depth Driller 300' Casing Depth Logger 300'
 Bit Size 5.2" Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 300' Dia. From To
 Type of Casing PVC Casing Thickness 0.3"
 Type of Screen Openable Screen Int. From To
 Type of Packing Well Use Monitor
 Static Water Level Date
 Yield gpm Pump

TYPE OF SURVEYS RUN

Lateral 6' Caliper Density
 Flow meter ocl
 16" 64" normals Fluid Sampler
 Neutron Temperature
 Natural Gamma Delta Temp.
 Fluid Resistivity SP

C-2025D

CALIPER

HOLE DIA.



-0-

-50-

-100-

-150-

-200-

-250-

-300-

-350-

-400-

30'/MIN. ↑

-450-

-500-

-550-

-600-

-650-

-700-

-750-

-800-

-850-

-870-

CALIPER

C-2025D

