

## PROJECT NOTES:


Monitoring reference elevation was 2.2 foot above ground surface.


Logging was likely almost entirely influenced by casing centralizers or other metallic well components. The resistivity logs should be disregarded.


The acoustic televiewer was not referenced to north because of the proximal metallic components.


LOG CODES							
3-arm caliper	CAL	long normal resistivity	RLN	deep induction conductivity	IDC		
natural gamma (CPS)	GAMM	8 inch resistivity	R8	shallow induction conductivity	ISC		
spontaneous potential	ESP	32 inch resistivity	R32	sonic interval velocity	DT		
single point resistance	RES	deep induction resistivity	ILD	sonic porosity (RHG method)	SPHI		
short normal resistivity	RSN	shallow induction resistivity	ILM	repeat designation	R		


WATER QUALITY LOG CODES							
static fluid temperature	TEU	dynamic fluid conductivity	FLCP	caliper	CAL		
dynamic fluid temperature	TEP	static differential cond.	DCOU	repeat designation	R		
static differential temperature	DTEU	dynamic differential cond.	DCOP	natural gamma	GAMM		
dynamic differential temp.	DTEP	static specific conductance	C25U	calibration correction	С		














## NOTES:

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed

surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times. If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Florida Licensed Geology Business GB 458