

WELL STATION IDENTIFICATION

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
081000058	081783	W11	C-2038	COLLIER	0808	105		08136	15		

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
		W12	SE1/4; SE1/4; SW1/4	27	47S	27E	LOWER WEST COAST

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21		00			MSL- ; LS-X; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	VLEIT				MONITOR

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41	S.F.W.M.D.	W.P.B.	ROTARY	081783

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

109

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
0210000520	081783	W5.1	340	340	10	10	58		YES-X; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52	OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.10	10	P.V.C.	60	0	10	0.8	DRILLING MUD

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

109

W E L L S U R V E Y R E P O R T

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021000052081783	081783	W71	S. ANDERSON	P. DAUENHAEUER	X	X	X	X					X	

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	FORMATION WATER	081783	1230

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82						4728				

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91			

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

199



WELL LOG

WELL LOCATION

County COLLIER

Station I. D. 0 2 1 0 0 0 0 5 2

Date 08/17/83 Well No. C-2038

Latitude 026°-21'-05" Longitude 081°-36'-15"

SE ¼ SE ¼ SW ¼ Section 27 Township 47S Range 27E

Owner VLEIT Phone _____

Driller S.F.W.M.D. Date Drilled 08/17/83

DATUM

K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY

Date 08/17/83 Time 12:30 Source of Sample WELLHEAD

Cl _____ mg/l Type of Fluid FORMATION WATER

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. 472.8 μmhos/cm

Logged By: S. ANDERSON Witnessed By: P. DAUENHAUER

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 340' T. Depth - Logger 340'

Casing Depth Driller 10' Casing Depth Logger 10'

Bit Size _____ Casing Dia. I.D. 5.8"

Hole Dia. 6" From 0' To 340' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.2

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR


Static Water Level _____ Date 08/17/83

Yield Flow _____ Pump _____

Comments: _____

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	(X)	cci	()
Fluid meter	()	Fluid Sampler	()
16", 64" normals	(XX)	Temperature	()
Neutron	(XX)	Delta Temp.	()
Natural Gamma	(XX)	SP	(XX)
Fluid Resistivity	()		



No. BN 6339

PRINTED IN U.S.A.

AMERICAN GRAPHIC CORPORATION BUFFALO, NEW YORK

No. BN 6339



WELL LOG

WELL LOCATION

County COLLIER

Station I. D. 0 2 1 0 0 0 5 2

Date 08/17/83 Well No. C-2038

Latitude 026°-21'-05" Longitude 081°-36'-15"

SE 1/4 SW 1/4 Section 27 Township 47S Range 27E

Owner VLEIT Phone _____

Driller S.F.W.M.D. Date Drilled 08/17/83

DATUM

K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY

Date 08/17/83 Time 12:30 Source of Sample WELLHEAD

Cl _____ mg/l Type of Fluid FORMATION WATER

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. 472.8 μmhos/cm

Logged By: S. ANDERSON Witnessed By: P. DAUENHAUER

Comments: _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 340' T. Depth - Logger 340'

Casing Depth Driller 10' Casing Depth Logger 10'

Bit Size _____ Casing Dia. I.D. 5.8"

Hole Dia. 6" From 0' To 340' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.2

Type of Screen OPEN HOLE Screen Int. From _____ To _____



Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date 08/17/83

Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|------|---------------|------|
| Lateral 6' | () | Density | () |
| Caliper | (XX) | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | (XX) | Temperature | () |
| Neutron | (X) | Delta Temp. | () |
| Natural Gamma | (X) | SP | (XX) |
| Fluid Resistivity | () | | |





WELL LOG

WELL LOCATION

County COLLIER

Station I. D. 0 2 1 0 0 0 0 5 2

Date 08/17/83 Well No. C-2038

Latitude 026°-21'-05" Longitude 081°-36'-15"

SE 1/4 SE 1/4 SW 1/4 Section 27 Township 47S Range 27E

Owner VLEIT Phone _____

Driller S.F.W.M.D. Date Drilled 08/17/83

DATUM

K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY

Date 08/17/83 Time 12:30 Source of Sample WELLHEAD

Cl _____ mg/l Type of Fluid FORMATION WATER

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. 472.8 μmhos/cm

Logged By: S. ANDERSON Witnessed By: P. DAUENHAUER

Comments: _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 340' T. Depth - Logger 340'

Casing Depth Driller 10' Casing Depth Logger 10'

Bit Size _____ Casing Dia. I.D. 5.8"

Hole Dia. 6" From 0' To 340' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.2

Type of Screen OPEN HOLE Screen Int. From _____ To _____


Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date 08/17/83


Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN


- | | | | |
|-------------------|------|---------------|------|
| Lateral 6' | () | Density | () |
| Caliper | (XX) | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | (XX) | Temperature | () |
| Neutron | (XX) | Delta Temp. | () |
| Natural Gamma | (XX) | SP | (XX) |
| Fluid Resistivity | () | | |



This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.



This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.



This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.

