

WELL STATION IDENTIFICATION

FORM 62 - 12/77

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1			10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY			LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
0210000007	09.20.78		W116J-4	Columbia			26	12	28	81	41	43	

WELL LOCATION CARD TWO

1			17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA		
			W12 SW1/4; NW1/4; NE1/4	15	9S	26E	LWC		

WELL DATUM CARD

1			17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)		
					130		MSL-X; LS-; TOC-		

WELL OWNERSHIP CARD

1			17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME			AREA CODE	TELEPHONE	WELL USE
			W31 SFUMD						Exp. 3M maintenance

WELL ORIGIN CARD

1			17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED		
			W41 Pridgen & Davis	Clearwater	Coreing			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

Jane

WELL STATION IDENTIFICATION

FORM 63 - 12/77

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
021000007	09.2.178	W5.1	176	162	68		200	5.00	YES-X; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5.2	PVC slotted	Wpne	20		68	176

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.1	0	PVC	20	0.0	68		Grout

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.2	02						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.3	03						

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

Jane

WELL SURVEY REPORT

FORM 61 - 12/77
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021000007092178	W71	MP	Barlow						X	X			K	

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
	W81		WELLHEAD	WATER	092027	1600

5/20/78
12:55
1/29/78

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
	W82		780	F		183.2	745.0	1135	4.95	TOP		

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
	W91		Pinch in at 91';	tight spring down	with bp TH 1/4" IS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
	W92				

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Jane



WELL LOG

WELL LOCATION

County Collier

Station I. D. 0 2 1 0 0 0 0 7

Date 9/20/78 Well No. GJ-4

Latitude 26° 12' 28" Longitude 81° 41' 43"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 15 Township 49S Range 26E

Owner SFWMD Phone _____

Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring

T. Depth - Driller 176' T. Depth - Logger 162'

Casing Depth Driller 68' Casing Depth Logger _____

Bit Size 5.00" Casing Dia. I.D. 2.00"

Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From 68' To 176'

Type of Packing none Well Use exploratory & monitoring

Static Water Level 4.95' Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/20/78 Time 1600 Source of Sample wellhead

Cl _____ mg/l Type of Fluid water

Temp. 78.0 °F $\frac{1}{1.8}$ Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Pinch in at 91', tight going down with both tools

TYPE OF SURVEYS RUN

- Lateral 6' () Density ()
- Caliper () ccl ()
- Flow meter () Fluid Sampler ()
- 16", 64" normals () Temperature (XX)
- Neutron (XX) Delta Temp. ()
- Natural Gamma (XX) SP ()
- Fluid Resistivity (XX)





WELL LOG

WELL LOCATION

County Collier

Station I. D. 0 2 1 0 0 0 0 7

Date 9/20/78 Well No. GJ-4

Latitude 26° 12' 28" Longitude 81° 41' 43"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 15 Township 49S Range 26F

Owner SFWM Phone _____

Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring

T. Depth - Driller 176' T. Depth - Logger 162'

Casing Depth Driller 68' Casing Depth Logger _____

Bit Size 5.00" Casing Dia. I.D. 2.00"

Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From 68' To 176'

Type of Packing none Well Use exploratory & monitoring

Static Water Level 4.95' Date _____

Yield _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/20/78 Time 1600 Source of Sample wellhead

Cl _____ mg/l Type of Fluid water

Temp. 78.0 °F $\frac{9}{5}$ Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Pinch in at 91', tight going down with bolth tools

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	ccl	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	()	Temperature	()
Neutron	(X)	Delta Temp.	(X)
Natural Gamma	(X)	SP	()





WELL LOG

WELL LOCATION

County Collier
 Station I. D. 021000007
 Date 9/20/78 Well No. 63-4
 Latitude 26° 12' 28" Longitude 81° 41' 43"
 SW ¼ NW ¼ NE ¼ Section 15 Township 49S Range 26E
 Owner SFWM Phone _____
 Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring
 T. Depth - Driller 176' T. Depth - Logger 162'
 Casing Depth Driller 68' Casing Depth Logger _____
 Bit Size 5.00" Casing Dia. I.D. 2.00"
 Hole Dia. From _____ To _____ Dia. From _____ To _____
 Type of Casing PVC Casing Thickness _____
 Type of Screen PVC slotted Screen Int. From 68' To 176'
 Type of Packing none Well Use exploratory & monitoring
 Static Water Level 4.95' Date _____
 Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/20/78 Time 1600 Source of Sample wellhead
 Cl _____ mg/l Type of Fluid water
 Temp. 78.0 °F @ _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: M. P. Brown Witnessed By: _____
 Comments: Pinch in at 91', tight going down with both tools

TYPE OF SURVEYS RUN

Lateral 6"	()	Density	()
Caliper	()	ocf	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	()	Temperature	()
Neutron	()	Delta Temp.	()
Natural Gamma	()	SP	()
Fluid Resistivity	()		





WELL LOG

WELL LOCATION

County Collier

Station I. D. 021000007

Date 9/20/78 Well No. GJ-4

Latitude 26° 12' 28" Longitude 81° 41' 43"

SW 1/4 NW 1/4 NE 1/4 Section 15 Township 49S Range 26F

Owner SFWMD Phone _____

Driller Fridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring

T. Depth - Driller 176' T. Depth - Logger 162'

Casing Depth Driller 68' Casing Depth Logger _____

Bit Size 5.00" Casing Dia. I.D. 2.00"

Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From 68' To 176'

Type of Packing none Well Use exploratory & monitoring

Static Water Level 4.95' Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/20/78 Time 1600 Source of Sample wellhead

Cl _____ mg/l Type of Fluid water

Temp. 78.0 °F @ _____ °C Field Density _____


T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Pinch in at 91', tight going down with both tools

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	ocl	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	()	Temperature	(XX)
Neutron	(XX)	Delta Temp.	()
Natural Gamma	(XX)	SP	()
Fluid Resistivity	(XX)		





WELL LOG

WELL LOCATION

County Collier

Station I. D. 0 2 1 0 0 0 0 7

Date 9/20/78 Well No. GJ-4

Latitude 26° 12' 28" Longitude 81° 41' 43"

SW 1/4 NW 1/4 NE 1/4 Section 15 Township 49S Range 26F

Owner SFWM Phone _____

Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring

T. Depth - Driller 176' T. Depth - Logger 162'

Casing Depth Driller 68' Casing Depth Logger _____

Bit Size 5.00" Casing Dia. I.D. 2.00"

Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From 68' To 176'

Type of Packing none Well Use exploratory & monitoring

Static Water Level 4.95' Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/20/78 Time 1600 Source of Sample wellhead

Cl _____ mg/l Type of Fluid water

Temp. 78.0 °F Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Pinch in at 91', tight going down with both tools

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (X) |
| Neutron | (X) | Delta Temp. | () |
| Natural Gamma | (X) | SP | () |
| Fluid Resistivity | (X) | | |




GENERAL ENGINE INDUSTRIES, INC.

File Name: L.npd
 Well Name: CJ-4
 Date: Monday, July 30, 2001, at 09:12:16 AM
 Plot: Plot created from: L.npd

- Add your own company logo here!
1. Go to the Options menu.
 2. Select Global Preferences.
 3. Select the Imaging tab (it may not be visible, use the arrows to view additional tabs).
 4. Make sure that the Use User Image is checked.
 5. Click on the User Image button to select your logo.
- This image will be displayed in the About dialog, and on various plots!

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved





File Name: L1.npd
Well Name: GJ-4
Date: Monday, July 30, 2001, at 09:50:49 AM
Plot: Plot created from L1.npd

Add your own company logo here!

1. Go to the Options menu.
2. Select Global Preferences.
3. Check the Imaging tab. It may not be visible, use the arrow to show additional tabs.
4. Make sure that the Use User Image is checked.
5. Click on the User Image button to select your logo.

Image will be displayed in the plot area when the plot is displayed.

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.

