

WELL STATION IDENTIFICATION

FORM 62 - 12/77

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

PAGE 1 OF 2

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
0211000009	92178	W11	KJ-6	Collier	26	16	20	81	45	08	

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
		W12	NW1/4; NW1/4; NW1/4	30	48S	26E	ELWC

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21			160		MSL-X; LS-; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	SFLMD				Exp. SM nit drilling

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41	Pridgen & DAVIS	Clearwater	concrete	

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

Jane

WELL STATION IDENTIFICATION

FORM 63 - 12/77

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

PAGE 2 OF 2

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	A CARD	TOTAL DEPTH - DRILLER (FT)	TOTAL DEPTH - LOGGER (FT)	CASING DEPTH - DRILLER (FT)	CASING DEPTH - LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
021000009	092178	W51	189	174.0	99		200	67.5	YES - X NO	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	A CARD	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52	PVC slotted	1 pvc	20		90	180

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610		PVC	200	0.0	90.0		grout

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

Jane

WELL SURVEY REPORT

FORM 61 - 12/77
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021000009	092178	W71	M. P. Brown						X	X			X	

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELL HEAD	WATER	092178	

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	C FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	77.8			1202	2605	3880				

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91	WELL located behind power lines		

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Jane



WELL LOG

WELL LOCATION

County Collier
 Station I. D. 0 2 1 0 0 0 0 9
 Date 9/21/78 Well No. GJ-6
 Latitude 26° 16' 20" Longitude 81° 45' 8"
 NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30 Township 48S Range 26E
 Owner SFWM Phone _____
 Driller Pridgen & Davis Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY


Date 9/21/78 Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. 77.8 °F @ _____ °C Field Density _____
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: M. P. Brown Witnessed By: _____
 Comments: Well located below power lines

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring
 T. Depth - Driller 180' T. Depth - Logger 174'
 Casing Depth Driller 90' Casing Depth Logger _____
 Bit Size 6.75" Casing Dia. I.D. 2.00"
 Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____
 Type of Casing PVC Casing Thickness _____
 Type of Screen PVC slotted Screen Int. From 90' To 180'
 Type of Packing none Well Use exploratory & monitoring
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
 Caliper () ccl ()
 Flow meter () Fluid Sampler ()
 16", 64" normals () Temperature (X)
 Neutron (X) Delta Temp. ()
 Natural Gamma (X) SP ()
 Fluid Resistivity (X)





WELL LOG

WELL LOCATION

County Collier

Station I. D. 021000009

Date 9/21/78 Well No. GJ-6

Latitude 26° 16' 20" Longitude 81° 45' 8"

NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30 Township 48S Range 26E

Owner SFWMD Phone _____

Driller Pridgen & Davis Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/21/78 Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. 77.8 °F \approx °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Well located below power lines

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring

T. Depth - Driller 180' T. Depth - Logger 174'

Casing Depth Driller 90' Casing Depth Logger _____

Bit Size 6.75" Casing Dia. I.D. 2.00"

Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From 90' To 180'


Type of Packing none Well Use exploratory & monitoring

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (X) |
| Neutron | (X) | Delta Temp. | () |
| Natural Gamma | (X) | SP | () |
| Fluid Resistivity | (X) | | |





WELL LOG

WELL LOCATION

County Collier
Station I. D. 0 2 1 0 0 0 0 9
Date 9/21/78 Well No. GJ-6
Latitude 26° 16' 20" Longitude 81° 45' 8"
NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30 Township 48S Range 26E
Owner SFWM Phone _____
Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring
T. Depth - Driller 180' T. Depth - Logger 174'
Casing Depth Driller 90' Casing Depth Logger _____
Bit Size 6.75" Casing Dia. I.D. 2.00"
Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____
Type of Casing PVC Casing Thickness _____
Type of Screen PVC slotted Screen Int. From 90' To 180'
Type of Packing none Well Use exploratory & monitoring
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/21/78 Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. 77.8 °F ~~°C~~ Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm
Logged By: M. P. Brown Witnessed By: _____
Comments: Well located below power lines

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6" | () | Density | () |
| Caliper | () | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (X) |
| Neutron | (X) | Delta Temp. | () |
| Natural Gamma | (X) | SP | () |
| Fluid Resistivity | (X) | | |





WELL LOG

WELL LOCATION

County Collier

Station I. D. 021000009

Date 9/21/78 Well No. GJ-6

Latitude 26° 16' 20" Longitude 81° 45' 8"

NW ¼ NW ¼ NW ¼ Section 30 Township 48S Range 26E

Owner SFWMD Phone _____

Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring

T. Depth - Driller 180' T. Depth - Logger 174'

Casing Depth Driller 90' Casing Depth Logger _____

Bit Size 6.75" Casing Dia. I.D. 2.00"

Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From 90' To 180'

Type of Packing none Well Use exploratory & monitoring

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/21/78 Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. 77.8 °F 26 °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Well located below power lines

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (X) |
| Neutron | (X) | Delta Temp. | () |
| Natural Gamma | (X) | SP | () |
| Fluid Resistivity | (X) | | |



GENERAL ENGINEERS' INC.


File Name: a1.npd
Well Name: GJ-6
Date: Monday, July 30, 2001, at 11:18:51 AM
Plot: Plot created from: a1.npd

Add your own company logo here!

1. Use the Options menu.
2. Select Global Preferences.
3. Select the Imaging tab. (If it is not visible, use the arrows to view additional tabs).
4. Make sure that the Use User Image is checked.
5. Click on the User Image button to select your logo.

(The image will be displayed in the About dialog and on various panels)

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.



File Name: talif.npd

Well Name: GJ-6

Date: Tuesday, July 31, 2001, at 05:55:03 AM

Plot: Plot created from talif.npd

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.

