

WELL STATION IDENTIFICATION

FORM 62 - 12/77

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

PAGE 1 OF 2

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
021000910092128			W116J-7	Chilton	26	12	58	81	46	03	

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
			W12 SW1/4; NW1/4; SW1/4	12	49S	25E	4C

3-90
85
3-15

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
					100		MSL-X; LS-; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
			W31 STUMD				EXP. IMPROV. RING

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
			W41 Prudgen & DAVIS	Clearwater	Caseing	

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

Jane

WELL STATION IDENTIFICATION

FORM 63 - 12/77

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	A CARD	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
021000010	092178	W51		2180.0					YES- ; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	A CARD	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52	PVC siphoned	Wpms	20			

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610		PVC	20.0				

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

Jane

WELL SURVEY REPORT

FORM 61 - 12/77
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021000010092178	W71	mp. BROWN							X	X		X		

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
	W81		WELLHEAD	WATER	0921/78	1015

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
	W82					149	487.0	258	315	TDK		

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
	W91		Probe hung 167';		
1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
	W92				

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Jane



WELL LOG

WELL LOCATION

County Collier
 Station I. D. 021000010
 Date 9/21/78 Well No. GJ-7
 Latitude 26° 12' 30" Longitude 81° 46' 03"
SW 1/4 NW 1/4 SW 1/4 Section 12 Township 49S Range 25E
 Owner SFWMD Phone _____
 Driller Pridgen & Davis Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/21/78 Time 1015 Source of Sample wellhead
 Cl _____ mg/l Type of Fluid water
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
 Logged By: M. P. Brown Witnessed By: _____


Comments: Probe hung 167'

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other Coring
 T. Depth - Driller _____ T. Depth - Logger 180.0'
 Casing Depth Driller _____ Casing Depth Logger _____
 Bit Size _____ Casing Dia. I.D. 2.00"
 Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____
 Type of Casing PVC Casing Thickness _____
 Type of Screen PVC slotted Screen Int. From _____ To _____
 Type of Packing _____ Well Use exploratory & monitoring
 Static Water Level 3.15' Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	ccl	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	()	Temperature	(XX)
Neutron	(XX)	Delta Temp.	()
Natural Gamma	(XX)	SP	()
Fluid Resistivity	(XX)		





WELL LOG

WELL LOCATION

County Collier

Station I. D. 021000010

Date 9/21/78 Well No. GJ-7

Latitude 26° 12' 42" S Longitude 81° 46' 03" W

SW 1/4 NW 1/4 SW 1/4 Section 12 Township 49S Range 25E

Owner SFWD Phone _____

Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other Coring

T. Depth - Driller _____ T. Depth - Logger 180.0'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. 2.00"

Hole Dia. From _____ To _____ Dia. From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From _____ To _____

Type of Packing _____ Well Use exploratory & monitoring

Static Water Level 3.15' Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/21/78 Time 1015 Source of Sample wellhead

Cl _____ mg/l Type of Fluid water

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Probe hung 167'

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|------|---------------|------|
| Lateral 6' | () | Density | () |
| Caliper | () | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (XX) |
| Neutron | (XX) | Delta Temp. | () |
| Natural Gamma | (XX) | SP | () |
| Fluid Resistivity | (XX) | | |





WELL LOG

WELL LOCATION

County Collier

Station I. D. 0 2 1 0 0 0 1 0

Date 9/21/78 Well No. GJ-7

Latitude 26° 12' 42" Longitude 81° 46' 03"

SW ¼ NW ¼ SW ¼ Section 12 Township 49S Range 25E

Owner SFWM Phone _____

Driller Pridgen & Davis Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other Coring

T. Depth - Driller _____ T. Depth - Logger 180.0'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. 2.00"

Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____

Type of Casing PVC Casing Thickness _____

Type of Screen PVC slotted Screen Int. From _____ To _____

Type of Packing _____ Well Use exploratory & monitoring

Static Water Level 3.15' Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/21/78 Time 1015 Source of Sample wellhead

Cl _____ mg/l Type of Fluid water

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: M. P. Brown Witnessed By: _____

Comments: Probe hung 167'

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density
- ccl
- Fluid Sampler
- Temperature
- Delta Temp.
- SP





WELL LOG

WELL LOCATION

County Collier
 Station I. D. 0 2 1 0 0 0 1 0
 Date 9/21/78 Well No. GJ-7
 Latitude 26° 12' 58" Longitude 81° 46' 03"
 SW ¼ NW ¼ SW ¼ Section 12 Township 49S Range 25E
 Owner SFWM Phone _____
 Driller Pridgen & Davis Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date 9/21/78 Time 1015 Source of Sample wellhead
 Cl _____ mg/l Type of Fluid water
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: M. P. Brown Witnessed By: _____
 Comments: Probe hung 167'

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger _____ Other Coring
 T. Depth - Driller _____ T. Depth - Logger 180.0'
 Casing Depth Driller _____ Casing Depth Logger _____
 Bit Size _____ Casing Dia. I.D. 2.00"
 Hole Dia. _____ From _____ To _____ Dia. _____ From _____ To _____
 Type of Casing PVC Casing Thickness _____
 Type of Screen PVC slotted Screen Int. From _____ To _____
 Type of Packing _____ Well Use exploratory & monitoring
 Static Water Level 3.15' Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	ccl	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	()	Temperature	(XX)
Neutron	(XX)	Delta Temp.	()
Natural Gamma	(XX)	SP	()
Fluid Resistivity	(XX)		

