

# WELL STATION IDENTIFICATION

FORM 62 - 12/77

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

PAGE 1 OF 2

## WELL LOCATION CARD ONE

1			10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	CARD	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC			
02100001	1092578	W11	FJ-5	Copier	26	09	13	8	45	33			

## WELL LOCATION CARD TWO

1			17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	CARD	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	PLANNING AREA	WATER MANAGEMENT DISTRICT	
		W12	SW1/4; SW1/4; SE1/4	36	T9S	R25E	CLWC		

## WELL DATUM CARD

1			17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	CARD	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)		
		W21			100		MSL-X; LS-; TOC-		

## WELL OWNERSHIP CARD

1			17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	CARD	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE		
		W31	SFWMD	Forest Service			Exp. permit drilling		

## WELL ORIGIN CARD

1			17	20	37	54	71	76
STATION I. D.	SURVEY DATE	CARD	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED		
		W41	Pridgen's DAVIS	Clearwater	Screening			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD. COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD), 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

Jane

# WELL STATION IDENTIFICATION

FORM 63 - 12/77

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

## WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH - DRILLER (FT)	TOTAL DEPTH - LOGGER (FT)	CASING DEPTH - DRILLER (FT)	CASING DEPTH - LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
021000011	092178	W51	200	154.9	68		200	5.99	YES - X; NO -	

## WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52	PVC slotted	none	20		68	200

## WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610		PVC	200	0.0	68		Grout

## WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

## WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.  
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),  
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).  
 CARD TYPES <W64>, <W65>, . . . . , <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

Jane

# WELL SURVEY REPORT

FORM 61 - 12/77  
(USE ONE FORM/DAY/WELL)

## SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
02100001	092178	W71	MP Brown						X	X			X	

\*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

## FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	WATER	092178	0800

3.02  
- .55  
-----  
3.47

## FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	77.8			383.0	1.068	1700	3457	PC		

## COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91	Profile being at	142', could penetr	etc past 154'

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92	DEVELOPED WELL w/	a 4 1/2" Gamma/Neut	spn profile could

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.  
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),  
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).  
 CARD TYPES <W93>, <W94>, .... <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Jane



SOUTH FLORIDA WATER MANAGEMENT DISTRICT

FORM 80  
Oct: 1977

WELL LOG

WELL LOCATION

County Collier  
Station I. D. 021000011  
Date 9/21/78 Well No. GJ-8  
Latitude 26° 09' 18" Longitude 81° 45' 33"  
SW 1/4 SE 1/4 Section 36 Township 49S Range 25E  
Owner SFWM Phone \_\_\_\_\_  
Driller Pridgen & Davis Date Drilled \_\_\_\_\_

DATUM

K.B. \_\_\_\_\_ L.S. \_\_\_\_\_ T.O.C. \_\_\_\_\_

FLUID QUALITY

Date 9/21/78 Time 0800 Source of Sample wellhead  
Cl \_\_\_\_\_ mg/l Type of Fluid water  
Temp. 77.0 °F Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ µmhos/cm

Logged By: M. P. Brown Witnessed By: \_\_\_\_\_


Comments: Probe hung at 142', could penetrate past 154', developed well via air', gamma/neutron probe could not penetrate well below 117' TOC.

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring  
T. Depth - Driller 200' T. Depth - Logger 154.0'  
Casing Depth Driller 68' Casing Depth Logger \_\_\_\_\_  
Bit Size 5.00" Casing Dia. I.D. 2.00"  
Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
Type of Casing PVC Casing Thickness \_\_\_\_\_  
Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Packing \_\_\_\_\_ Well Use exploratory & monitoring  
Static Water Level 3.45' Date \_\_\_\_\_  
Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

TYPE OF SURVEYS RUN

Lateral 6' ( ) Density ( )  
Caliper ( ) ccl ( )  
Flow meter ( ) Fluid Sampler ( )  
16", 64" normals ( ) Temperature (XX)  
Neutron (XX) Delta Temp. ( )  
Natural Gamma (XX) SP ( )  
Fluid Resistivity (XX)



GENERAL CALIBR INDUSTRIES, INC.



WELL LOG

WELL LOCATION

County Collier

Station I. D. 0 2 1 0 0 0 1 1

Date 9/21/78 Well No. GJ-8

Latitude 26° 09' 18" Longitude 81° 45' 33"

SW  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  Section 36 Township 49S Range 25E

Owner SFWM Phone \_\_\_\_\_

Driller Pridgen & Davis Date Drilled \_\_\_\_\_

DATUM

K.B. \_\_\_\_\_ L.S. \_\_\_\_\_ T.O.C. \_\_\_\_\_

FLUID QUALITY

Date 9/21/78 Time 0800 Source of Sample wellhead

Cl \_\_\_\_\_ mg/l Type of Fluid water

Temp. 77.0 °F % Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C

T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_  $\mu$ mhos/cm

Logged By: M. P. Brown Witnessed By: \_\_\_\_\_

Comments: Probe hung at 142', could penetrate past 154',

developed well via air', gamma/neutron probe could

not penetrate well below 117' TOC.

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring

T. Depth - Driller 200' T. Depth - Logger 154.0'

Casing Depth Driller 68' Casing Depth Logger \_\_\_\_\_

Bit Size 5.00" Casing Dia. I.D. 2.00"

Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Type of Casing PVC Casing Thickness \_\_\_\_\_

Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_


Type of Packing \_\_\_\_\_ Well Use exploratory & monitoring

Static Water Level 3.45' Date \_\_\_\_\_

Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

TYPE OF SURVEYS RUN

Lateral 6'	( )	Density	( )
Caliper	( )	ccl	( )
Flow meter	( )	Fluid Sampler	( )
16", 64" normals	( )	Temperature	(X)
Neutron	(X)	Delta Temp.	( )
Natural Gamma	(X)	SP	( )
Fluid Resistivity	(X)		





WELL LOG

**WELL LOCATION**

County Collier  
 Station I. D. 021000011  
 Date 9/21/78 Well No. GJ-8  
 Latitude 26° 09' 18" Longitude 81° 45' 33"  
 SW  $\frac{1}{4}$ SW  $\frac{1}{4}$ SE  $\frac{1}{4}$  Section 36 Township 49S Range 25E  
 Owner SFMD Phone \_\_\_\_\_  
 Driller Pridgen & Davis Date Drilled \_\_\_\_\_

**WELL CONSTRUCTION**

Drilling Method: Rot. Air CT Auger Other coring  
 T. Depth - Driller 200' T. Depth - Logger 154.0'  
 Casing Depth Driller 68' Casing Depth Logger \_\_\_\_\_  
 Bit Size 5.00" Casing Dia. I.D. 2.00"  
 Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Casing PVC Casing Thickness \_\_\_\_\_  
 Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Packing \_\_\_\_\_ Well Use exploratory & monitoring  
 Static Water Level 3.45' Date \_\_\_\_\_  
 Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

**DATUM**

K.B. \_\_\_\_\_ L.S. \_\_\_\_\_ T.O.C. \_\_\_\_\_


**FLUID QUALITY**

Date 9/21/78 Time 0800 Source of Sample wellhead  
 Cl \_\_\_\_\_ mg/l Type of Fluid water  
 Temp. 77.0 °F  $\frac{9}{5}$  Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
 T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_  $\mu$ mhos/cm  
 Logged By: M. P. Brown Witnessed By: \_\_\_\_\_

Comments: Probe hung at 142', could penetrate past 154', developed well via air', gamma/neutron probe could not penetrate well below 117' TOC.

**TYPE OF SURVEYS RUN**

- |                   |      |               |      |
|-------------------|------|---------------|------|
| Lateral 6'        | ( )  | Density       | ( )  |
| Caliper           | ( )  | ocl           | ( )  |
| Flow meter        | ( )  | Fluid Sampler | ( )  |
| 16", 64" normals  | ( )  | Temperature   | (XX) |
| Neutron           | (XX) | Delta Temp.   | ( )  |
| Natural Gamma     | (XX) | SP            | ( )  |
| Fluid Resistivity | (XX) |               |      |



GEORGEI OMBRE MONITORING, INC.  
 No. 12-1023-04  
 A-2 U. S. 0274



WELL LOG

WELL LOCATION

County Collier  
 Station I. D. 021000011  
 Date 9/21/78 Well No. GJ-8  
 Latitude 26° 09' 18" Longitude 81° 45' 33"  
 SW 1/4 SE 1/4 Section 36 Township 49S Range 25E  
 Owner SFWM Phone \_\_\_\_\_  
 Driller Pridgen & Davis Date Drilled \_\_\_\_\_

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other coring  
 T. Depth - Driller 200' T. Depth - Logger 154.0'  
 Casing Depth Driller 68' Casing Depth Logger \_\_\_\_\_  
 Bit Size 5.00" Casing Dia. I.D. 2.00"  
 Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Casing PVC Casing Thickness \_\_\_\_\_  
 Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Packing \_\_\_\_\_ Well Use exploratory & monitoring  
 Static Water Level 3.45' Date \_\_\_\_\_  
 Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM

K.B. \_\_\_\_\_ L.S. \_\_\_\_\_ T.O.C. \_\_\_\_\_


FLUID QUALITY

Date 9/21/78 Time 0800 Source of Sample wellhead  
 Cl \_\_\_\_\_ mg/l Type of Fluid water  
 Temp. 77.0 °F 25 Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
 T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ umhos/cm  
 Logged By: M. P. Brown Witnessed By: \_\_\_\_\_

Comments: Probe hung at 142', could penetrate past 154', developed well via air', gamma/neutron probe could not penetrate well below 117' TOC.

TYPE OF SURVEYS RUN

Lateral 6'	( )	Density	( )
Caliper	( )	ccl	( )
Flow meter	( )	Fluid Sampler	( )
16", 64" normals	( )	Temperature	(XX)
Neutron	(XX)	Delta Temp.	( )
Natural Gamma	(XX)	SP	( )
Fluid Resistivity	(XX)		




File Name: P.npd  
Well Name: GJ-8  
Date: Monday, July 30, 2001, at 09:33:48 AM  
Plot: Plot created from P.npd

Add your own company logo here!

1. Go to the Options menu.
2. Select Global Preferences.
3. Select the Imaging tab (it may not be visible, use the arrows to view additional tabs).
4. Make sure that the Use User Image is checked.
5. Click on the User Image button to select your logo.

This image will be displayed in the About dialog and on the user plot!

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.







RIS-View Version 3.0

Copyright © 1992-2001 Digital Formation, Inc. All Rights Reserved.

File Name: P1.npd  
 Well Name: GJ-8  
 Date: Monday, July 30, 2001, at 10:06:20 AM  
 Plot: Plot created from P1.npd

1. Click on the **Help** button.
  2. Select **Global Preferences**.
  3. Select the **Imaging** tab (if not visible, use the arrows to view additional tabs).
  4. Make sure that the **Use User Image** is checked.
  5. Click on the **User Image** button to select your logo.
- This image will be displayed in the **About** dialog, and on various plots.

This software is protected by United States and international Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.

