

C-2005D

WELL STATION IDENTIFICATION

FORM 62 - 12/77

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

PAGE 1 OF 2

WELL LOCATION CARD ONE

1				10	16	20	37	54	57	59	63	66	68	71	
STATION	SURVEY	Y	A	CARD	WELL NO.	COUNTY	LAT	LAT	LAT	LON	LON	LON	DEG	MIN	SEC
I. D.	DATE	C					DEG	MIN	SEC	DEG	MIN	SEC			
021000012	083178	W11	C	2005D		COLLIER	26	00	18	81	38	22			

WELL LOCATION CARD TWO

1				17	20	37	39	42	45	61
STATION	SURVEY	Y	A	CARD	QUARTERSECTIONS	SEC	TOWN-	RANGE	WATER MANAGEMENT DISTRICT	PLANNING AREA
I. D.	DATE	C					SHIP			
		W12			NE1/4; NE1/4; NE1/4	30	51S	27E	LWC	

150 = 20.5
72

WELL DATUM CARD

1				17	20	26	32	38	44	59
STATION	SURVEY	Y	A	CARD	KELLY BUSH- ING (FEET)	LAND SUR- FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)	
I. D.	DATE	C								
		W21				50			MSL- <input checked="" type="checkbox"/> ; LS- <input type="checkbox"/> ; TOC- <input type="checkbox"/>	

WELL OWNERSHIP CARD

1				17	20	37	54	57	64	80
STATION	SURVEY	Y	A	CARD	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE	
I. D.	DATE	C								
		W31			TED REYNOLDS		813	774.3271	EXPLORATORY	

WELL ORIGIN CARD

1				17	20	37	54	71	76
STATION	SURVEY	Y	A	CARD	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED	
I. D.	DATE	C							
		W41			SFWMD	WPB	MVD ROTARY	083178	

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

Jane

WELL STATION IDENTIFICATION

FORM 63 - 12/77

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	A CARD	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
02.10.000.12	08.31.78	W51	198	198.0			50	4.25	YES-X; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	A CARD	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52						

WELL DESCRIPTION - CONFIGURATION CARD. SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610	0	PVC	50	0	11		BENTONITE

WELL DESCRIPTION - CONFIGURATION CARD. SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD. SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	A CARD	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

Jane

WELL SURVEY REPORT

FORM 61 - 12/77
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021000012	083178	W71	D. KNUTTLEY	P. JAKOB	X	X	X	X				X	X	

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:
 A = CALIPER F = NATURAL GAMMA K = TEMPERATURE GRADIENT
 B = FLOWMETER G = FLUID RESISTIVITY L = DELTA TEMPERATURE
 C = 16-INCH NORMAL RESISTIVITY H = GAMMA GAMMA DENSITY M = SPONTANEOUS POTENTIAL
 D = 64-INCH NORMAL RESISTIVITY I = CASING COLLAR LOCATOR N = POINT RESISTANCE
 E = NEUTRON POROSITY J = FLUID SAMPLER O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81		BENTONITE MUD	083178	

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	C FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82										

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91			
1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W03> <W04> <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.





WELL LOG

WELL LOCATION

County Collier
Station I. D. 021000012
Date 08/31/78 Well No. C2005D
Latitude 26° 00' 18" Longitude 081° 38' 22"
NE ¼ NE ¼ NE ¼ Section 30 Township 51S Range 27E
Owner SFWM Phone 686-8800
Driller SFWM Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. as 0.0'

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid Bentonite mud
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm
Logged By: D. Knittel Witnessed By: P. Jakob

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger _____ Other _____
T. Depth - Driller 198.0' T. Depth - Logger 198.0'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size 4.25" Casing Dia. I.D. _____
Hole Dia. 4.25" From _____ To _____ Dia. From _____ To _____
Type of Casing None Casing Thickness _____
Type of Screen None Screen Int. From _____ To _____
Type of Packing None Well Use Exp. & monitoring
Static Water Level _____ Date _____
Yield Flow Static Pump _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | (x) | Density | () |
| Caliper | (x) | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64"-normals | (x) | Temperature | () |
| Neutron | (x) | Delta Temp. | () |
| Natural Gamma | (x) | SP | (x) |
| Fluid Resistivity | () | | |





WELL LOG

WELL LOCATION

County Collier
Station I. D. 021000012
Date 08/31/78 Well No. C2005D
Latitude 26° 00' 18" Longitude 081° 38' 22"
NE 1/4 NE 1/4 NE 1/4 Section 30 Township 51S Range 27E
Owner SFWMD Phone 686-8800
Driller SFWMD Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. as 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid Bentonite mud
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: D. Knittel Witnessed By: P. Jakob


Comments:

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | (X) | Density | () |
| Caliper | (X) | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64"-normals | (X) | Temperature | () |
| Neutron | (X) | Delta Temp. | () |
| Natural Gamma | (X) | SP | (X) |
| Fluid Resistivity | () | | |

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger Other _____
T. Depth - Driller 198.0' T. Depth - Logger 198.0'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size 4.25" Casing Dia. I.D. _____
Hole Dia. 4.25" From _____ To _____ Dia. From _____ To _____
Type of Casing None Casing Thickness _____
Type of Screen None Screen Int. From _____ To _____
Type of Packing None Well Use Exp. & monitoring
Static Water Level _____ Date _____
Yield Flow Static Pump _____





WELL LOG

WELL LOCATION

County Collier

Station I. D. 021000012

Date 08/31/78 Well No. C2005D

Latitude 26° 00' 18" Longitude 081° 38' 22"

NE 1/4 NE 1/4 NE 1/4 Section 30 Township 51S Range 27E

Owner SFWMD Phone 686-8800

Driller SFWMD Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 198.0' T. Depth - Logger 198.0'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 4.25" Casing Dia. I.D. _____

Hole Dia. 4.25" From _____ To _____ Dia. From _____ To _____

Type of Casing None Casing Thickness _____

Type of Screen None Screen Int. From _____ To _____

Type of Packing None Well Use Exp. & monitoring

Static Water Level _____ Date _____

DATUM

K.B. _____ L.S. _____ T.O.C. as 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid Bentonite mud

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: D. Knittel Witnessed By: P. Jakob

Comments: _____

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	()
Caliper	<input checked="" type="checkbox"/>	cci	()
Flow meter	()	Fluid Sampler	()
16", 64"-normals	<input checked="" type="checkbox"/>	Temperature	()
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	()
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>





SOUTH FLORIDA WATER MANAGEMENT DISTRICT

FORM 60
Oct. 1977

WELL LOG

WELL LOCATION

County Collier
Station I. D. 021000012
Date 08/31/78 Well No. C2005D
Latitude 26° 00' 18" Longitude 081° 38' 22"
NE 1/4 NE 1/4 NE 1/4 Section 30 Township 51S Range 27E
Owner SFWM Phone 686-8800
Driller SFWM Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. as 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid Bentonite mud
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: D. Knittel Witnessed By: P. Jakob

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 198.0' T. Depth - Logger 198.0'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size 4.25" Casing Dia. I.D. _____
Hole Dia. 4.25" From _____ To _____ Dia. _____ From _____ To _____
Type of Casing None Casing Thickness _____
Type of Screen None Screen Int. From _____ To _____
Type of Packing None Well Use Exp. & monitoring
Static Water Level _____ Date _____
Yield Flow Static Pump _____


Comments:

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
Caliper (x) ccl ()
Flow meter () Fluid Sampler ()
16", 64"-normals (x) Temperature ()
Neutron (x) Delta Temp. ()
Natural Gamma (x) SP (x)
Fluid Resistivity ()

CALIPER LOG

Hole Diameter














EOL

20'/MIN ↑

DIGITAL FORMATION *Digital Formation, Inc. Denver, CO (USA) RIS-Flow Version 3.0*
 Copyright © 1992-2001 Digital Formation, Inc. All Rights Reserved
 File Name: If.npd
 Well Name: C-2003 D
 Date: Wednesday, August 08, 2001, at 08:02:28 AM
 Plot created from: If.npd

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.

ADD user user temporary help.html
 1. Go to the Options menu.
 2. Select Global Preferences.
 3. Select the Logging tab. It may not be visible, use the arrow to show it.
 4. Make sure the User Bridge checkbox is checked.
 5. Click on the User Bridge button to select your logs.
 The logs will be displayed in the About dialog, click on the help button.



DIGITAL FORMATION *Digital Formation, Inc. Denver, CO (USA) RIS-Flow Version 3.0*
 Copyright © 1992-2001 Digital Formation, Inc. All Rights Reserved
 File Name: If.npd
 Well Name: C-2003 D
 Date: Wednesday, August 08, 2001, at 08:03:07 AM
 Plot created from: If.npd

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.

ADD user user temporary help.html
 1. Go to the Options menu.
 2. Select Global Preferences.
 3. Select the Logging tab. It may not be visible, use the arrow to show it.
 4. Make sure the User Bridge checkbox is checked.
 5. Click on the User Bridge button to select your logs.
 The logs will be displayed in the About dialog, click on the help button.

