

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
021000030	10.04.79	W11	C-2011D	COLLIER	026	05	37	081	42	10	

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
		W12	NE1/4; NE1/4; NE1/4	29	50S	26E	LOWER WEST COAST

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21			00		MSL- ; LS-X; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	LELY, ESTATES				MONITOR

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41	S. F. W. M. D.	W. P. B.	ROTARY	10.03.79

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

?  Jane

WELL STATION IDENTIFICATION

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION	SURVEY	CARD	TOTAL DEPTH	TOTAL DEPTH	CASING DEPTH	CASING DEPTH	CASING I.D.	BIT SIZE	DRILLER LOG AVAIL.	
I. D.	DATE	C	-DRILLER (FT)	-LOGGER (FT)	-DRILLER (FT)	-LOGGER (FT)	(INCHES)	(INCHES)		
02-10-06-030	1-00-79	W51	1.40	1.30	10	10	58.0		YES-X:NO	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION	SURVEY	CARD	TYPE OF	TYPE OF	DIA. OF	SLOT SIZE	SCREEN	SCREEN
I. D.	DATE	C	SCREEN	PACKING	SCREEN	(INCHES)	BEGINS	ENDS (FT)
			OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION	SURVEY	CARD	SEC	TYPE OF	NOM. DIA.	BEGIN	END DEPTH	THICKNESS	TYPE OF
I. D.	DATE	C		CASING	(INCHES)	DEPTH	(FEET)	(INCHES)	ANNULUS FILL
				P.V.C.	6.0"	0	10'	23	

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION	SURVEY	CARD	SEC	TYPE OF	NOM. DIA.	BEGIN	END DEPTH	THICKNESS	TYPE OF
I. D.	DATE	C		CASING	(INCHES)	DEPTH	(FEET)	(INCHES)	ANNULUS FILL

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION	SURVEY	CARD	SEC	TYPE OF	NOM. DIA.	BEGIN	END DEPTH	THICKNESS	TYPE OF
I. D.	DATE	C		CASING	(INCHES)	DEPTH	(FEET)	(INCHES)	ANNULUS FILL

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W66>, <W67>, <W68>, <W69>, <W70>

Jane

WELL SURVEY REPORT

Well C2011D

FORM BP-39
Rev. 12/79
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
02.10.00.030	10.04.79	W71	S. BURNS	M. BRAUN	X	X	X					X		

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	D = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	DRILL MUD	10.4.79	

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82										

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91	HOLE FILLED IN	LAST SURVEY AT	118 Feet

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Jane

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
021000030	0912280	W11C	-2011D	COLLIER	026	05	37	081	42	10	

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA	
		W12	NE1/4; NE1/4; NE1/4	29	50S 26E	LOWER WEST COAST	

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21			00		MSL- ; LS-X ; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	LELY, ESTATES				MONITOR

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41	S. F. W. M. D.	W. P. B.	ROTARY	10.03.79

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

Jane

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
02-1-0-0-6-0-3-0	01-22-80	W5-1	1-4-0	1-1-2	1-0		5-8-0		YES - X; NO -	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5-2	OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH (FEET)	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6-1-0		P.V.C.	6-0"	0	1-0'	03	

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH (FEET)	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6-2-0-2							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH (FEET)	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6-3-0-3							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

Jane

WELL SURVEY REPORT

FORM RP-39 -- Rev. 10/78

(USE ONE FORM/DAY/WE)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
021,000,030	01,22,80	W71	ANDERSON, S.	DAVENHAUER, A.	X				X				X	X

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	WATER	01,22,80	1,4,00

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	75.70 F					7520				

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91	only Flow Surveys	run top of well with	logs previously

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92	run well pumped	with 3" pump,	centrifugal

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Jane

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LOX DEG	LOX MIN	LOX SEC	
021000030	050680	W11	C-20111D	COLLIER							

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
		W12	1/4; 1/4; 1/4				

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21					MSL-; LS-; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31					

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41				

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
		W5.1							YES- ; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5.2						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.10							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.202							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, , <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

W E L L S U R V E Y R E P O R T

FORM RP-39
Rev. 12/79
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
0210000300	050680	W71	S. ANDERSON	P. DAUENHAVER	X									X

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY
		P = SONIC LOG.

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81				

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE	
I. D.	DATE	C	SAMPLE	F GRAVITY	PH (MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)	
		W82										

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91			

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 05-06-80 Well No. C-2011D
Latitude 026°05'37" Longitude 081°42'10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D. Date Drilled 10-03-79

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140' T. Depth - Logger 110'
Casing Depth Driller 20' Casing Depth Logger 20'
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6.0 From 0 To 20' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid WATER
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAVENHAUER
Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-----|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | <input checked="" type="checkbox"/> | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | () | | () |

C-2011D

CALIPER



-50'-

20'/MIN. ↑

-100'

-110'

CALIPER

C-2011D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 01-22-80 Well No. C-2011D
Latitude 026° 05' 37" Longitude 081° 42' 10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D. Date Drilled 10-03-79

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140.0' T. Depth - Logger 112.0'
Casing Depth Driller 10' Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6.0" From 0 To 10' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness _____
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. D.O.L.S.


FLUID QUALITY

Date 01-22-80 Time 1400 Source of Sample WELLHEAD
Cl _____ mg/l Type of Fluid WATER
Temp. 75.70°F * Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 752.0 umhos/cm
Logged By: ANDERSON S. Witnessed By: DAVENHAUER P

Comments: ONLY FLOW SURVEYS RUN, TO 60
WITH LOGS PREVIOUSLY RUN
WELL PUMPED WITH 3" CENTRIFUGAL
PUMP.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ocl | () |
| Flow meter | (X) | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (X) |
| Neutron | () | Delta Temp. | (X) |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | (X) | | |



C-2011D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 10-4-79 Well No. C-2011D
Latitude 26° 05' 37" Longitude 81° 42' 10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D Date Drilled 10-3-79

DATUM

K.B. _____ L.S. _____ T.O.C. 0.045

FLUID QUALITY

Date 10-4-79 Time _____ Source of Sample WELLHEAD
Cl _____ mg/l Type of Fluid Drill Mud
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: SCOTT BURNS Witnessed By: MARTY BRAUN
Comments: Hole Filled In. Last Survey at 118'

WELL CONSTRUCTION


Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140.0' T. Depth - Logger 130.0'
Casing Depth Driller 10' Casing Depth Logger 10'
Bit Size _____ Casing Dia. I.D. 5.8"
Hole Dia. 6.0" From 0 To 10' Dia. _____ From _____ To _____
Type of Casing PVC Casing Thickness 0.3"
Type of Screen Open hole Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6'
Caliper Density
Flow meter ccl
16", 64" normals Fluid Sampler
Neutron Temperature
Natural Gamma Delta Temp.
Fluid Resistivity SP

C-2011-D
CALIPER

HOLE DIA.
2" 4" 6" 8" 10" 12" 14" 16" 18" 20"



CALIPER

C-2011-D



WELL LOG

WELL LOCATION

County COLLIER
 Station I. D. 021000030
 Date 10-4-79 Well No. C-2011D
 Latitude 26° 05' 37" Longitude 81° 42' 10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
 Owner LELY ESTATES Phone _____
 Driller S.F.W.M.D Date Drilled 10-3-79

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller 140.0' T. Depth - Logger 130.0'
 Casing Depth Driller 10' Casing Depth Logger 10'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6.0" From 0 To 10' Dia. _____ From _____ To _____
 Type of Casing PVC Casing Thickness 0.3"
 Type of Screen Open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. 0.045


FLUID QUALITY

Date 10-4-79 Time _____ Source of Sample WELLHEAD
 Cl _____ mg/l Type of Fluid Drill Mud
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
 Logged By: SCOTT BURNS Witnessed By: MARTY BRAUN
 Comments: Hole Filled in, last survey at 118'


TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density
- cci
- Fluid Sampler
- Temperature
- Delta Temp.
- SP

C-2011-D
GAMMA



GAMMA CAL.
 100 CPS
 TC-3





WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 10-4-79 Well No. C-2011D
Latitude 26° 05' 37" Longitude 81° 42' 10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D Date Drilled 10-3-79

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140.0' T. Depth - Logger 130.0'
Casing Depth Driller 10' Casing Depth Logger 10'
Bit Size _____ Casing Dia. I.D. 5.8"
Hole Dia. 6.0" From 0 To 10' Dia. _____ From _____ To _____
Type of Casing PVC Casing Thickness 0.3"
Type of Screen Openhole Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. _____ T.O.C. 0.0 L.S

FLUID QUALITY

Date 10-4-79 Time _____ Source of Sample WELLHEAD
Cl _____ mg/l Type of Fluid Drill Mud
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: SCOTT BURNS Witnessed By: MARTY BRAUN
Comments: Hole Filled in. Last Survey at 118'

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP





WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 01-22-80 Well No. C-2011D
Latitude 026° 05' 37" Longitude 081° 42' 10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D. Date Drilled 10-03-79

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140.0' T. Depth - Logger 112.0'
Casing Depth Driller 10' Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6.0" From 0 To 10' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness _____
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0 L.S.

FLUID QUALITY

Date 01-22-80 Time 1400 Source of Sample WELL HEAD
Cl _____ mg/l Type of Fluid WATER
Temp. 75.70°F * Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 752.0 umhos/cm
Logged By: ANDERSON S. Witnessed By: DAVENHAUER P.

Comments: ONLY FLOW SURVEYS RUN, TO GO WITH LOGS PREVIOUSLY RUN WELL PUMPED WITH 3" CENTRIFUGAL PUMP.


TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | col | () |
| Flow meter | (X) | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (X) |
| Neutron | () | Delta Temp. | (X) |
| Natural Gamma | () | SP | (X) |
| Fluid Resistivity | (X) | | |

FLOWMETER
C-2011D

RUN #2

PROBE
STATIONARY
IN HOLE





WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 01-22-80 Well No. C-2011D
Latitude 026° 05' 37" Longitude 081° 42' 10"
NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D. Date Drilled 10-03-79

DATUM

K.B. _____ L.S. _____ T.O.C. O.O.L.S.

FLUID QUALITY

Date 01-22-80 Time 1400 Source of Sample WELLHEAD
Cl _____ mg/l Type of Fluid WATER
Temp. 75.70°F Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 752.0 umhos/cm
Logged By: ANDERSON S. Witnessed By: DAVENHAVER P.

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140.0' T. Depth - Logger 112.0'
Casing Depth Driller 10' Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6.0" From 0 To 10' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness _____
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____


Comments: ONLY FLOW SURVEYS RUN, TO GO WITH LOGS PREVIOUSLY RUN WELL PUMPED WITH 3" CENTRIFUGAL PUMP.

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
Caliper () ccl ()
Flow meter (X) Fluid Sampler ()
16", 64" normals () Temperature (X)
Neutron () Delta Temp. (X)
Natural Gamma () SP ()
Fluid Resistivity (X)

C-2011D

FLUID RESISTIVITY TEMPERATURE DIFFERENTIAL TEMPERATURE GRADIENT



FLUID RESISTIVITY TEMPERATURE DIFFERENTIAL TEMPERATURE GRADIENT

C-2011D



WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 05-06-80 Well No. C-2011D
Latitude 026°05'37" Longitude 081°42'10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D. Date Drilled 10-03-79

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140' T. Depth - Logger 110'
Casing Depth Driller 20' Casing Depth Logger 20'
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6.0 From 0 To 20' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid WATER
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAUENHAUER
Comments: _____

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	()
Caliper	<input checked="" type="checkbox"/>	ccl	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	()	Temperature	()
Neutron	()	Delta Temp.	()
Natural Gamma	()	SP	()
Fluid Resistivity	()		





WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 01-22-80 Well No. C-2011D
Latitude 026° 05' 37" Longitude 081° 42' 10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D. Date Drilled 10-03-79

DATUM

K.B. _____ L.S. _____ T.O.C. O.O.L.S.

FLUID QUALITY

Date 01-22-80 Time 1400 Source of Sample WELL HEAD
Cl _____ mg/l Type of Fluid WATER
Temp. 75.70°F Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 752.0 umhos/cm
Logged By: ANDERSON S. Witnessed By: DAVENHAVER P.

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140.0' T. Depth - Logger 112.0'
Casing Depth Driller 10' Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6.0" From 0 To 10' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness _____
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____


Comments: ONLY FLOW SURVEYS RUN, TO 60
WITH LOGS PREVIOUSLY RUN
WELL PUMPED WITH 3" CENTRIFUGAL
PUMP.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ccl | () |
| Flow meter | <input checked="" type="checkbox"/> | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | (X) |
| Neutron | () | Delta Temp. | (X) |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | (X) | | |

FLOWMETER
C-2011D

RUN #1





WELL LOG

WELL LOCATION

County COLLIER
Station I. D. 021000030
Date 05-06-80 Well No. C-2011D
Latitude 026°05'37" Longitude 081°42'10"
NE 1/4 NE 1/4 NE 1/4 Section 29 Township 50S Range 26E
Owner LELY ESTATES Phone _____
Driller S.F.W.M.D. Date Drilled 10-03-79

DATUM

K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid WATER
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAVENHAUER


Comments: _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 140' T. Depth - Logger 110'
Casing Depth Driller 20' Casing Depth Logger 20'
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6.0 From 0 To 20' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.3"
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' Density ()
Caliper ccl ()
Flow meter () Fluid Sampler ()
16", 64" normals () Temperature ()
Neutron () Delta Temp. ()
Natural Gamma () SP ()
Fluid Resistivity ()





Digital Formation, Inc.
Denver, CO (USA)
RIS-Flex Version 3.0

Copyright © 1992-2001 Digital Formation, Inc. All Rights Reserved.


File Name: EE2.npd
Well Name: C-2011 D
Date: Monday, July 30, 2001, at 07:09:47 AM
Plot: Plot created from: EE2.npd

Add your own arbitrary logo here!

1. Go to the **Options** menu
2. Select **Global Preferences**
3. Select the **Logging** tab (it may not be visible, use the arrows to view additional tabs)
4. Make sure that the **Use User Image** is checked
5. Click on the **User Image** button to select your logo

This menu will be displayed in the **About** dialog, and on various plots

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.



DIGITAL FORMATION

Digital Formation, Inc.
Denver, CO (USA)
RIS-View Version 3.0

Copyright © 1992-2001 Digital Formation, Inc. All Rights Reserved


File Name: EE.npd
Well Name: C-2011 D
Date: Monday, July 30, 2001, at 07:12:34 AM
Plot: Plot created from: EE.npd

Add your own company logo here!

1. Go to the Options menu
2. Select Global Preferences
3. Select the Imaging tab (it may not be visible, use the arrows to view additional tabs)
4. Make sure that the User User Image is checked
5. Click on the User Image button to select your logo

This image will be displayed in the About dialog, and on various plots

This software is protected by United States and international Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved



DIGITAL FORMATION

Digital Formation, Inc.

Denver, CO (USA)

RIS-View Version 3.0

Copyright © 1992-2001 Digital Formation, Inc. All Rights Reserved.

File Name: EE1TIF.npd

Well Name: C-2011 D

Date: Monday, July 30, 2001, at 06:22:45 AM

Plot: Plot created from: EE1TIF.npd

Add your own company logo here!

1. Go to the Options menu.
2. Select Global Preferences.
3. Select the Imaging tab (if not visible, use the arrows to view additional tabs).
4. Make sure that the Use User Image is checked.
5. Click on the User Image button to select your logo.

This image will be displayed in the About dialog, and on various plots.

This software is protected by United States and International Copyright laws. It may not be duplicated, modified, reverse engineered or decompiled in any way. Digital Formation, Inc. cannot and does not assume any liability for the use of the software for any purpose. All Rights Reserved.

