



SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG

WELL LOCATION

County PALM BEACH  
Station I.D. 0990000054  
Date 04/29/97 Well No. P-5C  
Latitude 26 38 54 Longitude 80 26 40 X=681450 Y=841734  
SE 1/4 NW 1/4 NW 1/4 NW 1/4 Section 15 Township 44S Range 39E  
Owner S.F.W.M.D. Phone (561) 686-8800  
Driller NONE Date Drilled 04/29/97

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA  
Cl NA mg/l Type of Fluid DRILLING MUD  
Temp. NA o/C Field Density NA o/C  
T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
Logged By: E.P. DAUENHAUER Witnessed By: no witness  
Scale NA  
Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot(X) Air( ) CT( ) Auger( ) Other  
T. Depth-Driller 232' T. Depth-Logger 232'  
Casing Depth Driller NA Casing Depth Logger NA  
Bit Size 5 7/8" Casing Dia. I.D. NA  
Hole Dia. 6" From 0' To 232' Dia. NA From NA To NA  
Type of Casing NA Casing Thickness NA  
Type of Screen OPEN HOLE Screen Int. From NA To NA  
Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' (X) Density ( )  
Caliper (X) ccl ( )  
Flow meter ( ) Fluid Sampler ( )  
16", 64" normals (X) Temperature ( )  
Neutron (X) Delta Temp. ( )  
Natural Gamma (X) SP (X)  
Fluid Resistivity ( ) Single PL (X)

COMMENTS

NO COMMENTS PARTIAL CALIPER DUE TO CLAY PINCH-IN AREA.

P-5C

HOLE DIA.  
CALIPER 2 4 6 8 10 12 14 16  
20'/MIN. 4/29/97

00025

00050


00075

00100

00125

00150

00175





SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG

WELL LOCATION

County PALM BEACH  
Station ID 0220000054  
Date 04/29/97 Well No. P-5C  
Latitude 26 38 54 Longitude 80 26 40 X=881450 Y=841734  
SE 1/4 NW 1/4 NW 1/4 NW 1/4 Section 15 Township 44S Range 39E  
Owner S.F.W.M.D. Phone (561) 686-8800  
Driller HOHE Date Drilled 04/29/97

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA  
Q NA mg/l Type of Fluid DRILLING MUD  
Temp. NA o/C Field Density NA @ o/C  
T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
Logged By: E.P. DAUENHAUER Witnessed By: no witness  
Scale NA  
Digitized By: NA

WELL CONSTRUCTION


Drilling Method: Rot. (X) Air ( ) CT ( ) Auger ( ) Other  
T. Depth-Driller 232' T. Depth-Logger 232'  
Casing Depth Driller NA Casing Depth Logger NA  
Bit Size 5 7/8" Casing Dia. I.D. NA  
Hole Dia. 6" From 0' To 232' Dia. NA From NA To NA  
Type of Casing NA Casing Thickness NA  
Type of Screen OPEN HOLE Screen Int. From NA To NA  
Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6" (X) Density ( )  
Caliper (X) ccl ( )  
Flow meter ( ) Fluid Sampler ( )  
16".64" normals (X) Temperature ( )  
Neutron (X) Delta Temp. ( )  
Natural Gamma (X) SP ( )  
Fluid Resistivity ( ) Single Pt. ( )

COMMENTS

NO COMMENTS







SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG

WELL LOCATION

County PALM BEACH  
Station I.D. 0990000064  
Date 04/29/97 Well No. P-5C  
Latitude 26 38 54 Longitude 80 26 40 X=881450 Y=841734  
SE 1/4 NW 1/4 NW 1/4 NW 1/4 Section 15 Township 44S Range 39E  
Owner S.F.W.M.D. Phone (561) 686-8800  
Driller NONE Date Drilled 04/29/97

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA  
Cl NA mg/l Type of Fluid DRILLING MUD  
Temp. NA o/C Field Density NA o/C  
T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
Logged By: E.P. DAUENHAUER Witnessed By: no witness  
Scale NA  
Digitized By: NA

WELL CONSTRUCTION


Drilling Method: Rot (X) Air ( ) CI ( ) Auger ( ) Other  
T. Depth-Driller 232' T. Depth-Logger 232'  
Casing Depth Driller NA Casing Depth Logger NA  
Bit Size 5 7/8" Casing Dia. I.D. NA  
Hole Dia. 6" From 0' To 232' Dia. NA From NA To NA  
Type of Casing NA Casing Thickness NA  
Type of Screen OPEN HOLE Screen Int. From NA To NA  
Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' (X) Density ( )  
Caliper (X) ccl ( )  
Flow meter ( ) Fluid Sampler ( )  
16", 64" normals (X) Temperature ( )  
Neutron (X) Delta Temp. ( )  
Natural Gamma (X) SP (X)  
Fluid Resistivity ( ) Single PL (X)

COMMENTS

NO COMMENTS







**SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG**

**WELL LOCATION**

County PALM BEACH  
 Station I.D. 099D000084  
 Date 04/29/97 Well No. P-5C  
 Latitude 26 38 54 Longitude 80 26 40 X=681450 Y=841734  
 SE 1/4 NW 1/4 NW 1/4 NW 1/4 Section 15 Township 44S Range 39E  
 Owner S.F.W.M.D. Phone (561) 686-8800  
 Driller NONE Date Drilled 04/29/97

**DATUM**

L.S. +14.00' T.O.C. NA

**FLUID QUALITY**

Date NA Time NA Source of Sample NA  
 Cl NA mg/l Type of Fluid DRILLING MUD  
 Temp. NA o/C Field Density NA o/C  
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
 Logged By: E.P. DAUENHAUER Witnessed By: no witness  
 Scale NA  
 Digitized By: NA

**WELL CONSTRUCTION**


Drilling Method: Rot.  Air  CT  Auger  Other   
 T. Depth-Driller 232' T. Depth-Logger 232'  
 Casing Depth Driller NA Casing Depth Logger NA  
 Bit Size 5 7/8" Casing Dia. I.D. NA  
 Hole Dia. 6" From 0' To 232' Dia. NA From NA To NA  
 Type of Casing NA Casing Thickness NA  
 Type of Screen OPEN HOLE Screen Int. From NA To NA  
 Yield Flow NA Well Use MONITOR

**TYPE OF SURVEYS RUN**

Lateral 6"  Density   
 Caliper  ccl   
 Flow meter  Fluid Sampler   
 16", 64" normals  Temperature   
 Neutron  Delta Temp.   
 Natural Gamma  SP   
 Fluid Resistivity  Single PL

**COMMENTS**

NO COMMENTS







**SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG**

**WELL LOCATION**

County PALM BEACH  
 Station I.D. 099000064  
 Date 04/29/97 Well No. P-5C  
 Latitude 26 38 54 Longitude 80 26 40 X=681450 Y=841734  
 SE 1/4 NW 1/4 NW 1/4 Section 15 Township 44S Range 39E  
 Owner S.F.W.M.D. Phone (561) 886-8800  
 Driller NDRE Date Drilled 04/29/97

**DATUM**

L.S. +14.00' T.O.C. NA

**FLUID QUALITY**

Date NA Time NA Source of Sample NA  
 CINA mg/l Type of Fluid DRILLING MUD  
 Temp. NA o/C Field Density NA @ o/C  
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
 Logged By: E.P. DAUENHAUER Witnessed By: no witness  
 Scale NA  
 Digitized By: NA

**WELL CONSTRUCTION**


Drilling Method: Rot.  Air  CT  Auger  Other   
 T. Depth-Driller 232' T. Depth-Logger 232'  
 Casing Depth Driller NA Casing Depth Logger NA  
 Bit Size 5 7/8" Casing Dia. I.D. NA  
 Hole Dia. 6" From 0' To 232' Dia. NA From NA To NA  
 Type of Casing NA Casing Thickness NA  
 Type of Screen OPEN HOLE Screen Int. From NA To NA  
 Yield Flow NA Well Use MONITOR

**TYPE OF SURVEYS RUN**

Lateral 6'  Density   
 Caliper  cel   
 Flow meter  Fluid Sampler   
 16", 64" normals  Temperature   
 Neutron  Delta Temp.   
 Natural Gamma  SP   
 Fluid Resistivity  Single Pt.

**COMMENTS**

NO COMMENTS







**SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG**

**WELL LOCATION**

County PALM BEACH  
 Station I.D. 099000084  
 Date 04/29/97 Well No. P-5C  
 Latitude 26 38 34 Longitude 80 28 40 X=581450 Y=841734  
 SE 1/4 NW 1/4 NW 1/4 NW 1/4 Section 15 Township 44S Range 39E  
 Owner S.F.W.M.D. Phone (561) 686-8800  
 Driller NONE Date Drilled 04/29/97

**DATUM**

L.S. +14.00' T.O.C. NA

**FLUID QUALITY**

Date NA Time NA Source of Sample NA  
 Cl NA mg/l Type of Fluid DRILLING MUD  
 Temp. NA o/C Field Density NA o/C  
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
 Logged By: E.P. DAUENHAUER Witnessed By: no witness  
 Scale NA  
 Digitized By: NA

**WELL CONSTRUCTION**

Drilling Method: Rot. (X) Air ( ) CI ( ) Auger ( ) Other  
 T. Depth--Driller 232' T. Depth--Logger 232'  
 Casing Depth Driller NA Casing Depth Logger NA  
 Bit Size 5 7/8" Casing Dia. LD. NA  
 Hole Dia. 6" From 0' To 232' Dia. NA From NA To NA  
 Type of Casing NA Casing Thickness NA  
 Type of Screen OPEN HOLE Screen Int. From NA To NA  
 Yield Flow NA Well Use MONITOR

**TYPE OF SURVEYS RUN**

Lateral 6"  Density ( )  
 Caliper (X) ccl ( )  
 Flow meter ( ) Fluid Sampler ( )  
 16", 64" normals (X) Temperature ( )  
 Neutron (X) Delta Temp. ( )  
 Natural Gamma (X) SP   
 Fluid Resistivity ( ) Single Pt. (X)

**COMMENTS**

NO COMMENTS

