

APT: pg. _____

Started: 7/5/81

Duration: 25

Discharge: 90 gpm

Recovery: yes

Comments:

1) _____

2) _____

3) _____

4) _____

CONSULTANT'S ANALYSIS: pg. _____

Method: Cooper

Well	Transmissivity (GPD/FT)	S	Sy	K' / b'
<u>ow</u>	<u>1213</u>	<u>1.61 x 10⁻⁴</u>	<u>-</u>	<u>3.9 x 10⁻²</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

Method: GWAP

Well	Transmissivity (GPD/FT)	S	Sy	K' / b'
<u>ow</u>	<u>2154</u>	<u>2.01 x 10⁻⁴</u>	<u>-</u>	<u>-</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments: poor early data, short test

Method: _____

Well	Transmissivity (GPD/FT)	S	Sy	K' / b'
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

REANALYSIS:

Method: _____
Results: _____

Well	Transmissivity (GPD/FT)	S	Sy	K' /b'
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

Method: _____
Results: _____

Well	Transmissivity (GPD/FT)	S	Sy	K' /b'
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Comments:

RECOMMENDED VALUES:

Transmissivity (GPD/FT)	Storage	Sy	Leakance
<u>1500</u>	<u>2x10⁻⁴</u>	<u>/</u>	<u>4x10⁻²</u>

A₂K 2 2 ft/d
CZK .37

REFERENCES:

A₉ T - 71
B - 164

Th 93

CZT = 1
B - 71
Th 70

L22

location x 303690
y 876000