





DBSERVATION WELL	FPAL MARTIN CC/CG	BEX-1
9720 TRANSMISSION LINE	CORPEIDUR COORDINATES N 975764. 45 E L52263.00 IREFERENCE POINT FOR MEASUREMENTS	<u>.</u>
EGUN COMPLETED PREPARED BY	REFERENCE POINT FOR MEASUREMENTS BLOUNIKHIZ TOP OF 2" DIA 124C RISER PIPE	
72/01/01/01/10/10/10/10/10/10/10/10/10/10/	DEF	TH ELEV.
•	ELEV TOP OF SURFACE CASING: 38,26	:
GENERALIZED GEOLOGIC LOG	GROUND SURFACE	36,39
	SURFACE CASING DIA: 4" TYPE: CAP - ROYER OUNLING CASTINGS BOTTOM OF SURFACE CASING	0 34.4
	BACKFILL MATERIAL TYPE: BENFONITE LEMENT GROUT BARROLD QUIK-JEL AND TYPE I CEMENT (RINISIEZ MATERIALS)	
·	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	ļ
	p 2 p 1 DIA: Z"	
ON ONLY ARY	TYPE: SCHED, 40 PVC; BELL FOINTS AND COUPLED FOINTS , JOINTS GLUED	
Á E	TOP OF SEAL	
		A
Z	TYPE:	1.0' 15.4
<u> </u>	TOP OF FILTER PACK	
FOR INFORMAT	TYPE: MORIE #2 WELL GRAVEL 12 CUFT	
		9.B -4.4
<u> </u>	TOP OF SCREEN	
₩ 8	SCREENED INTERVALS 40.86-50.24' 101A: 2" SCHED 40 TYPE: 75,42'-85.15' PUC-61UED 95.39'-105,14'	
Q	TOINTS 0.030" (20.45'- 130.16'	
leles	TYPE: 61 TOUNDS/FT	10.1 -103.
	Веттом	}
	BOTTOM OF SUMP	45-3-108.9
"	BOTTOM OF HOLE	5-3-0 -118.6
	HOLEDIA: 5-3/4 11	1

•