

Top Marked C-30491 RSR

SCHLUMBERGER WELL SURVEYING CORPORATION
HOUSTON, TEXAS



Electrical Log

COUNTY: DADE FIELD: WILDCAT LOCATION: SEC. 16-54S-35E WELLS: #1 WISEHEART-STATE COMPANY: COMMONWEALTH OIL CO.	COMPANY: COMMONWEALTH OIL CO. #25-5 FORTY MILE BEND	Location of Well 115' N & 1205' W OF SE/4OR SEC. SESESWSE G-3239 W-3054
	WELL: 267 #1 WISEHEART-STATE ED. OF EDUCATION	FIELD: WILDCAT
LOCATION: SEC. 16-54S-35E 25 45 40 X 55 3 21 20 49 44 Y 5 1 8 3 2	COUNTY: DADE	FILING No.
STATE: FLORIDA		

RUN No.	ONE	TWO
Date	8/10/53	10/14/53
First Reading	3530	11558
Last Reading	649	3530
Feet Measured	2881	8028
Csg. Schlum.	649	3526
Csg. Driller	649	3530
Depth Reached	3530	11558
Bottom Driller	3530	11551
Depth Datum	1' ABOVE ROTARY OR 11.5' ABOVE G.L.	
Mud Mat.	CLEAR WATER	
" Density		
" Viscosity		
" Resist.	0.30 @ 84°F	1.08 @ 75°F
" Res. BHT	@ °F @ 226 °F	@ °F @ 226 °F
" pH	@ °F	@ °F
" Wtr. Loss	CC 30 min.	CC 30 min.
Max. Temp. °F	-100	226
Bit Size	12 1/2"	8 5/8"
Spchs. - AM	16"	16"
AM	64"	64"
AO	18 1/8"	18 1/8"
Opr. Rig Time	1 1/2 HOURS	2 1/2 HOURS
Truck No.	561-L	545-L
Recorded By	PLAYER	CHANCE
Witness By	GALBRAITH	DIXON-GALBRAITH-MONROE

REMARKS:
PLEASE NOTE: COPIES AS SHOWN ON LOGS ONLY TO INDICATE AMOUNT OF CORE CUT AND AMOUNT RECOVERED.
ALL INFORMATION SHOWN ON THIS LOG IS REFERRED TO COPIES, PHOTOGRAPHS, AND LITHO STRIPS.
PREPARED BY: WOODRUFF & THE OIL CO.

G-3239, W-3054

SPONTANEOUS-POTENTIAL millivolts	RESISTIVITY -ohms. m/m	RESISTIVITY -ohms. m/m
SP	0	50 0
-130	AM-16"	40-18 1/8"
130	AP-NORMAL	10
MV	AM-64"	50
	HIGH SCALE - 500 0	HIGH SCALE 500

