

LOG STAGE:

EXPLORATORY

G-3699

8600 Oldbridge Lane Orlando, FL 32819 fax 407-370-4129

mobile ph 407-733-8958


LOGS PROVIDED:

WELL NAME: COMPANY: RMBAKER LLC COUNTRY: USA STATE: G-3699 INDUCTION RESISTIVITIES **NATURAL GAMMA** H COUNTY: MIAMI-DADE

Licensed and Insured

www.rmbaker.com

rob@rmbaker.com



RUN

BOREHOLE RECORD

FROM

TO

SIZE

PVC MAT.

0 FROM

87.8 $_{\rm OI}$ CASING RECORD

WITNESSED BY RECORDED BY

JJ-SFWMD

RMB AKER LLC

PUMPING RATE (GPM) TROLLING DIRECTION LOGGING SPEED (FT/MIN) MAX. REC. TEMP.

> ΠP 15

TOP LOGGED INTERVAL BTM LOGGED INTERVAL DEPTH-LOGGER DEPTH-DRILLER TYPE LOG

88

87.8

DUAL INDUCTION

DENSITY LEVEL

SALINITY

NO.

DATE

18 Jun 13

TYPE FLUID IN HOLE

WATER

DRILLING MEAS. FROM:

LOG MEAS. FROM: GROUND SURFACE

PERMANENT DATUM:

SRVC

UWI

FLD

PROV

CTY

SEC

TWP

RGE

ELEVATION:

COORDINATES:

RMBAKER LLC

MIAMI-DADE

LOC:

ALL SERVICES:
DUAL INDUCTION
NATURAL GAMMA

FIELD:


G-3699


N/A

FL

NOTES1:

RUN No





NOTES:

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times.

If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Certificate of Authorization GB 458

END OF LOG