



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County HENRY
Station I. D. 0510000006
Date 08/27/86 Well No. H-311
Latitude 26° 17' 46" Longitude 81° 06' 18"
Section 23 Township 48S Range 32E
Owner _____ Phone _____
Driller S.F.W.M.D. Date Drilled 08/27/86

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 460' T. Depth - Logger 460'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 5" From 0' To 460' Dia. From _____ To _____
Type of Casing OPENHOLE Casing Thickness _____
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use PILOT HOLE
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____


FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: CALIPER WAS RUN FROM 200' DUE TO PINCH IN.

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County HENDRY
Station I. D. 0510000006
Date 08/27/86 Well No. H-311
Latitude 26° 17.46" Longitude 81° 06.18"
Section 23 Township 48S Range 32E
Owner _____ Phone _____
Driller S.F.W.M.D. Date Drilled 08/27/86

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 460' T. Depth - Logger 460'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 5" From 0' To 460' Dia. From _____ To _____
Type of Casing OPENHOLE Casing Thickness _____
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use PILOT HOLE
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: E.P. DAIENHAUER Witnessed By: A. TASSINARI
Comments: CALIPER WAS RUN FROM 200' DUE TO PINCH IN.

TYPE OF SURVEYS RUN

Lateral 6"
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density ()
ocl ()
Fluid Sampler ()
Temperature ()
Delta Temp. ()
SP ()





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County HENDRY
Station I. D. 0510000006
Date 08/27/86 Well No. H-311
Latitude 26° 17' 46" Longitude 81° 06' 18"
Section 23 Township 48S Range 32E
Owner _____ Phone _____
Driller S.F.W.M.D. Date Drilled 08/27/86

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 460' T. Depth - Logger 460'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 5" From 0' To 460' Dia. From _____ To _____
Type of Casing OPENHOLE Casing Thickness _____
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use PILOT HOLE
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: E.P. DALENHAUER Witnessed By: A. TASSINARI
Comments: CALIPER WAS RUN FROM 200' DUE TO PINCH IN.

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP





WELL LOG

WELL LOCATION

County HENDRY
Station I. D. 05100000006
Date 08/27/86 Well No. H-311
Latitude 26° 17' 46" Longitude 81° 06' 18"
Section 23 Township 48S Range 32E
Owner _____ Phone _____
Driller S.F.W.M.D. Date Drilled 08/27/86

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 460' T. Depth - Logger 460'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 5" From 0' To 460' Dia. _____ From _____ To _____
Type of Casing OPENHOLE Casing Thickness _____
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use PILOT HOLE
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: E.P. DALLENHAUER Witnessed By: A. TASSINARI


Comments: CALIPER WAS RUN FROM 200' DUE TO PINCH IN.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ccl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | |

H-311
CALIPER

2" 4" 6" 8" 10"
HOLE DIA.



↑
20'/MIN.
8/27/86

CALIPER