

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1		10		16		20		37		54		57		59		63		66		68		71	
STATION	SURVEY	YR	CARD	WELL NO.				COUNTY	LAT	LAT	LAT	LON	LON	LON	DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC
I. D.	DATE	C							DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC
05.10000030	12484		W11	RTA-6				HENDRY	026	38	55	081	20	07									

WELL LOCATION CARD TWO

1		17		20		37		39		42		45		61	
STATION	SURVEY	YR	CARD	QUARTERSECTIONS				SEC	TOWN-		WATER MANAGEMENT DISTRICT				
I. D.	DATE	C							SHIP	RANGE	PLANNING AREA				
			W12	NE1/4; SW1/4; SW1/4				16	44S	23E	LOWER WEST COAST				

WELL DATUM CARD

1		17		20		26		32		38		44		59	
STATION	SURVEY	YR	CARD	KELLY BUSH-	LAND SUR-	TOP OF	OTHER (FT)	DATUM (CHECK ONE)							
I. D.	DATE	C		ING (FEET)	FACE (FT)	CASING (FT)	(SEE NOTES)								
			W21		00			MSL-; LS-X; TOC-							

WELL OWNERSHIP CARD

1		17		20		37		54		57		64		80	
STATION	SURVEY	YR	CARD	NAME OF OWNER				GROVE/PROPERTY NAME				AREA	TELEPHONE	WELL USE	
I. D.	DATE	C										CODE			
			W31	S. F. W. M. D.										MONITOR	

WELL ORIGIN CARD

1		17		20		37		54		71		76	
STATION	SURVEY	YR	CARD	DRILLER/ DRILLING COMPANY				OFFICE OF DRILLER (CITY)				DRILLING	DATE
I. D.	DATE	C										METHOD	COMPLETED
			W41	S. F. W. M. D.								ROTARY	0.12484

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL. YES- ; NO-	
0510000030	12484	W5.1	380	380					YES- ; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5.2	OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.1	0						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.2	02						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.3	03						

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

WELL SURVEY REPORT

FORM RP-39 -- Rev. 10/78

(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION I. D.	SURVEY DATE	CARD C	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
0510010003012484	W71P		DAWENHAWER	A. TASSINARI	X	X	X	X				X	X	

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION I. D.	SURVEY DATE	CARD C	SAMPLE SOURCE (WELLHEAD, ETC.)	TYPE FLUID	DATE SAMPLED	TIME SAMPLED
		W81				

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION I. D.	SURVEY DATE	CARD C	TEMP. OF SAMPLE	FIELD SP. GRAVITY	FIELD PH	CHLORIDE (MG/L)	DISSOLVED SOLIDS	SPEC. COND. (U-MHO/CM)	STATIC WATER LEVEL (FEET)	W/L REF FROM	FLOW RATE (GAL/MIN)	PUMP RATE (GAL/MIN)
		W82										

COMMENT CARDS

1	17	20	40	60	76
STATION I. D.	SURVEY DATE	CARD C	COMMENTS - LINE 1	COMMENTS - LINE 2	COMMENTS - LINE 3
		W91	WELL WAS CAVED	AFTER LOGGING	

1	17	20	40	60	76
STATION I. D.	SURVEY DATE	CARD C	COMMENTS - LINE 4	COMMENTS - LINE 5	COMMENTS - LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.



WELL LOG

WELL LOCATION

County HENDRY
Station I. D. 051000003
Date 01/24/84 Well No. RTA-6
Latitude 26° 38' 55" Longitude 81° 26' 07"
NE 1/4 SW 1/4 SW 1/4 Section 16 Township 44S Range 29E
Owner S.F.W.M.D. Phone _____
Driller S.F.W.M.D. Date Drilled 01/24/84

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: WELL WAS CASED AFTER LOGGING.

WELL CONSTRUCTION

Drilling Method: Rot. xx Air CT Auger _____ Other _____
T. Depth - Driller 380' T. Depth - Logger 380'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6" From 0' To 380' Dia. _____ From _____ To _____
Type of Casing _____ Casing Thickness _____
Type of Screen _____ Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date 01/24/84
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' xxx Density ()
Caliper xxx ccl ()
Flow meter () Fluid Sampler ()
16", 64" normals xxx Temperature ()
Neutron xxx Delta Temp. ()
Natural Gamma xxx SP xxx
Fluid Resistivity ()





WELL LOG

WELL LOCATION

County HENDRY

Station I. D. 051000003

Date 01/24/84 Well No. RTA-6

Latitude 26° 38' 55" Longitude 81° 26' 07"

NE 1/4 SW 1/4 SW 1/4 Section 16 Township 44S Range 29E

Owner S.F.W.M.D. Phone _____

Driller S.F.W.M.D. Date Drilled 01/24/84

WELL CONSTRUCTION

Drilling Method: Rot. xx Air CT Auger Other

T. Depth - Driller 380' T. Depth - Logger 380'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 380' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date 01/24/84

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: WELL WAS CASED AFTER LOGGING.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-----|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | XXX | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | XXX | Temperature | () |
| Neutron | XXX | Delta Temp. | () |
| Natural Gamma | XXX | SP | XXX |
| Fluid Resistivity | () | | |





WELL LOG

WELL LOCATION

County HENDRY

Station I. D. 051000003

Date 01/24/84 Well No. RTA-6

Latitude 26° 38' 55" Longitude 81° 26' 07"

NE 1/4 SW 1/4 SW 1/4 Section 16 Township 44S Range 29E

Owner S.F.W.M.D. Phone _____

Driller S.F.W.M.D. Date Drilled 01/24/84

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 380' T. Depth - Logger 380'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 380' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date 01/24/84

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI


Comments: WELL WAS CASED AFTER LOGGING.

TYPE OF SURVEYS RUN

Lateral 6'	XXX	Density	()
Caliper	XXX	cci	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	XXX	Temperature	()
Neutron	XXX	Delta Temp.	()
Natural Gamma	XXX	SP	XXX
Fluid Resistivity	✱		

GAMMA
T.C:2
500CPS

0 100 200 C.P.S. 300 400 500



0 100 200 C.P.S. 300 400 500

HRTC Gamma



WELL LOG

WELL LOCATION

County HENDRY

Station I. D. 0 5 1 0 0 0 0 3

Date 01/24/84 Well No. RTA-6

Latitude 26° 38' 55" Longitude 81° 26' 07"

NE 1/4 SW 1/4 Section 16 Township 44S Range 29E

Owner S.F.W.M.D. Phone _____

Driller S.F.W.M.D. Date Drilled 01/24/84

WELL CONSTRUCTION

Drilling Method: Rot. xx Air CT Auger Other

T. Depth - Driller 380' T. Depth - Logger 380'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 380' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date 01/24/84

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm


Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: WELL WAS CASED AFTER LOGGING.

TYPE OF SURVEYS RUN

Lateral 6'	XXX	Density	()
Caliper		cci	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	XXX	Temperature	()
Neutron	XXX	Delta Temp.	()
Natural Gamma	XXX	SP	XXX
Fluid Resistivity	()		

RTA-6
CALIPER



-0'-

-50'-

-100'-

-150'-

-200'-

-250'-

-300'-

↑ 20'/MIN.



WELL LOG

WELL LOCATION

County HENDRY
Station I. D. 051000003
Date 01/24/84 Well No. RTA-6
Latitude 26° 38' 55" Longitude 81° 26' 07"
NE 1/4 SW 1/4 SW 1/4 Section 16 Township 44S Range 29E
Owner S.F.W.M.D. Phone _____
Driller S.F.W.M.D. Date Drilled 01/24/84

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm
Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: WELL WAS CASED AFTER LOGGING.

WELL CONSTRUCTION

Drilling Method: Rot. xx Air CT Auger _____ Other _____
T. Depth - Driller 380' T. Depth - Logger 380'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. _____
Hole Dia. 6" From 0' To 380' Dia. _____ From _____ To _____
Type of Casing _____ Casing Thickness _____
Type of Screen _____ Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date 01/24/84
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' XXX Density ()
Caliper XXX cci ()
Flow meter () Fluid Sampler ()
16", 64" normals * Temperature ()
Neutron XXX Delta Temp. ()
Natural Gamma XXX SP *
Fluid Resistivity ()



RECORDING CENTER (RETRAIL) DIVISION OF THE SOUTH FLORIDA WATER MANAGEMENT DISTRICT