

WELL SURVEY DATA

WA-526

LOCATION: Sun Coast Elementary & Middle School
Lee

USGS #:

DATE LOGGED: 5/22/85

TEMP.: 84.4°F

CAS. DIA.: 6"

FLOW: 120 GPM

CAS. DEPTH: 315'

CL: 745 mg/l

TOTAL DEPTH: 788'

COND.: 2290

SURVEYS: D-C-S-CCL-DT-TG

COMMENTS: Site Access very good (open field).
Well in good condition, both casing
and open hole, no bumps or grinds.



WELL LOG

WELL LOCATION

County LEE
Station I. D. 0719000526
Date 5/22/85 Well No. WA-526
Latitude 26°-42'-20" Longitude 81°-52'-51"
Section 26 Township 43S Range 24E
Owner SUNCAST ELEM. Phone _____
Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. +1.0'

FLUID QUALITY


Date 5/22/85 Time 0900 Source of Sample WELL HEAD
Cl 745 mg/l Type of Fluid WATER
Temp. 84.4°F Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 2296.0 umhos/cm
Logged By: E. DAUENHAUER Witnessed By: L. WERST
Comments: _____

WELL CONSTRUCTION

Drilling Method: Rot. CT Auger _____ Other _____
T. Depth - Driller _____ T. Depth - Logger 788'
Casing Depth Driller _____ Casing Depth Logger 315'
Bit Size _____ Casing Dia. I.D. 4.8"
Hole Dia. 5" From 0' To 788' Dia. _____ From _____ To _____
Type of Casing STEEL Casing Thickness 0.2"
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use IRRIGATION
Static Water Level _____ Date _____
Yield Flow 320 G.P.M. Pump _____

TYPE OF SURVEYS RUN

Lateral 6" Caliper _____ Density _____
Flow meter _____ Fluid Sampler _____
16", 64" normals _____ Temperature _____
Neutron _____ Delta Temp. _____
Natural Gamma _____ SP _____
Fluid Resistivity _____





WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0719000526
 Date 5/22/85 Well No. WA-526
 Latitude 26°-42'-20" Longitude 81°-52'-51"
 Section 26 Township 43S Range 24E
 Owner SUNCOAST ELEM.
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. +1.0'

FLUID QUALITY

Date 5/22/85 Time 0900 Source of Sample WELL HEAD
 Cl 745 mg/l Type of Fluid WATER
 Temp. 84.4°F Field Density _____ °C
 T.D.S. _____ mg/l Spec. Cond. 2296.0 umhos/cm
 Logged By: E. DAUENHAUER Witnessed By: L. WERST

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 788'
 Casing Depth Driller _____ Casing Depth Logger 315'
 Bit Size _____ Casing Dia. I.D. 4.8"
 Hole Dia. 5" From 0' To 788' Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.2"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use IRRIGATION
 Static Water Level _____ Date _____
 Yield Flow 320 G.P.M. Pump _____

Comments:

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	(X)	cci	(X)
Flow meter	()	Fluid Sampler	(X)
16", 64" normals	()	Temperature	(X)
Neutron	()	Delta Temp.	(X)
Natural Gamma	(X)	SP	()
Fluid Resistivity	()		

