

8600 Oldbridge Lane Orlando, FL 32819 mobile ph 407-733-8958

www.rmbaker.com rob@rmbaker.com

LOG STAGE EXPLORATORY

*OBSTRUCTION AT 161 FT LIMITED LOGGING SUITE AND DEPTH; OBSTRUCTION PUSHED TO 163 FT BY CALIPER

HEADER NOTES:

COMP		RMBAKER LLC			
LOC		LEE COUNTY			
FLD		LEE COUNTY			
CNTY		LEE			
STAT		핃			
PROV		핃			
CTRY		USA			
LATI	26.45122		Х		ALL SERVICES:
LONG	-81.5659		Y		CALIPER
GDAT	WGS84		HDAT		VIDEO
SEC			ELEV		
TWP			VDAT		
RGE					
PERMANI	PERMANENT DATUM:	1:			
LOG MEA	SURED FRO	LOG MEASURED FROM: GROUND SURFACE			
DRILLING	DRILLING MEASURED FROM:	D FROM:			
DATE		06 Aug 14		TYPE FLUID IN HOLE	WATER
RUN No				LOGGING SPEED (FT/MIN)	30
TYPE LOG	42	CALIPER		TROLLING DIRECTION	UP
				PUMPING RATE (GPM)	
DEPTH-DRILLER	RILLER				
DEPTH-LOGGER	GGER				
DRILLER					
RECORDED BY	DBY	RMB			
SRVC		RMBAKER LLC		API	N/A
WITNESSED BY	ED BY	E. GEDDES		LIC	N/A

RUN NO.

BIT

FROM

OT


CASING RECORD
SIZE MAT.


FROM


TO 163*


STEEL


BOREHOLE RECORD

























NOTES:

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions and times.

If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Certificate of Authorization GB 458

END OF LOG