



# RMBAKER LLC

WELL L-742  
UWI L-742

Geology and Geophysics

8600 Oldbridge Lane

Orlando, FL 32819

mobile ph 407-733-8958

**rob@rmbaker.com**

**www.rmbaker.com**

PROFESSIONAL LICENSES  
Geologist PG2186  
Geology Business GR458

HEADER NOTES:

COMP	SFWMD			
LOC	FORT MYERS			
FLD	FORT MYERS			
CNTY	LEE			
STAT	FL			
PROV	FL			
CTRY	USA			
LATI	26 33 26.01607	X		ALL SERVICES:
LONG	-81 52 23.99196	Y		CALIPER
GDAT	WGS84	HDAT		NATURAL GAMMA
SEC		ELEV		DUAL INDUCTION
TWP		V DAT		ELECTRIC
RGE				WATER QUALITY

PERMANENT DATUM:  
LOG MEASURED FROM: GROUND SURFACE - 1 FT BELOW SURVEY REF.  
DRILLING MEASURED FROM:

DATE	25 Feb 20	TYPE FLUID IN HOLE	WATER
RUN No	1	LOGGING SPEED (FT/MIN)	30
TYPE LOG	COMPOSITE	TROLLING DIRECTION	UP
DEPTH-DRILLER	225	PUMPING RATE (GPM)	N/A
DEPTH-LOGGER	197.7		
DRILLER			
RECORDED BY	RMB		
SRVC	RMBAKER LLC	API	N/A
WITNESSED BY	SFWMD	LIC	N/A

BOREHOLE RECORD					
RUN NO.	BIT	FROM	TO	CASING RECORD	
	7.875	136	197.7	SIZE	MAT.
				8	STEEL
				FROM	TO
				0	136



PROJECT NOTES:  
Monitoring reference elevation was 1 foot above ground surface.


### LOG CODES

3-arm caliper	CAL	long normal resistivity	RLN	deep induction conductivity	IDC
natural gamma (CPS)	GAMM	8 inch resistivity	R8	shallow induction conductivity	ISC
spontaneous potential	ESP	32 inch resistivity	R32	sonic interval velocity	DT
single point resistance	RES	deep induction resistivity	ILD	sonic porosity (RHG method)	SPHI
short normal resistivity	RSN	shallow induction resistivity	ILM	repeat designation	R

### WATER QUALITY LOG CODES

static fluid temperature	TEU	dynamic fluid conductivity	FLCP	caliper	CAL
dynamic fluid temperature	TEP	static differential cond.	DCOU	repeat designation	R
static differential temperature	DTEU	dynamic differential cond.	DCOP	natural gamma	GAMM
dynamic differential temp.	DTEP	static specific conductance	C25U	calibration correction	C





0 CPS 150  
 TGAMM  
 0 CPS 150  
 EGAMM  
 0 CPS 150  
 DGAMM  
 0 CPS 150  
 0 OHMM 100  
 ILD  
 0 OHMM 100  
 RSN  
 0 OHMM 200  
 0 OHMM 200  
 R32  
 0 OHMM 200  
 RES  
 0 OHM 1000  
 600 uS/cm 800  
 C25U  
 600 uS/cm 800  
 -100 uS/cm 100  
 DCOU  
 0 OHM 100  
 IN 30

CGAMM	Depth	ILM	R8	ESP	TEU	DTEU	CAL
-------	-------	-----	----	-----	-----	------	-----

**NOTES:**

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMLBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times. If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Florida Licensed Geology Business GB 458

**END OF LOG**