



# RMBAKER LLC

WELL: L8FEB2L  
LOG STAGE: PRELIMINARY

Geology and Geophysics

8600 Oldbridge Lane  
Orlando, FL 32819  
mobile ph 407-733-8958  
fax 407-370-4129

LOGS PROVIDED:  
CALIPER  
NATURAL GAMMA

rob@rmbaker.com  
www.rmbaker.com


Licensed and Insured


SRVC	RMBAKER LLC	COMPANY:	RMBAKER LLC
UWI	L8FEB2L	WELL NAME:	L8FEB2L
FLD	L-8 CANAL	FIELD:	L-8 CANAL
PROV	FL	COUNTRY:	USA
CTY	PALM BEACH	STATE:	FL
		COUNTY:	PALM BEACH
LOC:	N/A	ALL SERVICES:	CALIPER NATURAL GAMMA DUAL INDUCTION ELECTRIC SONIC
NOTES:			
SEC		TWP	
		RGE	

PERMANENT DATUM: ELEVATION:  
LOG MEAS. FROM: GROUND SURFACE  
DRILLING MEAS. FROM: -80D21M55.17S  
26D41M51.50S


DATE	17 May 14	TYPE FLUID IN HOLE	MUD
RUN No	1	SALINITY	
TYPE LOG	CALIPER	DENSITY	
DEPTH-DRILLER	140	LEVEL	
DEPTH-LOGGER	139.75	MAX. REC. TEMP.	
BTM LOGGED INTERVAL		LOGGING SPEED (FT/MIN)	25
TOP LOGGED INTERVAL		TROLLING DIRECTION	UP
DRILLER	CENTERLINE	PUMPING RATE (GPM)	
RECORDED BY	RMBAKER LLC		
WITNESSED BY	J.JANZEN		


BOREHOLE RECORD				CASING RECORD			
RUN NO.	BIT	FROM	TO	SIZE	MAT.	FROM	TO
1	5.875	0	140				





50.0  
60.0  
70.0  
80.0  
90.0  
100.0  
110.0  
120.0  
130.0



**NOTES:**

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times.

If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Certificate of Authorization GB 458

**END OF LOG**



# RMBAKER LLC

WELL: L8FEB2L  
LOG STAGE: PRELIMINARY

Geology and Geophysics

8600 Oldbridge Lane  
Orlando, FL 32819  
mobile ph 407-733-8958  
fax 407-370-4129

**LOGS PROVIDED:**  
NORMAL RESISTIVITIES  
INDUCTION RESISTIVITIES  
SPONTANEOUS POTENTIAL  
SINGLE POINT RESISTIVITY  
NATURAL GAMMA

rob@rmbaker.com  
www.rmbaker.com

Licensed and Insured



SRVC	RMBAKER LLC	COMPANY:	RMBAKER LLC
UWI	L8FEB2L	WELL NAME:	L8FEB2L
FLD	L-8 CANAL	FIELD:	L-8 CANAL
PROV	FL	COUNTRY:	USA
CTY	PALM BEACH	STATE:	FL
		COUNTY:	PALM BEACH
LOC:	N/A	ALL SERVICES:	CALIPER NATURAL GAMMA DUAL INDUCTION ELECTRIC SONIC
NOTES:			
SEC		TWP	
		RGE	
PERMANENT DATUM:		ELEVATION:	COORDINATES:


LOG MEAS. FROM: GROUND SURFACE  
-80D21M55.17S  
26D41M51.50S


DRILLING MEAS. FROM:

DATE	17 May 14	TYPE FLUID IN HOLE	MUD
RUN No	1	SALINITY	
TYPE LOG	DUAL IND-ELECTRIC	DENSITY	
DEPTH-DRILLER	140	LEVEL	
DEPTH-LOGGER	139.75	MAX. REC. TEMP.	
BTM LOGGED INTERVAL		LOGGING SPEED (FT/MIN)	25
TOP LOGGED INTERVAL		TROLLING DIRECTION	UP
DRILLER	CENTERLINE	PUMPING RATE (GPM)	
RECORDED BY	RMBAKER LLC		
WITNESSED BY	JJANZEN		

BOREHOLE RECORD				CASING RECORD			
RUN NO.	BIT	FROM	TO	SIZE	MAT.	FROM	TO
1	5.875	0	140				







RES			R8		
0	OHM	60	0	OHMM	200
	ESP			RSN	
-200	mV	100	0	OHMM	200
	GAME			R32	
0	CPS	200	0	OHMM	200
	GAMD			RLN	
0	CPS	200	0	OHMM	200

ILD			ILM		
0	Ohm.m	50	0	Ohm.m	50

Depth		
0	ft:100ft	200

**NOTES:**

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMLBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed. The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times. If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Certificate of Authorization GB 458

END OF LOG



# RMBAKER LLC

WELL: L8FEB2L  
LOG STAGE: FINAL

Geology and Geophysics

8600 Oldbridge Lane  
Orlando, FL 32819  
mobile ph 407-733-8958  
fax 407-370-4129

**LOGS PROVIDED:**  
INDUCTION RESISTIVITIES  
NATURAL GAMMA

rob@rmbaker.com  
www.rmbaker.com

Licensed and Insured

SRVC	RMBAKER LLC	COMPANY:	RMBAKER LLC
UWI	L8FEB2L	WELL NAME:	L8FEB2L
FLD	L-8 CANAL	FIELD:	L-8 CANAL
PROV	FL	COUNTRY:	USA
CTY	PALM BEACH	STATE:	FL
		COUNTY:	PALM BEACH
PERMANENT DATUM:		LOC:	N/A
		NOTES:	ALL SERVICES: DUAL INDUCTION NATURAL GAMMA
		SEC	TWP
		RGE	
		ELEVATION:	

LOG MEAS. FROM: GROUND SURFACE  
 DRILLING MEAS. FROM:  
 DATE: 5 Jun 14  
 RUN No: 1  
 TYPE LOG: DUAL INDUCTION  
 DEPTH-DRILLER: 141  
 DEPTH-LOGGER: 141  
 BTM LOGGED INTERVAL: 25  
 TOP LOGGED INTERVAL: UP  
 DRILLER: CENTERLINE  
 RECORDED BY: RMBAKER LLC  
 WITNESSED BY: J.JANZEN

DATE	TYPE FLUID IN HOLE	WATER	COORDINATES:
5 Jun 14			-80D21M55.17S 26D41M51.50S

DEPTH-DRILLER	DENSITY	LEVEL
141		

DEPTH-LOGGER	MAX. REC. TEMP.
141	

BTM LOGGED INTERVAL	LOGGING SPEED (FT/MIN)
25	


TOP LOGGED INTERVAL	TROLLING DIRECTION
UP	


DRILLER	PUMPING RATE (GPM)
CENTERLINE	

RECORDED BY	RMBAKER LLC
J.JANZEN	



WITNESSED BY	J.JANZEN

RUN NO.	BOREHOLE RECORD	CASING RECORD				
BIT	FROM	TO	SIZE	MAT.	FROM	TO
1			2	PVC	0	141









**NOTES:**  
 While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.  
 The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times.  
 If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Certificate of Authorization GB 458

**END OF LOG**



# RMBAKER LLC

Geology and Geophysics

WELL: L8FEB2L  
LOG STAGE: PRELIMINARY

8600 Oldbridge Lane  
Orlando, FL 32819  
mobile ph 407-733-8958  
fax 407-370-4129

**LOGS PROVIDED:**  
SONIC INTERVAL VELOCITY  
VARIABLE DENSITY LOGS


rob@rmbaker.com  
www.rmbaker.com


Licensed and Insured

<b>SRVC</b> RMBAKER LLC	<b>COMPANY:</b> RMBAKER LLC
<b>UWI</b> L8FEB2L	<b>WELL NAME:</b> L8FEB2L
<b>FLD</b> L-8 CANAL	<b>FIELD:</b> L-8 CANAL
<b>PROV</b> FL	<b>COUNTRY:</b> USA
<b>CTY</b> PALM BEACH	<b>STATE:</b> FL
	<b>COUNTY:</b> PALM BEACH
<b>LOC:</b> N/A	<b>ALL SERVICES:</b> CALIPER, NATURAL GAMMA, DUAL INDUCTION, ELECTRIC, SONIC
<b>NOTES:</b>	
<b>SEC</b>	<b>TWP</b>
<b>RGE</b>	<b>COORDINATES:</b> -80D21M55.17S, 26D41M51.50S
<b>ELEVATION:</b>	

<b>PERMANENT DATUM:</b>	
<b>LOG MEAS. FROM:</b> GROUND SURFACE	
<b>DRILLING MEAS. FROM:</b>	
<b>DATE</b> 17 May 14	<b>TYPE FLUID IN HOLE</b> MUD
<b>RUN No</b> 1	<b>SALINITY</b>
<b>TYPELOG</b> SONIC	<b>DENSITY</b>
<b>DEPTH-DRILLER</b> 140	<b>LEVEL</b>
<b>DEPTH-LOGGER</b> 139.75	<b>MAX. REC. TEMP.</b>
<b>BTM LOGGED INTERVAL</b>	<b>LOGGING SPEED (FT/MIN)</b> 15
<b>TOP LOGGED INTERVAL</b>	<b>TROLLING DIRECTION</b> UP
<b>DRILLER</b> CENTERLINE	<b>PUMPING RATE (GPM)</b>
<b>RECORDED BY</b> RMBAKER LLC	
<b>WITNESSED BY</b> J.JANZEN	

BOREHOLE RECORD				CASING RECORD			
RUN NO.	BIT FROM	TO	SIZE	MAT.	FROM	TO	
1	5.875	0	140				





---

**NOTES:**

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RIMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times.

If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Certificate of Authorization GB 458

**END OF LOG**

---