



WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 8/22/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 8/22/85

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm
 Logged By: E. DAENHAWER Witnessed By: L. WEBST

WELL CONSTRUCTION


Drilling Method: Rot Air CT Auger Other _____
 T. Depth - Driller 580' T. Depth - Logger 580'
 Casing Depth Driller 36' Casing Depth Logger 36'
 Bit Size _____ Casing Dia. I.D. 9.8"
 Hole Dia. 10" From 0' To 36' Dia. 12" From 36' To 580'
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

Comments: PART 1 of 3

WELL WAS DRILLED OUT TO 624' ± 6" CASING WAS SET.

TYPE OF SURVEYS RUN

Lateral 6' _____
 Caliper
 Flow meter _____
 16", 64" normals
 Neutron _____
 Natural Gamma _____
 Fluid Resistivity _____
 Density _____
 ccl _____
 Fluid Sampler _____
 Temperature _____
 Delta Temp. _____
 SP



6339
 PRINTED IN U.S.A.
 RECORDING CHARTS GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK
 6339
 PRINTED IN U.S.A.
 RECORDING CHARTS GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK
 6339



WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 10/11/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW 1/4 NW 1/4 Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/11/85

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller 1420' T. Depth - Logger 1420'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1420' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'


FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E. DAUENHAUER Witnessed By: A. TASSINARI
 Comments: PART 3 of 3
(2) FLOWMETERS RUN

TYPE OF SURVEYS RUN

Lateral 6' Caliper () Density ()
 Flow meter (XXXXXX) Fluid Sampler ()
 16", 64" normals () Temperature ()
 Neutron (XXXXXX) Delta Temp. ()
 Natural Gamma (XXXXXX) SP (XXXXXX)
 Fluid Resistivity (XXXXXX)





WELL LOG

WELL LOCATION

County LEE
Station I. D. 0710000020
Date 10/02/85 Well No. LE-035
Latitude 26°-29'-35" Longitude 82°-05'-21"
SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller S.F.W.M.D. Date Drilled 10/02/85

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E. DAWENHAWER Witnessed By: L. WERST


Comments: PART 2 OF 3
(2) CALIPER LOGS RUN

WELL CONSTRUCTION

Drilling Method: Rot. Air CT _____ Auger _____ Other _____
T. Depth - Driller 1120' T. Depth - Logger 1120'
Casing Depth Driller 624' Casing Depth Logger 624'
Bit Size _____ Casing Dia. I.D. 5.8"
Hole Dia. 6" From 0' To 1120' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' _____
Caliper (2)
Flow meter _____
16", 64" normals _____
Neutron _____
Natural Gamma _____
Fluid Resistivity _____
Density _____
cci _____
Fluid Sampler _____
Temperature _____
Delta Temp. _____
SP _____



CALIPER
LE-035

GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK
No. BN 6339
PRINTED IN U.S.A.



WELL LOG

WELL LOCATION

County LEE
 Station I. D. Q110000020
 Date 10/02/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW 1/4 NW 1/4 Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/02/85

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Temp. _____ °C mg/l Type of Fluid _____
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: E. DALWENHAWER Witnessed By: L. WERST



WELL CONSTRUCTION

Drilling Method: Rot Auger Other _____
 T. Depth - Driller 1120' T. Depth - Logger 1120'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1120' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6" _____ Density _____
 Caliper _____ Fluid Sampler _____
 Flow meter Temperature _____
 16" 64" normals _____ Delta Temp. _____
 Neutron SP _____
 Natural Gamma _____
 Fluid Resistivity _____

Comments: PART 2 OF 3
(2) CALIPER LOGS RUN





WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 10/02/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW 1/4 NW 1/4 Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/02/85

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: E. DAUBENHAUER Witnessed By: L. WERST

WELL CONSTRUCTION

Drilling Method: Rot X Air X CT _____ Auger _____ Other _____
 T. Depth - Driller 1120' T. Depth - Logger 1120'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1120' Dia. _____ From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. _____ From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____


Comments: PART 2 OF 3
(2) CALIPER LOGS RUN

TYPE OF SURVEYS RUN

Lateral 6' _____
 Caliper _____
 Flow meter _____
 16" 84" normals _____
 Neutron _____
 Natural Gamma _____
 Fluid Resistivity _____
 Density _____
 Fluid Sampler _____
 Temperature _____
 Delta Temp. _____
 SP _____



LE-035 #
 CALIPER RUN 2



LE-035
 CALIPER

PRINTED IN U.S.A. BUFFALO, NEW YORK. No. BN 6339



WELL LOG

WELL LOCATION

County LEE
Station I. D. 0710000020
Date 10/02/85 Well No. LE-035
Latitude 26°-29'-35" Longitude 82°-05'-21"
SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller S.F.W.M.D. Date Drilled 10/02/85

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 1120' T. Depth - Logger 1120'
Casing Depth Driller 624' Casing Depth Logger 624'
Bit Size _____ Casing Dia. I.D. 5.8"
Hole Dia. 6" From 0' To 1120' Dia. From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm
Logged By: E. DAUENHAUER Witnessed By: L. WERST
Comments: PART 2 OF 3
(2) CALIPER LOGS RUN

TYPE OF SURVEYS RUN

Lateral 6' Caliper Density
Flow meter Fluid Sampler
16", 64" normals Temperature
Neutron Delta Temp.
Natural Gamma SP
Fluid Resistivity





WELL LOG

WELL LOCATION

County LEE
Station I. D. 0710000020
Date 8/22/85 Well No. LE-035
Latitude 26°-29'-35" Longitude 82°-05'-21"
SW 1/4 NW 1/4 SW 1/4 Section 02 Township 46S Range 22E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller S.F.W.M.D. Date Drilled 8/22/85

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E. DAUENHAUER Witnessed By: L. WERST



Comments: PART 1 of 3
WELL WAS DETRIED OUT TO 624' ± 6"
CASING WAS SET.

WELL CONSTRUCTION

Drilling Method: Rot Air CT Auger Other _____
T. Depth - Driller 580' T. Depth - Logger 580'
Casing Depth Driller 36' Casing Depth Logger 36'
Bit Size _____ Casing Dia. I.D. 9.8"
Hole Dia. 10" From 0' To 36' Dia. 12" From 36' To 580'
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral G' () Density ()
Caliper () cci ()
Flow meter () Fluid Sampler ()
16", 64" normals () Temperature ()
Neutron () Delta Temp. ()
Natural Gamma () SP ()
Fluid Resistivity ()





WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 8/22/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 8/22/85

WELL CONSTRUCTION

Drilling Method: Rot Air CT Auger Other
 T. Depth - Driller 580' T. Depth - Logger 580'
 Casing Depth Driller 36' Casing Depth Logger 36'
 Bit Size _____ Casing Dia. I.D. 9.8"
 Hole Dia. 10" From 0' To 36' Dia. 12" From 36' To 580'
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm
 Logged By: E. DAMENHAUER Witnessed By: L. WERST
 Comments: PART 1 of 3
WELL WAS DRILLED OUT TO 624' & 6"
CASING WAS SET.

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	cci	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	(X)	Temperature	()
Neutron	()	Delta Temp.	()
Natural Gamma	()	SP	(X)
Fluid Resistivity	()		



LEO-35
RUN #1

16" & 64" NORMAL RES.

0 5 10 15 20 25 30 35 40 45 50
OHM-METERS

0
50
100
150
200
250
300
350
400
450
500
550
600

20'/MIN.
8/22/85

0 5 10 15 20 25 30 35 40 45 50
OHM-METERS

16" & 64" NORMAL RES.

LEO-35



WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 10/11/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/11/85

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller 1420' T. Depth - Logger 1420'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1420' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E. DAUENHAUER Witnessed By: A. TASSINARI


Comments: PART 3 of 3

(2) FLOWMETERS RUN

TYPE OF SURVEYS RUN

Lateral 6'
 Caliper
 Flow meter
 16' . 64' normal
 Neutron
 Natural Gamma
 Fluid Resistivity

Density cell
 Fluid Sampler
 Temperature
 Delta Temp.
 SP





WELL LOG

WELL LOCATION

County LEE
 Station I. D. Q710000020
 Date 10/11/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 S.W. 1/4 NW 1/4 Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/11/85

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller 1420' T. Depth - Logger 1420'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1420' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm
 Logged By: E. DAUBENHAUER Witnessed By: A. TASSINARI
 Comments: PART 3 of 3
(2) FLOWMETERS RUN

TYPE OF SURVEYS RUN

Lateral G' _____ Density _____
 Caliper _____ °C _____
 Flow meter 16" 64" normals _____ Fluid Sampler _____
 Neutron _____ Temperature _____
 Natural Gamma _____ Delta Temp. _____
 Fluid Resistivity _____ SP _____





WELL LOG

WELL LOCATION

County LEE
 Station I. D. 071.0000020
 Date 10/11/85 Well No. LE-035
 Latitude 26°-23'-35" Longitude 82°-05'-21"
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/11/85

WELL CONSTRUCTION

Drilling Method: Rot. Air/CT Auger Other
 T. Depth - Driller 1420' T. Depth - Logger 1420'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1420' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'



FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: E. DAUENHAUER Witnessed By: A. TASSINARI

Comments: PART 3 of 3
(2) FLOWMETERS RUN

TYPE OF SURVEYS RUN

Lateral 6'
 Caliper
 Flow meter
 16", 64" normals
 Neutron
 Natural Gamma
 Fluid Resistivity
 Density
 ccl
 Fluid Sampler
 Temperature
 Delta Temp.
 SP





WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 10/11/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/11/85

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller 1420' T. Depth - Logger 1420'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1420' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: E. DAUENHAUER Witnessed By: A. TASSINARI

Comments: PART 3 of 3

(2) FLOWMETERS RUN

TYPE OF SURVEYS RUN

Lateral 6' _____
 Caliper _____
 Flow meter XXXX
 16' 64' normals _____
 Neutron _____
 Natural Gamma XXXX
 Fluid Resistivity XXXX

Density _____
 ccl _____
 Fluid Sampler _____
 Temperature _____
 Delta Temp. _____
 SP XXXX

LE-035 RUN 3
FLUID RESISTIVITY

OHM-METERS

13 12 11 10 9 8 7 6 5 4 3 2 1 0

-450-

-500-

-550-

-600-

-650-

-700-

-750-

-800-

-850-

-900-

-950-

-1000-

-1050-

-1100-

-1150-

-1200-

-1250-

-1300-

-1350-

-1400-

13 12 11 10 9 8 7 6 5 4 3 2 1 0

OHM-METERS

FLUID RESISTIVITY

LE-035

10/11/85
15'/MIN.
↓



WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 10/11/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/11/85
 Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller 1420' T. Depth - Logger 1420'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1420' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E. DAUENHAUER Witnessed By: A. TASSINARI

Comments: PART 3 of 3
(2) FLOWMETERS RUN

TYPE OF SURVEYS RUN

Lateral 6'
 Caliper
 Flow meter
 16", 64" normals
 Neutron
 Natural Gamma
 Fluid Resistivity
 Density
 ocl
 Fluid Sampler
 Temperature
 Delta Temp.
 SP





WELL LOG

WELL LOCATION

County LEE
 Station I. D. 0710000020
 Date 10/11/85 Well No. LE-035
 Latitude 26°-29'-35" Longitude 82°-05'-21"
 SW 1/4 NW 1/4 Section 02 Township 46S Range 22E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller S.F.W.M.D. Date Drilled 10/11/85

DATUM

K.B. _____ L.S. _____ T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umh/cm
 Logged By: E. DAUENHAUER Witnessed By: A. TASF MART


WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger _____ Other _____
 T. Depth - Driller 1420' T. Depth - Logger 1420'
 Casing Depth Driller 624' Casing Depth Logger 624'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 1420' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF CONVEYS RUN

Lateral 6' _____
 Caliper _____
 Flow meter _____
 16" 64" normals _____
 Neutron _____
 Natural Gamma _____
 Fluid Resistivity _____
 Density _____
 Fluid Sampler _____
 Temperature _____
 Delta Temp. _____
 SP _____

LE-035 RUN #3
CALIPER



-0'-

-50'-

-100'-

-150'-

-200'-

-250'-

-300'-

-350'-

-400'-

-450'-

-500'-

-550'-

-600'-

-650'-

-700'-

-750'-

-800'-

-850'-

-900'-

-950'-

-1000'-

-1050'-

-1100'-

-1150'-

-1200'-

-1250'-

-1300'-

-1350'-

-1400'-


↑
20'/MIN.
10/11/85

CALIPER
LE-035

No. BN 6339
 PRINTED IN U.S.A.
 SOUTHERN ELECTRIC COMPANY
 BUFFALO, NEW YORK
 No. BN 6339
 PRINTED IN U.S.A.
 SOUTHERN ELECTRIC COMPANY
 BUFFALO, NEW YORK
 No. BN 6339
 PRINTED IN U.S.A.
 SOUTHERN ELECTRIC COMPANY
 BUFFALO, NEW YORK

LE-035

FLOWMETER STATIONARY FLOW STATIS



630'

650'

680'

700'

960'

980'

1000'

1020'

1040'

1120'