



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN
Station I. D. 0850000066
Date 8/8/88 Well No. M-1238 (U.S.G.S.)
Latitude 27°06'50" Longitude 80°26'00"
NE 1/4 SE 1/4 NE 1/4 Section 4 Township 39S Range 39E
Owner U.S.G.S. Phone _____
Driller T. LUBRANO Date Drilled 8/8/88

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 122' T. Depth - Logger 122'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. 20"
Hole Dia. 5 1/2" From 0' To 122' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness .01"
Type of Screen P.V.C. Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. 28.0' NGVD T.O.C. +3.0

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: WELL WAS SCREENED & CAGED AFTER LOGGING.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | <input type="checkbox"/> | ccl | () |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | () |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | () |
| Neutron | <input type="checkbox"/> | Delta Temp. | () |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN
Station I. D. 0850000066
Date 8/8/88 Well No. M-1238 (U.S.G.S.)
Latitude 27°06'50" Longitude 80°26'00"
NE 1/4 SE 1/4 NE 1/4 Section 4 Township 39S Range 39E
Owner U.S.G.S. Phone _____
Driller T. LUBRANO Date Drilled 8/8/88

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 122' T. Depth - Logger 122'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. 2.0"
Hole Dia. 5 1/2" From 0' To 122' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness 0.1"
Type of Screen P.V.C. Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 28 NGVD T.O.C. + 3.0


FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: WELL WAS SCREENED & CASING AFTER LOGGING.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | <input type="checkbox"/> | ccl | () |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | () |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | () |
| Neutron | <input type="checkbox"/> | Delta Temp. | () |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | |



GAIS 10T 04

A.S.U. W. DISTRICT



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN
Station I. D. 0850000066
Date 8/8/88 Well No. M-1238 (U.S.G.S.)
Latitude 27°06'50" Longitude 80°26'00"
NE 1/4 SE 1/4 NE 1/4 Section 4 Township 39S Range 31E
Owner U.S.G.S. Phone _____
Driller T. LUBRANO Date Drilled 8/8/88

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 122' T. Depth - Logger 122'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size _____ Casing Dia. I.D. 2.0"
Hole Dia. 5 7/8" From 0' To 122' Dia. _____ From _____ To _____
Type of Casing P.V.C. Casing Thickness .01"
Type of Screen P.V.C. Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 78.0' NGVD T.O.C. +3.0

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: WELL WAS SCREENED & CASING AFTER LOGGING.

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	()
Caliper	<input checked="" type="checkbox"/>	ccl	()
Flow meter	<input type="checkbox"/>	Fluid Sampler	()
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	()
Neutron	<input type="checkbox"/>	Delta Temp.	()
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>		



BRUNNEN, NEW YORK

NO. 101 5148