



WELL LOG

WELL LOCATION

County MARTIN  
Station I. D. 0850000073  
Date 10/05/88 Well No. M-1250 (U.S.G.S.)  
Latitude 27° 07' 20" Longitude 80° 31' 58"  
SW 1/4 NW 1/4 SE 1/4 Section 34 Township 38S Range 38E  
Owner U.S.G.S. Phone \_\_\_\_\_  
Driller T. LUBRANO Date Drilled 10/05/88

DATUM

K.B. \_\_\_\_\_ L.S. +32.0' NGVD T.O.C. +3.0

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ µmhos/cm

Logged By: E.P. Dauenhauer Witnessed By: A. Tassinari

Comments: Well was screened & cased after logging

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other \_\_\_\_\_

T. Depth - Driller 158' T. Depth - Logger 158'

Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_

Bit Size \_\_\_\_\_ Casing Dia. I.D. \_\_\_\_\_

Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Type of Casing OPENHOLE Casing Thickness \_\_\_\_\_

Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_


Type of Packing \_\_\_\_\_ Well Use MONITOR

Static Water Level \_\_\_\_\_ Date \_\_\_\_\_

Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

TYPE OF SURVEYS RUN

- |                   |                                     |               |                                     |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6'        | <input checked="" type="checkbox"/> | Density       | <input type="checkbox"/>            |
| Caliper           | <input type="checkbox"/>            | ccl           | <input type="checkbox"/>            |
| Flow meter        | <input type="checkbox"/>            | Fluid Sampler | <input type="checkbox"/>            |
| 16", 64" normals  | <input checked="" type="checkbox"/> | Temperature   | <input type="checkbox"/>            |
| Neutron           | <input type="checkbox"/>            | Delta Temp.   | <input type="checkbox"/>            |
| Natural Gamma     | <input checked="" type="checkbox"/> | SP            | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/>            |               |                                     |



RECORDED COPY GRAPHIC CONTROLS CORPORATION BRUNNEN, NEW YORK

NO. 101 5148





FORM 0395  
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN  
Station I. D. 0850 000073  
Date 10/05/88 Well No. M-1250 (U.S.G.S.)  
Latitude 27° 07' 20" Longitude 80° 31' 58"  
SW 1/4 NW 1/4 SE 1/4 Section 34 Township 38S Range 38E  
Owner U.S.G.S. Phone \_\_\_\_\_  
Driller T. LUBRANO Date Drilled 10/05/88

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other \_\_\_\_\_  
T. Depth - Driller 158' T. Depth - Logger 158'  
Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
Bit Size \_\_\_\_\_ Casing Dia. I.D. \_\_\_\_\_  
Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
Type of Casing OPENHOLE Casing Thickness \_\_\_\_\_  
Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Packing \_\_\_\_\_ Well Use MONITOR  
Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM

K.B. \_\_\_\_\_ L.S. +32.0' NGVD T.O.C. +3.0

FLUID QUALITY


Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ umhos/cm

Logged By: E.P. Dauenhauer Witnessed By: A. Tassinari

Comments: well was screened & cased after logging

TYPE OF SURVEYS RUN

- |                   |     |               |     |
|-------------------|-----|---------------|-----|
| Lateral 6'        | ●   | Density       | ( ) |
| Caliper           | ( ) | cci           | ( ) |
| Flow meter        | ( ) | Fluid Sampler | ( ) |
| 16", 64" normals  | ( ) | Temperature   | ( ) |
| Neutron           | ( ) | Delta Temp.   | ( ) |
| Natural Gamma     | X   | SP            | ●   |
| Fluid Resistivity | ( ) |               |     |



CORDING GRAPHIC CONTROLS CORPORATION BUREAU NEW YORK

NO. 101 5149





FORM 0395 Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN
Station I. D. Q850000073
Date 10/05/88 Well No. M-1250 (U.S.G.S.)
Latitude 27° 07' 20" Longitude 80° 31' 58"
SW 1/4 NW 1/4 SE 1/4 Section 34 Township 38S Range 38E
Owner U.S.G.S.
Driller T. LUBRANO Date Drilled 10/05/88

DATUM

K.B. L.S. + 32.0' NGVD T.O.C. + 3.0

FLUID QUALITY

Date Time Source of Sample
Cl mg/l Type of Fluid
Temp. °C Field Density @ °C
T.D.S. mg/l Spec. Cond. umhos/cm

Logged By: E.P. Dauenhauer Witnessed By: A. Tassinari

Comments: Well was screened & cased after logging

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller 158' T. Depth - Logger 158'
Casing Depth Driller Casing Depth Logger
Bit Size Casing Dia. I.D.
Hole Dia. From To Dia. From To
Type of Casing OPENHOLE Casing Thickness
Type of Screen Screen Int. From To
Type of Packing Well Use MONITOR
Static Water Level Date
Yield Flow Pump

TYPE OF SURVEYS RUN

- Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP

