



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County MARTIN

Station I. D. 0 8 5 0 0 0 0 8 1

Date 8/15/89 Well No. MONREVE A.P.T. (m-1282)

Latitude 27° 02' 46" Longitude 80° 17' 58"

NE 1/4 SW 1/4 SW 1/4 Section 25 Township 39 S Range 40 E

Owner S.F.W.M.D. Phone _____

Driller T. LUBRANO Date Drilled 8/15/89

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 130' T. Depth - Logger 130'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 57/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 130' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From 30' To 70'

Type of Packing _____ Well Use A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. 22' T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: T. LUBRANO

Comments: WELL WAS SCREENED & CASED AFTER LOGGING.

TYPE OF SURVEYS RUN

- | | | | |
|----------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | (X) | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals (2) | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | () | Single Pt. | () |



00050

00100

MONREVE A.P.T.



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN

Station I. D. 0 8 5 0 0 0 0 0 8 1

Date 8/15/89 Well No. MONREVE A.P.T. (M-1282)

Latitude 27° 02' 46" Longitude 80° 17' 58"

NE 1/4 SW 1/4 SW 1/4 Section 25 Township 39S Range 40E

Owner S.F.W.M.D. Phone _____

Driller T. LUBBRANO Date Drilled 8/15/89

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger _____ Other _____

T. Depth - Driller 130' T. Depth - Logger 130'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 130' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From 30' To 70'

Type of Packing _____ Well Use A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 22' T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: T. LUBBRANO

Comments: WELL WAS SCREENED & CASED AFTER LOGGING.

TYPE OF SURVEYS RUN

| | | | |
|---------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16" 64" normals (2) | (X) | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | (X) |
| Fluid Resistivity | () | Single Pt. | () |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN

Station I. D. 0 8 5 0 0 0 0 8 1

Date 8/15/89 Well No. MONREVE A.P.T. (m.1282)

Latitude 27° 02' 46" Longitude 80° 17' 58"

NE 1/4 SW 1/4 Section 25 Township 39 S Range 40 E

Owner S.F.W.M.D. Phone _____

Driller T. LUBRANO Date Drilled 8/15/89

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 130' T. Depth - Logger 130'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 130' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From 30' To 70'

Type of Packing _____ Well Use A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 22' T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: T. LUBRANO

Comments: WELL WAS SCREENED & CASSED AFTER LOGGING.

TYPE OF SURVEYS RUN

- | | | | |
|----------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals (2) | (X) | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | (X) |
| Fluid Resistivity | () | Single Pt. | () |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN

Station I. D. 0 8 5 0 0 0 0 0 8 1

Date 8/15/89 Well No. MONREVE A.P.T. (M-1282)

Latitude 27° 02' 46" Longitude 80° 17' 58"

NE 1/4 SW 1/4 SW 1/4 Section 25 Township 39 S Range 40 E

Owner S.F.W.M.D. Phone _____

Driller T. LUBRANO Date Drilled 8/15/89

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger Other

T. Depth - Driller 130' T. Depth - Logger 130'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 130' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From 30' To 70'

Type of Packing _____ Well Use A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 22' T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: T. LUBRANO


Comments: WELL WAS SCREENED & CASED AFTER LOGGING.

TYPE OF SURVEYS RUN

- | | | | |
|----------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals (2) | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | (X) | SP | () |
| Fluid Resistivity | () | Single Pt. | () |



MONREVE A.P.T.





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN

Station I. D. 0 8 5 0 0 0 0 0 8 1

Date 8/15/89 Well No. MONREVE A.P.T. (m-1282)

Latitude 27° 02' 46" Longitude 80° 17' 58"

NE 1/4 SW 1/4 Section 25 Township 39 S Range 40 E

Owner S.F.W.M.D. Phone _____

Driller T. LUBRANO Date Drilled 8/15/89

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 130' T. Depth - Logger 130'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 130' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From 30' To 70'

Type of Packing _____ Well Use A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 22' T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: T. LUBRANO

Comments: WELL WAS SCREENED & CASSED AFTER LOGGING.

TYPE OF SURVEYS RUN

| | | | |
|----------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals (2) | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | (X) |
| Fluid Resistivity | () | Single PT. | (X) |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County MARTIN

Station I. D. 0 8 5 0 0 0 0 0 8 1

Date 8/15/89 Well No. MONREVE A.P.T. (M-1282)

Latitude 27° 02' 46" Longitude 80° 17' 58"

N.E. 1/4 SW 1/4 Section 25 Township 39 S Range 40 E

Owner S.F.W.M.D. Phone _____

Driller T. LUBRANO Date Drilled 8/15/89

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger _____ Other _____

T. Depth - Driller 130' T. Depth - Logger 130'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 130' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From 30' To 70'

Type of Packing _____ Well Use A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. 22' T.O.C. 0.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: T. LUBRANO

Comments: WELL WAS SCREENED & CASED AFTER LOGGING.

TYPE OF SURVEYS RUN

- | | | | |
|----------------------|-----|---------------|-----|
| Lateral 6' | (X) | Density | () |
| Caliper | () | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals (2) | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | (X) |
| Fluid Resistivity | () | Single Pt. | () |

