

The NGS Data Sheet

See file [dsdata.txt](#) for more information about the datasheet.

DATABASE = Sybase ,PROGRAM = datasheet, VERSION = 7.10

1 National Geodetic Survey, Retrieval Date = DECEMBER 28, 2004

AH2272 *****

AH2272 DESIGNATION - I75 V 29

AH2272 PID - AH2272

AH2272 STATE/COUNTY- FL/BROWARD

AH2272 USGS QUAD - OPA-LOCKA (1988)

AH2272

AH2272 *CURRENT SURVEY CONTROL

AH2272

AH2272* NAD 83(1986)- 25 59 19. (N) 080 20 36. (W) SCALED

AH2272* NAVD 88 - 4.716 (meters) 15.47 (feet) ADJUSTED

AH2272

AH2272 GEOID HEIGHT- -25.02 (meters) GEOID03

AH2272 DYNAMIC HT - 4.708 (meters) 15.45 (feet) COMP

AH2272 MODELED GRAV- 979,052.2 (mgal) NAVD 88

AH2272

AH2272 VERT ORDER - SECOND CLASS II

AH2272

AH2272.The horizontal coordinates were scaled from a topographic map and have
AH2272.an estimated accuracy of +/- 6 seconds.

AH2272

AH2272.The orthometric height was determined by differential leveling
AH2272.and adjusted by the National Geodetic Survey in December 2001.

AH2272.No vertical observational check was made to the station.

AH2272

AH2272.The geoid height was determined by GEOID03.

AH2272

AH2272.The dynamic height is computed by dividing the NAVD 88

AH2272.geopotential number by the normal gravity value computed on the
AH2272.Geodetic Reference System of 1980 (GRS 80) ellipsoid at 45

AH2272.degrees latitude (g = 980.6199 gals.).

AH2272

AH2272.The modeled gravity was interpolated from observed gravity values.

AH2272

AH2272; North East Units Estimated Accuracy

AH2272;SPC FL E - 183,520. 265,750. MT (+/- 180 meters Scaled)

AH2272

AH2272 SUPERSEDED SURVEY CONTROL

AH2272

AH2272.No superseded survey control is available for this station.

AH2272

AH2272_U.S. NATIONAL GRID SPATIAL ADDRESS: 17RNJ657745(NAD 83)

AH2272_MARKER: DD = SURVEY DISK

AH2272_SETTING: 36 = BRIDGE GUARDRAIL

AH2272_STAMPING: BM I75 V29

AH2272_MARK LOGO: FLDT

AH2272_MAGNETIC: N = NO MAGNETIC MATERIAL

AH2272_STABILITY: B = PROBABLY HOLD POSITION/ELEVATION WELL

AH2272

AH2272 HISTORY - Date Condition Report By

AH2272 HISTORY - 1990 MONUMENTED FLDT

AH2272

AH2272

STATION DESCRIPTION

AH2272

AH2272'DESCRIBED BY FLORIDA DEPARTMENT OF TRANSPORTATION 1990 (CDM)
AH2272'THE STATION IS LOCATED APPROXIMATELY 15.75 MILES (25.35 KM) SOUTHWEST
AH2272'OF FORT LAUDERDALE AND 2 MILES (3.2 KM) NORTH OF THE BROWARD-DADE
AH2272'COUNTY LINE, ALONG INTERSTATE HIGHWAY 75, AT THE NORTHBOUND BRIDGE
AH2272'OVER A CANAL. TO REACH THE STATION FROM THE INTERSECTION OF U.S.
AH2272'HIGHWAY 27 AND INTERSTATE HIGHWAY 75 (ALLIGATOR ALLEY), GO EAST ON
AH2272'INTERSTATE HIGHWAY 75 FOR 6.05 MILES (9.74 KM) TO THE POINT WHERE
AH2272'INTERSTATE HIGHWAY 75 TURNS SOUTH AND INTERSTATE HIGHWAY 595 CONTINUES
AH2272'EAST, CONTINUE SOUTH ON INTERSTATE HIGHWAY 75 FOR 4.25 MILES (6.84 KM)
AH2272'TO THE GRIFFIN ROAD (STATE ROAD 818) OVERPASS, CONTINUE SOUTH ON
AH2272'INTERSTATE HIGHWAY 75 FOR 5.35 MILES (8.61 KM) TO THE SOUTH END OF THE
AH2272'NORTHBOUND BRIDGE OVER A CANAL AND THE MARK. IT IS LOCATED 16.6 FEET
AH2272'(5.1 M) NORTH OF THE SOUTHEAST END OF THE EAST CONCRETE GUARDRAIL,
AH2272'12.0 FEET (3.7 M) EAST OF THE EASTERNMOST EDGE OF THE NORTHBOUND LANES
AH2272'AND 0.5 FEET (15.2 CM) SOUTH OF THE POINT WHERE THE ROAD SURFACE MEETS
AH2272'THE BRIDGE SURFACE.

*** retrieval complete.

Elapsed Time = 00:00:00