

WELL STATION IDENTIFICATION

FORM 62 - 12/77

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

PAGE 1 OF 2

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
093000002	12/3/77	W11	OKF-2	OKEECHOBEE	27	32	38.05	80	42	42.09	(01)

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
		W12	NW1/4; NW1/4; NW1/4	11	34S	36E	KISSIMMEE

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21			28.07		MSL- <input checked="" type="checkbox"/> ; LS- <input type="checkbox"/> ; TOC- <input checked="" type="checkbox"/>

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	SCOTT RANCH		813	763.7550	IRRIGATION, CATTLE

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41				

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

Jane

WELL STATION IDENTIFICATION

FORM 63 - 12/77

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
09.30.00.00.2	12.13.77	W5.1		68.6.0		218.0	6.0		YES	NO-X

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5.2						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.10	0	STEEL	6.0	0	218		

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.20	2						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.30	3						

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

Jane

WELL SURVEY REPORT

FORM 61 - 12/77
(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
093000002	121377	W71	M. BROWN	G. PALUGA	X	X	X	X	X	X	X	X	X	X

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	WATER	121377	1200

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	79.8	F				1022				

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91			

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

Jane



WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 093000002
 Date 12/13/77 Well No. OKF-2
 Latitude 27° 32' 38.05" Longitude 80° 42' 42.0"
 NW¼ NW¼ NW¼ Section 11 Township 34S Range 36E
 Owner Scott Ranch Phone (813) 763-7550
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. spgot 28.07' HSL

FLUID QUALITY

Date 12/13/77 Time 1200 Source of Sample well head
 Cl - mg/l Type of Fluid water
 Temp. 26.0°C 78.8°F Field Density - @ - °C
 T.D.S. - mg/l Spec. Cond. 1022 8.856 ohm-m umhos/cm
 Logged By: M. P. Brown Witnessed By: G. Paluga


WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller - T. Depth - Logger 686.0'
 Casing Depth Driller - Casing Depth Logger 218.0'
 Bit Size - Casing Dia. I.D. 6.0"
 Hole Dia. 6.0" From 0' To 218' Dia. From _____ To _____
 Type of Casing steel Casing Thickness _____
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use pasture irrigation & cattle
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

Comments: Surveys depth scale referenced to SFWMD spgot as 0.0'
Flow meter (probe stopped) @ 20' = 21 cps
Flow meter (probe stopped) @ 175' = 31 cps

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	ocl	()
Flow meter	(X)	Fluid Sampler	(X)
16", 64" normals	()	Temperature	()
Neutron	(X)	Delta Temp.	()
Natural Gamma	(X)	SP	()
Fluid Resistivity	(X)		





WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 093000002
 Date 12/13/77 Well No. OKF-2
 Latitude 27° 32' 38.05" Longitude 80° 42' 42.04"
 NW ¼ NW ¼ NW ¼ Section 11 Township 34S Range 36E
 Owner Scott Ranch Phone (813) 763-7550
 Driller _____ Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 686.0'
 Casing Depth Driller _____ Casing Depth Logger 218.0'
 Bit Size _____ Casing Dia. I.D. 6.0"
 Hole Dia. 6.0" From 0' To 218' Dia. From _____ To _____
 Type of Casing steel Casing Thickness _____
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use pasture irrigation & cattle
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. spot 28.07' HSL

FLUID QUALITY


Date 12/13/77 Time 1200 Source of Sample well head
 Cl _____ mg/l Type of Fluid water
 Temp. 26.0°C 78.8°F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 1022 8.856 ohm-m umhos/cm
 Logged By: H. P. Brown Witnessed By: G. Paluga

Comments: Surveys depth scale referenced to SFWMD spot as 0.0'

Flow meter (probe stopped) @ 20' = 21 cps
Flow meter (probe stopped) @ 175' = 31 cps

TYPE OF SURVEYS RUN

Lateral 6' _____ ()
 Caliper _____ ()
 Flow meter _____ ()
 16", 64" normals _____ ()
 Neutron _____ ()
 Natural Gamma _____ ()
 Fluid Resistivity _____ ()
 Density _____ ()
 ccl _____ ()
 Fluid Sampler _____ ()
 Temperature _____ ()
 Delta Temp. _____ ()
 SP _____ ()



GEORGE W. OWENS INDUSTRIES, INC.

No. 22-1023-01

MADE IN U.S.A.



WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 093000002
 Date 12/13/77 Well No. OKF-2
 Latitude 27° 32' 36.05" Longitude 80° 42' 42.04"
 Section 11 Township 34S Range 36E
 Owner Scott Ranch Phone (813) 763-7550
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. spot 28.07' HSI

FLUID QUALITY


Date 12/13/77 Time 1200 Source of Sample well head
 Cl _____ mg/l Type of Fluid water
 Temp. 26.0°C 78.8°F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 1022 μ mhos/cm
 Logged By: H. P. Brown Witnessed By: G. Paluga
 Comments: Surveys depth scale referenced to SFWD spot as 0.0'
Flow meter (probe stopped) @ 20' = 21 cps
Flow meter (probe stopped) @ 175' = 31 cps

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 606.0'
 Casing Depth Driller _____ Casing Depth Logger 218.0'
 Bit Size _____ Casing Dia. I.D. 6.0"
 Hole Dia. 6.0" From 0' To 218' Dia. From _____ To _____
 Type of Casing steel Casing Thickness _____
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use pasture irrigation & cattle
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
 Caliper () ccl ()
 Flow meter () Fluid Sampler (X)
 16", 64" normals () Temperature (X)
 Neutron () Delta Temp. (X)
 Natural Gamma () SP ()
 Fluid Resistivity ()



GENERAL OVERSIGHT ENGINEERS, INC.

NO. 12-1023-01

MADE IN U.S.A.

GENERAL OVERSIGHT ENGINEERS, INC.

NO. 12-1023-01

MADE IN U.S.A.



WELL LOG

WELL LOCATION

County Okeechobee
Station I. D. 093000002
Date 12/13/77 Well No. OKF-2
Latitude 27° 32' 38.05" Longitude 80° 42' 42.04"
NW ¼ NW ¼ NW ¼ Section 11 Township 34S Range 36E
Owner Scott Ranch Phone (813) 763-7550
Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. spot 28.07' MSI

FLUID QUALITY

Date 12/13/77 Time 1200 Source of Sample well head
Cl _____ mg/l Type of Fluid water
Temp. 26.0°C 78.8°F Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 1022 μ mhos/cm
Logged By: M. P. Brown Witnessed By: G. Paluga

WELL CONSTRUCTION


Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller _____ T. Depth - Logger 686.0"
Casing Depth Driller _____ Casing Depth Logger 218.0'
Bit Size _____ Casing Dia. I.D. 6.0"
Hole Dia. 6.0" From 0' To 218' Dia. _____ From _____ To _____
Type of Casing steel Casing Thickness _____
Type of Screen open hole Screen Int. From _____ To _____
Type of Packing _____ Well Use pasture irrigation & cattle
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

Comments:

Surveys depth scale referenced to SFWD spot as 0.0'
Flow meter (probe stopped) @ 20' = 21 cps
Flow meter (probe stopped) @ 175' = 31 cps

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP



10-5008-21-01

10-5008-21-01



WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 093000002
 Date 12/13/77 Well No. OKF-2
 Latitude 27° 32' 38.05" Longitude 80° 42' 42.04"
 NW ¼ NW ¼ NW ¼ Section 11 Township 34S Range 36E
 Owner Scott Ranch Phone (813) 763-7550
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. spgot 28.07' MSL

FLUID QUALITY


Date 12/13/77 Time 1200 Source of Sample well head
 Cl _____ mg/l Type of Fluid water
 Temp. 26.0°C 78.8°F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 1022 umhos/cm
 8.856 ohm-m
 Logged By: M. P. Brown Witnessed By: G. Paluga
 Comments: Surveys depth scale referenced to SFWMD spgot as 0.0'
Flow meter (probe stopped) @ 20' = 21 cps
Flow meter (probe stopped) @ 175' = 31 cps

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 686.0'
 Casing Depth Driller _____ Casing Depth Logger 218.0'
 Bit Size _____ Casing Dia. I.D. 6.0"
 Hole Dia. 6.0" From 0' To 218' Dia. From _____ To _____
 Type of Casing steel Casing Thickness _____
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use pasture irrigation & cattle
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
 Caliper (x) ccl (x)
 Flow meter (x) Fluid Sampler (x)
 16", 64" normals (x) Temperature (x)
 Neutron (x) Delta Temp. (x)
 Natural Gamma (x) SP ()
 Fluid Resistivity (x)



GEORGE W. BAKER INDUSTRIES, INC.
 200-21-0000
 200-21-0000
 GEORGE W. BAKER INDUSTRIES, INC.



WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 093000002
 Date 12/13/77 Well No. OKF-2
 Latitude 27° 32' 38.05" Longitude 80° 42' 42.04"
 NW ¼ NW ¼ NW ¼ Section 11 Township 34S Range 36E
 Owner Scott Ranch Phone (813) 763-7550
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. spgot 28.07' MSL

FLUID QUALITY

Date 12/13/77 Time 1200 Source of Sample well head
 Cl _____ mg/l Type of Fluid water
 Temp. 26.0°C 78.8°F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 1022 8.856 ohm-cm
 Logged By: M. P. Brown Witnessed By: G. Paluga

WELL CONSTRUCTION



Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 686.0'
 Casing Depth Driller _____ Casing Depth Logger 218.0'
 Bit Size _____ Casing Dia. I.D. 6.0"
 Hole Dia. 6.0" From 0' To 218' Dia. _____ From _____ To _____
 Type of Casing steel Casing Thickness _____
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use pasture irrigation & cattle
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

Comments

Surveys depth scale referenced to SFWMD spgot as 0.0'
Flow meter (probe stopped) @ 20' = 21 cps
Flow meter (probe stopped) @ 175' = 31 cps

TYPE OF SURVEYS RUN

Lateral 6' () Density
 Caliper (XX) ocl
 Flow meter (XX) Fluid Sampler
 16" 64" normals () Temperature
 Neutron () Delta Temp.
 Natural Gamma (XX) SP
 Fluid Resistivity (XX)



GEORGE WALL OWENS INDUSTRIES, INC.
 1000 N. W. 10th St.
 Ft. Lauderdale, FL 33304
 TEL: 305-555-1234
 FAX: 305-555-5678