



FORM 0395  
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000058

Date 11/13/90 Well No. OKS-81

Latitude 27°-30'-22" Longitude 81°-07'-23"

1/4 NW 1/4 NW 1/4 Section 22 Township 34S Range 32E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller P. BENTON Date Drilled 11/13/90

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other

T. Depth - Driller 160' T. Depth - Logger 158'

Casing Depth Driller          Casing Depth Logger         

Bit Size 5 7/8" Casing Dia. I.D.         

Hole Dia.          From          To          Dia.          From          To         

Type of Casing OPEN HOLE Casing Thickness         

Type of Screen          Screen Int. From          To         

Type of Packing          Well Use MONITOR

Static Water Level          Date         

Yield Flow          Pump         

DATUM

K.B.          L.S. + 55.0' T.O.C.         

FLUID QUALITY

Date          Time          Source of Sample         

Cl          mg/l          Type of Fluid         

Temp.          °C          Field Density          @          °C

T.D.S.          mg/l          Spec. Cond.          µmhos/cm         


Logged By: E.P. DAUENHAUER Witnessed By: D. DEMONSTRANT

Comments: WELL WAS SCREENED & CAGED AFTER

LOGGING.

TYPE OF SURVEYS RUN

- |                   |                                     |               |                                     |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6'        | <input type="checkbox"/>            | Density       | <input type="checkbox"/>            |
| Caliper           | <input checked="" type="checkbox"/> | ocl           | <input type="checkbox"/>            |
| Flow meter        | <input type="checkbox"/>            | Fluid Sampler | <input type="checkbox"/>            |
| 16", 64" normals  | <input checked="" type="checkbox"/> | Temperature   | <input type="checkbox"/>            |
| Neutron           | <input type="checkbox"/>            | Delta Temp.   | <input type="checkbox"/>            |
| Natural Gamma     | <input checked="" type="checkbox"/> | SP            | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/>            | Single P.T.   | <input checked="" type="checkbox"/> |





SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000058

Date 11/13/90 Well No. OKS-81

Latitude 27° 30' 22" Longitude 81° 07' 23"

1/4 NW 1/4 NW 1/4 Section 22 Township 34S Range 32E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller P. BENTON Date Drilled 11/13/90

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other

T. Depth - Driller 160' T. Depth - Logger 158'

Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_

Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_

Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Type of Casing OPEN HOLE Casing Thickness \_\_\_\_\_

Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_

Type of Packing \_\_\_\_\_ Well Use MONITOR

Static Water Level \_\_\_\_\_ Date \_\_\_\_\_

Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM

K.B. \_\_\_\_\_ L.S. + 55.0' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_

Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_

Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C



T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ µmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: D. DEMONSTRANT

Comments: WELL WAS SCREENED & CASSED AFTER LOGGING.

TYPE OF SURVEYS RUN

- |                   |                                     |               |                                     |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6'        | <input type="checkbox"/>            | Density       | <input type="checkbox"/>            |
| Caliper           | <input checked="" type="checkbox"/> | ocl           | <input type="checkbox"/>            |
| Flow meter        | <input type="checkbox"/>            | Fluid Sampler | <input type="checkbox"/>            |
| 16", 64" normals  | <input checked="" type="checkbox"/> | Temperature   | <input type="checkbox"/>            |
| Neutron           | <input type="checkbox"/>            | Delta Temp.   | <input type="checkbox"/>            |
| Natural Gamma     | <input checked="" type="checkbox"/> | SP            | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/>            | Single PT.    | <input checked="" type="checkbox"/> |





FORM 0395  
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000058

Date 11/13/90 Well No. OKS-81

Latitude 27° 30' 22" Longitude 81° 07' 23"

1/4 NW 1/4 NW 1/4 Section 22 Township 34S Range 32E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller P. BENTON Date Drilled 11/13/90

WELL CONSTRUCTION

Drilling Method: Rot./ Air CT Auger Other

T. Depth - Driller 160' T. Depth - Logger 158'

Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_

Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_

Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Type of Casing OPEN HOLE Casing Thickness \_\_\_\_\_

Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_

Type of Packing \_\_\_\_\_ Well Use MONITOR

Static Water Level \_\_\_\_\_ Date \_\_\_\_\_

Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM

K.B. \_\_\_\_\_ L.S. + 55.0' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_

Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_

Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C



T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ rhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: D. DEMONSTRANT

Comments: WELL WAS SCREENED & CASSED AFTER LOGGING.

TYPE OF SURVEYS RUN

- |                   |                                     |               |                                     |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6'        | <input type="checkbox"/>            | Density       | <input type="checkbox"/>            |
| Caliper           | <input checked="" type="checkbox"/> | ocl           | <input type="checkbox"/>            |
| Flow meter        | <input type="checkbox"/>            | Fluid Sampler | <input type="checkbox"/>            |
| 16", 64" normals  | <input checked="" type="checkbox"/> | Temperature   | <input type="checkbox"/>            |
| Neutron           | <input type="checkbox"/>            | Delta Temp.   | <input type="checkbox"/>            |
| Natural Gamma     | <input checked="" type="checkbox"/> | SP            | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/>            | Single P.T.   | <input checked="" type="checkbox"/> |





FORM 0395  
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000058

Date 11/13/90 Well No. OKS-81

Latitude 27° 30' 22" Longitude 81° 07' 23"

1/4 NW 1/4 NW 1/4 Section 22 Township 34S Range 32E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller P. BENTON Date Drilled 11/13/90

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other

T. Depth - Driller 160' T. Depth - Logger 158'

Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_

Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_

Hole Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_ Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Type of Casing OPEN HOLE Casing Thickness \_\_\_\_\_

Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_

Type of Packing \_\_\_\_\_ Well Use MONITOR

Static Water Level \_\_\_\_\_ Date \_\_\_\_\_

Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

WELL LOG

DATUM

K.B. \_\_\_\_\_ L.S. + 55.0' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_

Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_

Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C

T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ µmhos/cm


Logged By: E.P. DAUENHAUER Witnessed By: D. DEMONSTRANT

Comments: WELL WAS SCREENED & CASSED AFTER

LOGGING.

TYPE OF SURVEYS RUN

- |                   |                                     |               |                                     |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6'        | <input type="checkbox"/>            | Density       | <input type="checkbox"/>            |
| Caliper           | <input checked="" type="checkbox"/> | ocl           | <input type="checkbox"/>            |
| Flow meter        | <input type="checkbox"/>            | Fluid Sampler | <input type="checkbox"/>            |
| 16" 64" normals   | <input checked="" type="checkbox"/> | Temperature   | <input type="checkbox"/>            |
| Neutron           | <input type="checkbox"/>            | Delta T emp.  | <input type="checkbox"/>            |
| Natural Gamma     | <input type="checkbox"/>            | SP            | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | Single PT.    | <input checked="" type="checkbox"/> |



OKS-81