

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION	SURVEY	CARD	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC	
097.00.00.15	120479	W11	S.F.-2	OSCEOLA	028	18	02.00	08.1	35	16.00	

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION	SURVEY	CARD	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
		W12	S.E. 1/4; N.W. 1/4; N.W. 1/4	23	25S	27E	KISSIMMEE

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION	SURVEY	CARD	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21			00		MSL- ; LS- <input checked="" type="checkbox"/> ; TOC-

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION	SURVEY	CARD	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	HELLER, B.R. & S.				ABANDONED

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION	SURVEY	CARD	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41				

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
097.0.0.0.1.51	2.04.79	W5.1		450					YES- ; NO-X	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5.2						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.10	10	STEEL	10.00				

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.20	20						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.30	03						

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

WELL SURVEY REPORT

FORM RP-39 -- Rev. 10/78

(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION I. D.	SURVEY DATE	CARD C	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
097000015	120479	W71	ANDERSON	D. WIENHAGER	X									

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION I. D.	SURVEY DATE	CARD C	SAMPLE SOURCE (WELLHEAD, ETC.)	TYPE FLUID	DATE SAMPLED	TIME SAMPLED
		W81	WELLHEAD	WATER	120479	1300

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION I. D.	SURVEY DATE	CARD C	TEMP. OF SAMPLE	FIELD SP. GRAVITY	FIELD PH	CHLORIDE (MG/L)	DISSOLVED SOLIDS	SPEC. COND. (U-MHO/CM)	STATIC WATER LEVEL (FEET)	W/L REF FROM	FLOW RATE (GAL/MIN)	PUMP RATE (GAL/MIN)
		W82	74.80 F									39.00

COMMENT CARDS

1	17	20	40	60	76
STATION I. D.	SURVEY DATE	CARD C	COMMENTS - LINE 1	COMMENTS - LINE 2	COMMENTS - LINE 3
		W91	FLOW METER SURVEY	ONLY	

1	17	20	40	60	76
STATION I. D.	SURVEY DATE	CARD C	COMMENTS - LINE 4	COMMENTS - LINE 5	COMMENTS - LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.



WELL LOG

WELL LOCATION

County OSCEOLA
 Station I. D. 097000015
 Date 12-04-79 Well No. OSF-2
 Latitude 028° 18' 02.00" Longitude 081° 35' 16.00"
SE 1/4 NW 1/4 Section 23 Township 25S Range 27E
 Owner HELLER BROS. Phone -
 Driller - Date Drilled -

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other -
 T. Depth - Driller - T. Depth - Logger 450'
 Casing Depth Driller - Casing Depth Logger -
 Bit Size - Casing Dia. I.D. 9.80"
 Hole Dia. 10.00" From - To - Dia. From - To -
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From - To -
 Type of Packing - Well Use ABANDONED
 Static Water Level - Date -
 Yield Flow - Pump 390.0 G.P.M.

DATUM


K.B. - L.S. 0.0 T.O.C. -

FLUID QUALITY

Date 12-04-79 Time 1300 Source of Sample WELLHEAD
 Cl - mg/l Type of Fluid WATER
 Temp. 74.80° F Field Density - @ - °C
 T.D.S. - mg/l Spec. Cond. - umhos/cm
 Logged By: ANDERSON S. Witnessed By: DAVENHAVER P.
 Comments: FLOWMETER SURVEY ONLY

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	cci	()
Flow meter	(X)	Fluid Sampler	()
16", 64" normals	()	Temperature	()
Neutron	()	Delta Temp.	()
Natural Gamma	()	SP	()
Fluid Resistivity	()		





WELL LOG

WELL LOCATION

County OSCEOLA
 Station I. D. 097000015
 Date 12-04-79 Well No. OSF-2
 Latitude 028° 18' 02.00" Longitude 081° 35' 16.00"
 SE ¼ NW ¼ NW ¼ Section 23 Township 25S Range 27E
 Owner HELLER BROS. Phone -
 Driller - Date Drilled -

DATUM

K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY

Date 12-04-79 Time 1300 Source of Sample WELLHEAD
 Cl _____ mg/l Type of Fluid WATER
 Temp. 74.80° F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm
 Logged By: ANDERSON S. Witnessed By: DAVENHAVER P.
 Comments: FLOWMETER SURVEY ONLY

WELL CONSTRUCTION

Drilling Method: Rot. - Air - CT - Auger - Other -
 T. Depth - Driller - T. Depth - Logger 450'
 Casing Depth Driller - Casing Depth Logger _____
 Bit Size - Casing Dia. I.D. 9.80"
 Hole Dia. 10.00" From _____ To _____ Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing - Well Use ABANDONED
 Static Water Level - Date -
 Yield Flow - Pump 390.0 G.P.M.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ccl | () |
| Flow meter | (X) | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | () | | |

