



FORM 0395  
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH

Station I. D. 0990000036

Date 08/11/87 Well No. SSTW

Latitude 26°-38'-56" Longitude 80°-14'-32"

SW  $\frac{1}{4}$  NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  Section 15 Township 44S Range 41E

Owner S.F.W.M.D. Phone (305) 686-8800

Driller T. LUBRANO Date Drilled 08/11/87

WELL CONSTRUCTION

Drilling Method: Rot  Air  CT  Auger  Other

T. Depth - Driller 230' T. Depth - Logger 230'

Casing Depth Driller — Casing Depth Logger —

Bit Size — Casing Dia. I.D. —

Hole Dia. 6" From 0' To 230' Dia. From — To —

Type of Casing — Casing Thickness —

Type of Screen OPENHOLE Screen Int. From — To —

Type of Packing — Well Use EXPLORATORY

Static Water Level — Date —

Yield Flow — Pump —

DATUM

K.B. — L.S. 0.0' T.O.C. —

FLUID QUALITY

Date — Time — Source of Sample —

Cl — mg/l Type of Fluid —

Temp. — °C Field Density — @ — °C


T.D.S. — mg/l Spec. Cond. — μmhos/cm

Logged By: E.P. DALENHAUER Witnessed By: A. TASSINARI

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density
- ocl
- Fluid Sampler
- Temperature
- Delta Temp.
- SP







FORM 0395  
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH  
Station I. D. 0990000036  
Date 08/11/87 Well No. SSTW  
Latitude 26°-38'-56" Longitude 80°-14'-32"  
SW  $\frac{1}{4}$  NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  Section 15 Township 44S Range 41E  
Owner S.F.W.M.D. Phone (305) 686-8800  
Driller T. LUBRANO Date Drilled 08/11/87

DATUM

K.B. \_\_\_\_\_ L.S. 0.0' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ umhos/cm  
Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI


Comments: HOLE WAS PLUGGED AFTER LOGGING

WELL CONSTRUCTION

Drilling Method: Rot  Air  CT  Auger  Other \_\_\_\_\_  
T. Depth - Driller 230' T. Depth - Logger 230'  
Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
Bit Size \_\_\_\_\_ Casing Dia. I.D. \_\_\_\_\_  
Hole Dia. 6" From 0' To 230' Dia. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Casing \_\_\_\_\_ Casing Thickness \_\_\_\_\_  
Type of Screen OPENHOLE Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Packing \_\_\_\_\_ Well Use EXPLORATORY  
Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

TYPE OF SURVEYS RUN

Lateral 6' \_\_\_\_\_  
Caliper   
Flow meter   
16", 64" normals   
Neutron   
Natural Gamma   
Fluid Resistivity   
Density   
ccl   
Fluid Sampler   
Temperature   
Delta Temp.   
SP







WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000036
Date 08/11/87 Well No. SSTW
Latitude 26°-38'-56" Longitude 80°-14'-32"
SW 1/4 NW 1/4 NE 1/4 Section 15 Township 44S Range 41E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRAND Date Drilled 08/11/87

WELL CONSTRUCTION

Drilling Method: Rot Air CT Auger Other
T. Depth - Driller 230' T. Depth - Logger 230'
Casing Depth Driller Casing Depth Logger
Bit Size Casing Dia. I.D.
Hole Dia. 6" From 0' To 230' Dia. From To
Type of Casing Casing Thickness
Type of Screen OPENHOLE Screen Int. From To
Type of Packing Well Use EXPLORATORY
Static Water Level Date
Yield Flow Pump

DATUM

K.B. L.S. 0.0' T.O.C.

FLUID QUALITY


Date Time Source of Sample
Cl mg/l Type of Fluid
Temp. °C Field Density @ °C
T.D.S. mg/l Spec. Cond. umhos/cm

Logged By: E.P. DALENHAUER Witnessed By: A. TASSINARI

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP







FORM 0395  
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH  
Station I. D. 0990000036  
Date 08/11/87 Well No. SSTW  
Latitude 26°-38'-56" Longitude 80°-14'-32"  
SW  $\frac{1}{4}$  NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  Section 15 Township 44S Range 41E  
Owner S.F.W.M.D. Phone (305) 686-8800  
Driller T. LURRANO Date Drilled 08/11/87

DATUM

K.B. \_\_\_\_\_ L.S. 0.0' T.O.C. \_\_\_\_\_

FLUID QUALITY


Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ umhos/cm  
Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI  
Comments: HOLE WAS PLUGGED AFTER LOGGING

WELL CONSTRUCTION

Drilling Method: Rot  Air  CT  Auger  Other \_\_\_\_\_  
T. Depth - Driller 230' T. Depth - Logger 230'  
Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
Bit Size \_\_\_\_\_ Casing Dia. I.D. \_\_\_\_\_  
Hole Dia. 6" From 0' To 230' Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
Type of Casing \_\_\_\_\_ Casing Thickness \_\_\_\_\_  
Type of Screen OPENHOLE Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Packing \_\_\_\_\_ Well Use EXPLORATORY  
Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

TYPE OF SURVEYS RUN

Lateral 6'   
Caliper   
Flow meter   
16", 64" normals   
Neutron   
Natural Gamma   
Fluid Resistivity   
Density   
ocl   
Fluid Sampler   
Temperature   
Delta Temp.   
SP



REGORRING CHARLIE GRAPHIC CONSULTING CORPORATION BUREAU NEW YORK