



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County HENDRY
Station I. D. 0510000011
Date 7/15/87 Well No. H-207
Latitude 26°32'13" Longitude 81°04'09"
Section 30 Township 45S Range 33E
Owner _____ Phone _____
Driller T. LUBRANO Date Drilled 7/15/87

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 350' T. Depth - Logger 350'
Casing Depth Driller _____ Casing Depth Logger _____
Bit Size 5 7/8" Casing Dia. I.D. _____
Hole Dia. 6" From 0' To 350' Dia. _____ From _____ To _____
Type of Casing OPENHOLE Casing Thickness _____
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use PILOT HOLE
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: _____

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density
- ccl
- Fluid Sampler
- Temperature
- Delta Temp.
- SP



RECORDED BY CHRYL GRAPHIC CONTROLS CORPORATION BREVARD, FLA. 32909



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County HENDRY

Station I. D. 0510000011

Date 7/15/87 Well No. H-207

Latitude 26° 32' 13" Longitude 81° 04' 09"

Section 30 Township 45S Range 33E

Owner _____ Phone _____

Driller T. LUBRANO Date Drilled 7/15/87

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 350' T. Depth - Logger 350'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 350' Dia. _____ From _____ To _____

Type of Casing OPENHOLE Casing Thickness _____

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use PILOT HOLE

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: _____

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density
- ccl
- Fluid Sampler
- Temperature
- Delta Temp.
- SP





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County HENDRY

Station I. D. 0510000011

Date 7/15/87 Well No. H-207

Latitude 26° 32' 13" Longitude 81° 04' 09"

Section 30 Township 45S Range 33E

Owner _____ Phone _____

Driller T. LUBRANO Date Drilled 7/15/87

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 350' T. Depth - Logger 350'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 350' Dia. _____ From _____ To _____

Type of Casing OPENHOLE Casing Thickness _____

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use PILOT HOLE

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: _____

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density ()
- ocl ()
- Fluid Sampler ()
- Temperature ()
- Delta Temp. ()
- SP ()



-0'-

-50'-

-100'-

-150'-

-200'-

-250'-

-300'-

-320'-

↑
20'/MIN
7/15/87

CALIPER
H-207



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County HENDRY
Station I. D. 0510000011
Date 7/15/87 Well No. H-207
Latitude 26°32'13" Longitude 81°04'09"
 Section 30 Township 45S Range 33E
Owner Phone
Driller T. LUBRANO Date Drilled 7/15/87

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller 350' T. Depth - Logger 350'
Casing Depth Driller Casing Depth Logger
Bit Size 5 7/8" Casing Dia. I.D.
Hole Dia. 6" From 0' To 350' Dia. From To
Type of Casing OPEN HOLE Casing Thickness
Type of Screen OPEN HOLE Screen Int. From To
Type of Packing Well Use PILOT HOLE
Static Water Level Date
Yield Flow Pump

DATUM


K.B. L.S. 0.0' T.O.C.

FLUID QUALITY

Date Time Source of Sample
Cl mg/l Type of Fluid
Temp. °C Field Density @ °C
T.D.S. mg/l Spec. Cond. μmhos/cm
Logged By: P. DAMENHAUER Witnessed By: A. TASSINARI
Comments:

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density ()
- ccl ()
- Fluid Sampler ()
- Temperature ()
- Delta Temp. ()
- SP ()



ALU 10 03781

RECORDER CHARTS GRAPHIC CONTROLS CORPORATION BULFALO, NEW YORK

NO. 101 SHAW