



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000035
Date 04/08/87 Well No. LLPTH
Latitude 26°40'29" Longitude 80°06'09"
SW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 6 Township 44S Range 43E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRANO Date Drilled 04/08/87

DATUM

K.B. _____ L.S. +1.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI


Comments: HOLE WAS PLUGGED AFTER LOGGING.
PARTIAL PLUG w/ 2" P.V.C. SCREEN.

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller 340' T. Depth - Logger 340'
Casing Depth Driller 80' Casing Depth Logger 80'
Bit Size 5 1/2" Casing Dia. I.D. 7.8" @ 8"
Hole Dia. 8" From 0' To 30' Dia. 5" From 30' To 80'
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use EXPLORATORY
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' Density ()
Caliper ccl ()
Flow meter Fluid Sampler ()
16", 64" normals 2 Temperature ()
Neutron Delta Temp. ()
Natural Gamma SP
Fluid Resistivity ()



RECORDING CHARTER GRAPHIC CONTROLS CORPORATION BUFFETT NEW YORK



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000035
Date 04/08/87 Well No. LLPTH
Latitude 26°40'29" Longitude 80°06'09"
SW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 6 Township 44S Range 43E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRANO Date Drilled 04/08/87

DATUM

K.B. _____ L.S. +1.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI


Comments: HOLE WAS PLUGGED AFTER LOGGING.
PARTIAL PLUG W/ 2" P.V.C. SCREEN.

WELL CONSTRUCTION

Drilling Method: Rot Air CT Auger Other _____
T. Depth - Driller 340' T. Depth - Logger 340'
Casing Depth Driller 80' Casing Depth Logger 80'
Bit Size 5 1/2" Casing Dia. I.D. 7.8" & 4.8"
Hole Dia. 8" From 0' To 30' Dia. 5" From 30' To 80'
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use EXPLORATORY
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' Density
Caliper ccl
Flow meter Fluid Sampler
16", 64" normals 2 Temperature
Neutron Delta Temp.
Natural Gamma SP
Fluid Resistivity



RECORDED CHARLES GRAPHIC CONTROLS CORPORATION BRUNNEN, NEW YORK

LCI 5145

LCI 5145



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000035
Date 04/08/87 Well No. LLPTH
Latitude 26°40'29" Longitude 80°06'09"
SW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 6 Township 44S Range 43E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRANO Date Drilled 04/08/87

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller 340' T. Depth - Logger 340'
Casing Depth Driller 80' Casing Depth Logger 80'
Bit Size 5 1/2" Casing Dia. I.D. 7.8" @ 8"
Hole Dia. 8" From 0' To 30' Dia. 5" From 30' To 80'
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPENHOLE Screen Int. From To
Type of Packing Well Use EXPLORATORY
Static Water Level Date
Yield Flow Pump

DATUM

K.B. L.S. +1.0' T.O.C.


FLUID QUALITY

Date Time Source of Sample
Cl mg/l Type of Fluid
Temp. °C Field Density @ °C
T.D.S. mg/l Spec. Cond. umhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: HOLE WAS PLUGGED AFTER LOGGING.
PARTIAL PLUG w/ 2" P.V.C. SCREEN.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|---------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ccf | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> 2 | Temperature | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | |



IC 8415
RECORDING CHARTS GRAPHIC CONTROLS CORPORATION BUFFALO NEW YORK



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000035
Date 04/08/87 Well No. LLPTH
Latitude 26° 40' 29" Longitude 80° 06' 09"
SW 1/4 NW 1/4 Section 6 Township 44S Range 43E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRANO Date Drilled 04/08/87

DATUM

K.B. _____ L.S. +1.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI


Comments: HOLE WAS PLUGGED AFTER LOGGING.
PARTIAL PLUG w/ 2" P.V.C. SCREEN.

WELL CONSTRUCTION

Drilling Method: Rot Air CT Auger Other _____
T. Depth - Driller 340' T. Depth - Logger 340'
Casing Depth Driller 80' Casing Depth Logger 80'
Bit Size 5 1/2" Casing Dia. I.D. 7.8" & 4.8"
Hole Dia. 8" From 0' To 30' Dia. 5" From 30' To 80'
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use EXPLORATORY
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals 2
Neutron
Natural Gamma
Fluid Resistivity
Density
ocl
Fluid Sampler
Temperature
Delta Temp.
SP



RECORDING CHARTS GRAPHIC CONTROLS CORPORATION



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000035
Date 04/08/87 Well No. LLPTH
Latitude 26°40'29" Longitude 80°06'09"
SW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 6 Township 44S Range 43E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRANO Date Drilled 04/08/87

WELL CONSTRUCTION

Drilling Method: Rot Air CT Auger Other
T. Depth - Driller 340' T. Depth - Logger 340'
Casing Depth Driller 80' Casing Depth Logger 80'
Bit Size 5 1/2" Casing Dia. I.D. 7.8" & 4.8"
Hole Dia. 8" From 0' To 30' Dia. 5" From 30' To 80'
Type of Casing P.V.C. Casing Thickness 0.2"
Type of Screen OPENHOLE Screen Int. From To
Type of Packing Well Use EXPLORATORY
Static Water Level Date
Yield Flow Pump

DATUM

K.B. L.S. +1.0' T.O.C.

FLUID QUALITY


Date Time Source of Sample
Cl mg/l Type of Fluid
Temp. °C Field Density @ °C
T.D.S. mg/l Spec. Cond. umhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: HOLE WAS PLUGGED AFTER LOGGING.
PARTIAL PLUG W/ 2" P.V.C. SCREEN.

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals 2
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP



6339
PRINTED IN U.S.A.

RECORDING CHARTS GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK