



WELL LOG

WELL LOCATION

County Hendry  
 Station I. D. 051000015  
 Date 09/09/87 Well No. H-209  
 Latitude 026-40-45 Longitude 081-02-30  
 Section 09 Township 44S Range 33E  
 Owner SFWMD-Mills Ranch Phone (305)686-8800  
 Driller Tony Lubrano Date Drilled \_\_\_\_\_  
 Drilling Method: Rot.  Air  CT  Auger  Other \_\_\_\_\_  
 T. Depth - Driller 503' T. Depth - Logger 503'  
 Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
 Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_  
 Hole Dia. 5 7/8" From 0 To 503' Dia. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Casing \_\_\_\_\_ Casing Thickness \_\_\_\_\_  
 Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Packing \_\_\_\_\_ Well Use \_\_\_\_\_  
 Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
 Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM


K.B. \_\_\_\_\_ L.S. +20' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
 Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
 Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
 T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ µmhos/cm  
 Logged By: P. Dauenhauer Witnessed By: \_\_\_\_\_  
 Comments: Pilot hole plugged

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	cci	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>		



No. BN 6339 GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK





WELL LOG

WELL LOCATION

County Hendry  
 Station I. D. 051000015  
 Date 09/09/87 Well No. H-209  
 Latitude 026-40-45 Longitude 081-02-30  
 Section 09 Township 44 S Range 33 E  
 Owner SFWD-Mills Ranch Phone (305) 686-8800  
 Driller Tony Lubrano Date Drilled \_\_\_\_\_  
 Drilling Method: Rot.  Air  CT  Auger  Other \_\_\_\_\_  
 T. Depth - Driller 503' T. Depth - Logger 503'  
 Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
 Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_  
 Hole Dia. 5 7/8" From 0 To 503 Dia. From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Casing \_\_\_\_\_ Casing Thickness \_\_\_\_\_  
 Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
 Type of Packing \_\_\_\_\_ Well Use \_\_\_\_\_  
 Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
 Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM


K.B. \_\_\_\_\_ L.S. +20' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
 CF \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
 Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
 T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ μmhos/cm  
 Logged By: P. Dauenhauer Witnessed By: \_\_\_\_\_  
 Comments: Pilot hole plugged.

TYPE OF SURVEYS RUN

Lateral 6'  Density   
 Caliper  ccl   
 Flow meter  Fluid Sampler   
 16", 64" normals  Temperature   
 Neutron  Delta Temp.   
 Natural Gamma  SP   
 Fluid Resistivity



RECORDING CHARTER GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK

100' T.C. SENS.

ASU 10 02 00 00

RECORDING CHARTER GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK

T. 001









WELL LOG

WELL LOCATION

County Hendry  
Station I. D. 051000015  
Date 09/09/87 Well No. H-209  
Latitude 026-40-45 Longitude 081-02-30  
Section 09 Township 44S Range 33E  
Owner SFWD-Mills Ranch Phone (305) 686-8800  
Driller Tony Lubrano Date Drilled \_\_\_\_\_

DATUM

K.B. \_\_\_\_\_ L.S. +20' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ μmhos/cm  
Logged By: P. Dauenhauer Witnessed By: \_\_\_\_\_  
Comments: Pilot hole plugged.

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other \_\_\_\_\_  
T. Depth - Driller 503' T. Depth - Logger 503'  
Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_  
Hole Dia. 5 7/8" From 0 To 503 Dia. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Casing \_\_\_\_\_ Casing Thickness \_\_\_\_\_  
Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Packing \_\_\_\_\_ Well Use \_\_\_\_\_  
Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

TYPE OF SURVEYS RUN

Lateral 6'  Caliper  Density   
Flow meter  16", 64" normals  Fluid Sampler   
Neutron  Natural Gamma  Temperature   
Fluid Resistivity  SP

