



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 0 9 3 0 0 0 0 0 6 6

Date 03/25/92 Well No. OKS-95

Latitude 27° 26' 58" Longitude 80° 45' 45"

SE 1/4 SE 1/4 Section 06 Township 35S Range 36E

Owner S.F.W.M.D. (Alberts Bay) Phone _____

Driller P. BENTON Date Drilled 03/25/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 237' T. Depth - Logger 237'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 237' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 60.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: J. HERR

Comments: CASING & SCREEN WAS SET AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Calliper | <input checked="" type="checkbox"/> | ccl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | <input checked="" type="checkbox"/> |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 092000066

Date 03/25/92 Well No. OKS-95

Latitude 27° 26' 58" Longitude 80° 45' 45"

SE 1/4 SE 1/4 Section 06 Township 35S Range 36E

Owner S.E.W.M.D. (Aberis Baker) Phone _____

Driller P. BENTON Date Drilled 03/25/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 237' T. Depth - Logger 237'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 237' Dia. From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. + 60.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: J. HERR

Comments: CASING & SCREEN WAS SET AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | <input checked="" type="checkbox"/> |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000066

Date 03/25/92 Well No. OKS-95

Latitude 27° 26' 58" Longitude 80° 45' 45"

SE 1/4 SE 1/4 Section 06 Township 35S Range 36E

Owner S.F.W.M.D. (Apartment) Phone _____

Driller P. BENYON Date Drilled 03/25/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 237' T. Depth - Logger 237'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 237' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 460.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: J. HERR

Comments: CASING & SCREEN WAS SET AFTER LOGGING

TYPE OF SURVEYS RUN

- Lateral 6' z
- Caliper ocl
- Flow meter ()
- 16", 64" normals ()
- Neutron ()
- Natural Gamma ()
- Fluid Resistivity ()
- Density ()
- Fluid Sampler ()
- Temperature ()
- Delta Temp. ()
- SP ()





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKECHOOBEE

Station I. D. 093000066

Date 03/25/92 Well No. OKS-95

Latitude 27° 26' 58" Longitude 80° 45' 45"

SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 06 Township 35S Range 36E

Owner S.F.W./M.D. (Adams Runway) Phone _____

Driller P. BENTON Date Drilled 03/25/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 237' T. Depth - Logger 237'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 237' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 60.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: J. HERR

Comments: CASING & SCREEN WAS SET AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ccI | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000066

Date 03/25/92 Well No. OKS-95

Latitude 27° 26' 58" Longitude 80° 45' 45"

SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 06 Township 35S Range 36E

Owner S.E.W.M.D. (Aberts Run) Phone _____

Driller P. BENTON Date Drilled 03/25/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 237' T. Depth - Logger 237'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 237' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 60.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: J. HERR

Comments: Casing & screen was set after logging

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | | |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKECHOBEE

Station I. D. 093000066

Date 03/25/92 Well No. OKS-95

Latitude 27° 26' 58" Longitude 80° 45' 45"

SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 06 Township 35S Range 36E

Owner S.F.W.M.D. (ADAMS BERRY) Phone _____

Driller P. BENTON Date Drilled 03/25/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 237' T. Depth - Logger 237'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 237' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. 460.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUBENHAUER Witnessed By: J. HEER

Comments: Casing & screen was set after logging

TYPE OF SURVEYS RUN

- | | |
|--|---|
| Lateral G' <input checked="" type="checkbox"/> | Density <input checked="" type="checkbox"/> |
| Caliper <input checked="" type="checkbox"/> | ccl <input type="checkbox"/> |
| Flow meter <input type="checkbox"/> | Fluid Sampler <input type="checkbox"/> |
| 16", 64" normals <input checked="" type="checkbox"/> | Temperature <input type="checkbox"/> |
| Neutron <input checked="" type="checkbox"/> | Delta Temp. <input type="checkbox"/> |
| Natural Gamma <input checked="" type="checkbox"/> | Sp <input checked="" type="checkbox"/> |
| Fluid Resistivity <input type="checkbox"/> | |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 09300000000000000000

Date 03/25/92 Well No. OKS-95

Latitude 27°26.58" Longitude 80°45.45"

SE 1/4 SE 1/4 Section 06 Township 35S Range 36E

Owner S.E.W./M.D. (Abbey's Bay) Phone _____

Driller P. BENTON Date Drilled 03/25/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 237' T. Depth - Logger 237'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 237' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 60.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: J. HERR

Comments: CASING & SCREEN WAS SET AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |

