



FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000074

Date 09/24/92 Well No. OKF-96

Latitude 27°31'29" Longitude 80°57'05"

NE 1/4 SE 1/4 NW 1/4 Section 32 Township 34S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller T. LARRANO Date Drilled 09/24/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 520' T. Depth - Logger 517'

Casing Depth Driller 120' Casing Depth Logger 120'

Bit Size 5 7/8" Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 40' Dia. 6" From 40' To 517'

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. 67.0' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C


T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E. P. DAVENHAWER Witnessed By: D. DEMONSTRANT

Comments:

TYPE OF SURVEYS RUN

- | | |
|---|--|
| <input checked="" type="checkbox"/> Lateral 6' | <input checked="" type="checkbox"/> Density |
| <input checked="" type="checkbox"/> Calliper | <input type="checkbox"/> ccl |
| <input type="checkbox"/> Flow meter | <input type="checkbox"/> Fluid Sampler |
| <input checked="" type="checkbox"/> 16" 64" normals | <input type="checkbox"/> Temperature |
| <input checked="" type="checkbox"/> Neutron | <input type="checkbox"/> Delta Temp. |
| <input checked="" type="checkbox"/> Natural Gamma | <input type="checkbox"/> SP |
| <input type="checkbox"/> Fluid Resistivity | <input checked="" type="checkbox"/> Single pt. |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000074

Date 09/24/92 Well No. OKF-96

Latitude 27° 31' 29" Longitude 80° 57' 05"

NE 1/4 SE 1/4 NW 1/4 Section 32 Township 34S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller J. LUBRANO Date Drilled 09/24/92

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other

T. Depth - Driller 520' T. Depth - Logger 517'

Casing Depth Driller 120' Casing Depth Logger 120'

Bit Size 5 7/8" Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 40' Dia. 6" From 40' To 517'

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPEN HOLE Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. 67.0' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C


T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E. PAULSENHAUER Witnessed By: D. DEMONSTRANT

Comments:

TYPE OF SURVEYS RUN

- | | |
|---|--|
| <input checked="" type="checkbox"/> Lateral 6' | <input checked="" type="checkbox"/> Density |
| <input checked="" type="checkbox"/> Caliper | <input checked="" type="checkbox"/> ocl |
| <input checked="" type="checkbox"/> Flow meter | <input type="checkbox"/> Fluid Sampler |
| <input checked="" type="checkbox"/> 16", 64" normals | <input type="checkbox"/> Temperature |
| <input checked="" type="checkbox"/> Neutron | <input type="checkbox"/> Delta Temp. |
| <input checked="" type="checkbox"/> Natural Gamma | <input type="checkbox"/> SP |
| <input checked="" type="checkbox"/> Fluid Resistivity | <input checked="" type="checkbox"/> Single pt. |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000074

Date 09/24/92 Well No. OKF-96

Latitude 27° 31' 29" Longitude 80° 57' 05"

NE 1/4 SE 1/4 NW 1/4 Section 32 Township 34S Range 34E

Owner S.E.W.M.D. Phone (407) 686-8800

Driller T. LABRANDO Date Drilled 09/24/92

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other

T. Depth - Driller 520' T. Depth - Logger 517'

Casing Depth Driller 120' Casing Depth Logger 120'

Bit Size 5 7/8" Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 40' Dia. 6" From 40' To 517'

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPEN HOLE Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. 67.0' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. µmhos/cm


Logged By: E. P. DAUENHAUER Witnessed By: D. DEMONSTRANTIA

Comments:

TYPE OF SURVEYS RUN

- Lateral 6'
- Calliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity

- Density
- ccl
- Fluid Sampler
- Temperature
- Delta Temp.
- SP
- Single pt.





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000074

Date 09/24/92 Well No. OKF-96

Latitude 27° 31' 29" Longitude 80° 57' 05"

SW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 08 Township 34S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller J. LABRANDO Date Drilled 09/24/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 520' T. Depth - Logger 517'

Casing Depth Driller 120' Casing Depth Logger 120'

Bit Size 5 7/8" Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 40' Dia. 6" From 40' To 517'

Type of Casing P.V.C. Casing Thickness 0.25"

Type of Screen OPEN HOLE Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. 67.0' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. umhos/cm


Logged By: E. PAULSENHAUER Witnessed By: D. DEMONSTRANT

Comments:

TYPE OF SURVEYS RUN

- Lateral 6'
- Calliper
- Flow meter
- 16" 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity

- Density
- ccl
- Fluid Sampler
- Temperature
- Delta Temp.
- SP
- Single pt.



OKF-96



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000074

Date 09/24/92 Well No. OKF-96

Latitude 27° 31' 29" Longitude 80° 57' 05"

NE 1/4 SE 1/4 NW 1/4 Section 32 Township 34S Range 34E

Owner S.F.W.M.D. Phone (407) 886-8800

Driller T. LABRANO Date Drilled 09/24/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 520' T. Depth - Logger 517'

Casing Depth Driller 120' Casing Depth Logger 120'

Bit Size 5 7/8" Casing Dia I.D. 7.8"

Hole Dia. 8" From 0' To 40' Dia. 6" From 40' To 517'

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. 67.0' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C


T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E. PAUENHAEVER Witnessed By: D. DEMONSTRANTE

Comments:

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Calliper | <input checked="" type="checkbox"/> | cel | <input checked="" type="checkbox"/> |
| Flow meter | <input checked="" type="checkbox"/> | Fluid Sampler | <input checked="" type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input checked="" type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKECHOBEE

Station I. D. 0930000074

Date 09/24/92 Well No. OKF-96

Latitude 27°31'29" Longitude 80°57'05"

NE 1/4 SE 1/4 NW 1/4 Section 32 Township 34S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller J. LABRAND Date Drilled 09/24/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 520' T. Depth - Logger 517'

Casing Depth Driller 120' Casing Depth Logger 120'

Bit Size 5 7/8" Casing Dia. I.D. 1.8"

Hole Dia. 8" From 0' To 40' Dia. 6" From 40' To 517'

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. 67.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E. PALMBAUER Witnessed By: D. DEMONSTRANTE

Comments: _____

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity

- Density
- cci
- Fluid Sampler
- Temperature
- Delta Temp.
- SP
- Single pt.

