

SUMMARY OF MATERIALS USED WELL ABANDONMENT PROGRAM

Well Number WA-581 Peacock #8 Contract Number _____
Contractor C. V. Blount Cooperator City of Pt. St. Lucie

| Item | No. Used | | Unit Cost | Total |
|-----------------|------------|---|------------------|-------------------|
| 1) Mob-Demob | <u>1</u> | @ | <u>\$ 175.00</u> | <u>\$ 175.00</u> |
| 2) Cement | <u>128</u> | @ | <u>\$ 10.00</u> | <u>\$ 1280.00</u> |
| 3) Bentonite | <u>12</u> | @ | <u>\$ 14.00</u> | <u>\$ 168.00</u> |
| 4) CaCl2 | <u>12</u> | @ | <u>\$ 35.00</u> | <u>\$ 420.00</u> |
| 5) Rig time | <u>0</u> | @ | <u>\$ 80.00</u> | <u>0</u> |
| 6) Standby time | <u>2</u> | @ | <u>\$ 65.00</u> | <u>\$ 130.00</u> |
| 7) Other | <u>0</u> | @ | <u>—</u> | <u>0</u> |
| | | | Total Cost | <u>\$ 2173.00</u> |

Comments: _____

Materials Used And Cost In Agreement With:

C. V. Blount
Contractor or Representative

Lu E Wenzel
Owner's Engineer (SFWMD)

J. B. Shearer
Cooperator's Representative

[Signature]

Date
6/24/86
Date

6/27/86
Date

6/27/86



WELL LOG

WELL LOCATION

County ST. LUCIE
 Station I. D. 1119000581
 Date 1/28/86 Well No. WA-581(*8)
 Latitude 29°-18'-43" Longitude 80°-24'-48"
 Section 35 Township 36S Range 39E
 Owner PEACOCK FARMS Phone _____
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. +1.5'

FLUID QUALITY


Date 1/28/86 Time 11:00 Source of Sample WELL HEAD
 Cl 1046 mg/l Type of Fluid WATER
 Temp. 79.8 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 4070.0 umhos/cm
 Logged By: E. DAUENHAUER Witnessed By: A. TASSINARI

WELL CONSTRUCTION

Drilling Method: Rot. CT Auger _____ Other _____
 T. Depth - Driller _____ T. Depth - Logger 361'
 Casing Depth Driller _____ Casing Depth Logger 270'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 361' Dia. _____ From _____ To _____
 Type of Casing STEEL Casing Thickness 0.2"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use ABANDONED IRR.
 Static Water Level FLOWING Date 1/28/86
 Yield Flow 120 G.P.M. Pump _____

TYPE OF SURVEYS RUN

| | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | (X) | ocf | (X) |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | () | | |



RECORDING CHARTER GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK No. BN 6339 PRINTED IN U.S.A.



WELL LOG

WELL LOCATION

County ST. LUCIE
 Station I. D. 1119000581
 Date 1/28/86 Well No. WA-581(*8)
 Latitude 27°-18'-43" Longitude 80°-24'-48"
 Section 35 Township 36S Range 39E
 Owner PEACOCK FARMS Phone _____
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. +1.5'

FLUID QUALITY

Date 1/28/86 Time 11:00 Source of Sample WELLHEAD
 Cl 1046 mg/l Type of Fluid WATER
 Temp. 79.8 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 4070.0 µmhos/cm
 Logged By: E. DAUENHAUER Witnessed By: A. TASSINARI
 Comments: BLOCKAGE OF DENSE CLAY AT 361'

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 361'
 Casing Depth Driller _____ Casing Depth Logger 270'
 Bit Size _____ Casing Dia. I.D. 5.8"
 Hole Dia. 6" From 0' To 361' Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.8"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use ABANDONED TR.
 Static Water Level FLOWING Date 1/28/86
 Yield Flow 120 G.P.M. Pump _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | () | | |

