

**Report Lower East Coast Sub Regional**

**Soil Sieve Analysis**

**Site ID: Okeechobee Well F-100**

**Submitted To**

**South Florida Water Management District**

**Submitted By**

**GFA INTERNATIONAL  
BOCA RATON, FLORIDA**

**September 30, 2005**




# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Sieve No.	Classification	LL	PL	PI	Cc	Cu	
● OKH-100	1.0	POORLY GRADED SAND(SP)				0.98	1.85	
☒ OKH-100	7.0	POORLY GRADED SAND(SP)				1.03	1.89	
▲ OKH-100	13.0					1.02	1.99	
★ OKH-100	17.0					1.20	2.23	
⊙ OKH-100	20.0					1.17	2.42	
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100	1.0	2	0.2	0.145	0.108	92.5	4.5	
☒ OKH-100	7.0	2	0.211	0.155	0.111	89.5	3.9	
▲ OKH-100	13.0	2	0.171	0.122	0.086	72.6	8.7	
★ OKH-100	17.0	2	0.171	0.126	0.077	82.8	9.8	
⊙ OKH-100	20.0	2	0.191	0.133	0.079	89.0	9.8	

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu
● OKH-100 24.0					1.13	2.10
☒ OKH-100 27.0	POORLY GRADED SAND(SP)				1.13	1.87
▲ OKH-100 30.0	POORLY GRADED SAND(SP)				1.08	1.42
★ OKH-100 34.0	POORLY GRADED SAND(SP)				1.05	1.55
⊙ OKH-100 37.0	POORLY GRADED SAND(SP)				1.01	1.65

Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 24.0	2	0.235	0.172	0.112		80.5		6.0
☒ OKH-100 27.0	2	0.208	0.161	0.111		92.9		4.5
▲ OKH-100 30.0	2	0.217	0.189	0.152		97.1		2.9
★ OKH-100 34.0	2	0.233	0.192	0.15	0.0	97.0		3.0
⊙ OKH-100 37.0	2	0.267	0.209	0.162		98.4		1.5

GRAIN SIZE OKEECHOBE WELL.GPJ.GINT.US.LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 41.0								
☒ OKH-100 45.0								
▲ OKH-100 48.0								
★ OKH-100 54.0								
⊙ OKH-100 57.0					4.01	17.62		
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 41.0	2	0.707	0.099			53.8	20.2	
☒ OKH-100 45.0	2	0.121				60.1	30.9	
▲ OKH-100 48.0	2	0.118				61.1	35.3	
★ OKH-100 54.0	2		0.368			43.0	12.8	
⊙ OKH-100 57.0	2	0.456	0.218			62.0	11.7	

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu
● OKH-100 62.0						
☒ OKH-100 66.0						
▲ OKH-100 73.0						
★ OKH-100 76.0						
◎ OKH-100 84.0						

Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 62.0	2	0.233	0.116		49.6		25.1	
☒ OKH-100 66.0	2	0.15	0.119		80.8		18.8	
▲ OKH-100 73.0	2	0.165	0.122		79.1		16.5	
★ OKH-100 76.0	2	0.277	0.187		86.1		13.1	
◎ OKH-100 84.0	2	0.335	0.193		69.6		16.9	

GRAIN SIZE OKEECHOBE WELL GPJ GINT US LAB GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 87.0								
☒ OKH-100 94.0								
▲ OKH-100 101.0								
★ OKH-100 107.0								
⊙ OKH-100 110.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 87.0	2	0.266	0.169		69.8		16.1	
☒ OKH-100 94.0	2	0.208	0.154		86.9		12.7	
▲ OKH-100 101.0	2	0.352	0.174		76.2		16.3	
★ OKH-100 107.0	2	0.354	0.19		83.4		13.7	
⊙ OKH-100 110.0	2	0.231	0.149		64.0		17.5	

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 113.0								
☒ OKH-100 118.0								
▲ OKH-100 123.0								
★ OKH-100 128.0								
◎ OKH-100 134.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 113.0	2	0.225	0.121			58.7		23.8
☒ OKH-100 118.0	2	0.163	0.111			75.0		23.1
▲ OKH-100 123.0	2	0.183	0.104			69.8		26.4
★ OKH-100 128.0	2	0.14	0.099			74.7		25.3
◎ OKH-100 134.0	2	0.132	0.096			74.3		25.7

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 138.0								
☒ OKH-100 142.0								
▲ OKH-100 148.0								
★ OKH-100 154.0								
◎ OKH-100 157.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 138.0	2	0.11				53.9	45.2	
☒ OKH-100 142.0	2	0.11				56.1	43.4	
▲ OKH-100 148.0	2	0.085				41.0	58.2	
★ OKH-100 154.0	2					27.3	71.0	
◎ OKH-100 157.0	2				0.0	2.7	97.3	

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05




# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 163.0								
☒ OKH-100 167.0								
▲ OKH-100 172.0								
★ OKH-100 176.0								
◎ OKH-100 179.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 163.0	2					2.0	98.0	
☒ OKH-100 167.0	2					2.5	97.4	
▲ OKH-100 172.0	2					0.7	99.3	
★ OKH-100 176.0	2				0.0	0.2	99.8	
◎ OKH-100 179.0	2	0.739				35.7	42.9	

GRAIN SIZE OKEECHOBEE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 ( 1 - 387 ) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 184.0								
☒ OKH-100 190.0								
▲ OKH-100 193.0					1.93	5.84		
★ OKH-100 197.0					1.58	5.10		
⊙ OKH-100 201.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 184.0	2					12.5	87.3	
☒ OKH-100 190.0	2	0.375	0.194		0.0	85.2	14.8	
▲ OKH-100 193.0	2	0.38	0.219			89.5	10.4	
★ OKH-100 197.0	2	0.365	0.203			87.2	10.1	
⊙ OKH-100 201.0	2	0.243	0.135			80.1	17.9	

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobee Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

GRAIN SIZE OKEECHOBEE WELL.GPJ GINT US LAB.GDT 9/30/05

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 205.0								
☒ OKH-100 210.0								
▲ OKH-100 215.0								
★ OKH-100 229.0								
⊙ OKH-100 233.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 205.0	2	0.218	0.142			83.5	16.1	
☒ OKH-100 210.0	2	0.199	0.109			73.7	25.7	
▲ OKH-100 215.0	2	0.139				60.7	38.9	
★ OKH-100 229.0	2	0.123				66.7	33.2	
⊙ OKH-100 233.0	2	0.111				52.9	47.0	


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification					LL	PL	PI	Cc	Cu
● OKH-100 238.0										
☒ OKH-100 244.0										
▲ OKH-100 247.0										
★ OKH-100 250.0										
⊙ OKH-100 255.0										
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay		
● OKH-100 238.0	2	0.152				68.5	31.3			
☒ OKH-100 244.0	2	0.221	0.117			79.4	20.6			
▲ OKH-100 247.0	2	0.216	0.124		0.0	84.3	15.7			
★ OKH-100 250.0	2	0.206	0.125			83.7	15.3			
⊙ OKH-100 255.0	2	0.151	0.111			83.1	16.6			

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 ( 1 - 387 ) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification					LL	PL	PI	Cc	Cu
● OKH-100 258.0										
■ OKH-100 262.0										
▲ OKH-100 268.0										
★ OKH-100 271.0									1.15	3.50
⊙ OKH-100 275.0										
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay		
● OKH-100 258.0	2	0.139	0.11		0.0	85.6	14.4			
■ OKH-100 262.0	2	0.132	0.091		0.0	73.3	26.7			
▲ OKH-100 268.0	2	0.173	0.107			77.9	22.0			
★ OKH-100 271.0	2	0.207	0.119		0.0	87.9	12.1			
⊙ OKH-100 275.0	2	0.248	0.13			77.9	17.6			

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 279.0								
☒ OKH-100 283.0								
▲ OKH-100 287.0								
★ OKH-100 293.0								
⊙ OKH-100 297.0					1.07	3.80		
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 279.0	2	0.141	0.09			73.0	26.9	
☒ OKH-100 283.0	2	0.105			0.0	66.4	33.6	
▲ OKH-100 287.0	2	0.122	0.09			73.9	26.1	
★ OKH-100 293.0	2	0.15	0.092			76.6	23.3	
⊙ OKH-100 297.0	2	0.249	0.133			88.5	11.4	

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobee Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 301.0								
☒ OKH-100 305.0								
▲ OKH-100 309.0								
★ OKH-100 313.0								
⊙ OKH-100 317.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 301.0	2	0.121				37.1		48.9
☒ OKH-100 305.0	2	0.14				53.4		43.7
▲ OKH-100 309.0	2	0.095				47.3		51.7
★ OKH-100 313.0	2	0.095			0.0	46.3		53.7
⊙ OKH-100 317.0	2					19.7		79.9

GRAIN SIZE OKEECHOBEE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification					LL	PL	PI	Cc	Cu
● OKH-100 321.0										
■ OKH-100 325.0										
▲ OKH-100 329.0										
★ OKH-100 334.0										
⊙ OKH-100 338.0										
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay		
● OKH-100 321.0	2					11.6	88.4			
■ OKH-100 325.0	2				0.0	1.0	99.0			
▲ OKH-100 329.0	2	0.13	0.076			69.6	29.9			
★ OKH-100 334.0	2	0.145				63.5	33.7			
⊙ OKH-100 338.0	2	0.094				45.2	53.7			

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05




# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 342.0								
☒ OKH-100 346.0								
▲ OKH-100 350.0								
★ OKH-100 354.0								
⊙ OKH-100 360.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 342.0	2	0.102				36.8	56.5	
☒ OKH-100 346.0	2					26.2	70.2	
▲ OKH-100 350.0	2	0.154				67.1	31.1	
★ OKH-100 354.0	2	0.093				44.4	55.0	
⊙ OKH-100 360.0	2					31.7	61.8	

GRAIN SIZE OKEECHOBE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobee Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 ( 1 - 387 ) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	LL	PL	PI	Cc	Cu		
● OKH-100 364.0	<b>POORLY GRADED SAND(SP)</b>				<b>0.80</b>	<b>1.70</b>		
⊗ OKH-100 368.0								
▲ OKH-100 372.0								
★ OKH-100 378.0								
⊙ OKH-100 383.0								
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● OKH-100 364.0	2	0.14	0.096	0.083		91.0	1.5	
⊗ OKH-100 368.0	2					33.5	66.2	
▲ OKH-100 372.0	2					20.6	78.0	
★ OKH-100 378.0	2					22.3	74.4	
⊙ OKH-100 383.0	2	0.227				32.4	49.4	

GRAIN SIZE OKEECHOBEE WELL.GPJ GINT US LAB.GDT 9/30/05


# GRAIN SIZE DISTRIBUTION

CLIENT SOUTH FLORIDA WATER MANAGEMENT DISTRICT

PROJECT NAME Okeechobe Well

PROJECT NUMBER \_\_\_\_\_

PROJECT LOCATION OKH-100 (1 - 387) Ft



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification					LL	PL	PI	Cc	Cu
● OKH-100 387.0										
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay		
● OKH-100 387.0	2					26.6	72.5			

GRAIN SIZE OKEECHOBEE WELL.GPJ GINT US LAB.GDT 9/30/05

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	1			Total Dry Weight	268.3 g
Sample Depth	1	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		2.60	267.52		
#200	0.075	2.73	264.92	1.02	1.26
#170	0.090	8.62	262.19	3.21	2.28
#140	0.105	65.11	253.57	24.27	5.49
#100	0.150	55.03	188.46	20.51	29.76
#80	0.177	69.98	133.43	26.08	50.27
#60	0.250	16.92	63.45	6.31	76.35
#50	0.300	18.06	46.53	6.73	82.66
#40	0.425	9.10	28.47	3.39	89.39
#30	0.600	3.55	19.37	1.32	92.78
#20	0.850	7.65	15.82	2.85	94.10
#10	2.000	8.17	8.17	3.05	96.95

Site ID	OKH-100	Okeechobe Well			
Sample ID	2			Total Dry Weight	271.6 g
Sample Depth	7	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.75	271.37		
#200	0.075	2.33	269.62	0.86	0.73
#170	0.090	7.31	267.29	2.69	1.59
#140	0.105	52.82	259.98	19.45	4.28
#100	0.150	56.43	207.16	20.78	23.73
#80	0.177	80.24	150.73	29.54	44.50
#60	0.250	13.02	70.49	4.79	74.05
#50	0.300	15.87	57.47	5.84	78.84
#40	0.425	8.80	41.60	3.24	84.68
#30	0.600	3.88	32.80	1.43	87.92
#20	0.850	10.26	28.92	3.78	89.35
#10	2.000	18.66	18.66	6.87	93.13

Site ID	OKH-100	Okeechobe Well			
Sample ID	3			Total Dry Weight	164.5 g
Sample Depth	13	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.15	164.50		
#200	0.075	3.14	164.35	1.91	0.09
#170	0.090	11.15	161.21	6.78	2.00
#140	0.105	58.14	150.06	35.34	8.78
#100	0.150	28.01	91.92	17.03	44.12
#80	0.177	17.67	63.91	10.74	61.15
#60	0.250	2.43	46.24	1.48	71.89
#50	0.300	2.15	43.81	1.31	73.37
#40	0.425	1.62	41.66	0.98	74.67
#30	0.600	1.39	40.04	0.84	75.66
#20	0.850	4.99	38.65	3.03	76.50
#10	2.000	33.66	33.66	20.46	79.54

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	4			Total Dry Weight	213.9 g
Sample Depth	17	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		1.80	213.90		
#200	0.075	3.80	212.10	1.78	0.84
#170	0.090	10.90	208.30	5.10	2.62
#140	0.105	66.00	197.40	30.86	7.71
#100	0.150	50.90	131.40	23.80	38.57
#80	0.177	45.20	80.50	21.13	62.37
#60	0.250	5.40	35.30	2.52	83.50
#50	0.300	5.30	29.90	2.48	86.02
#40	0.425	1.70	24.60	0.79	88.50
#30	0.600	1.40	22.90	0.65	89.29
#20	0.850	4.00	21.50	1.87	89.95
#10	2.000	17.50	17.50	8.18	91.82

Site ID	OKH-100	Okeechobe Well			
Sample ID	5			Total Dry Weight	219.1 g
Sample Depth	20	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		0.80	219.10		
#200	0.075	2.10	218.30	0.96	0.37
#170	0.090	6.70	216.20	3.06	1.32
#140	0.105	61.20	209.50	27.93	4.38
#100	0.150	41.80	148.30	19.08	32.31
#80	0.177	53.10	106.50	24.24	51.39
#60	0.250	20.80	53.40	9.49	75.63
#50	0.300	18.10	32.60	8.26	85.12
#40	0.425	7.80	14.50	3.56	93.38
#30	0.600	2.10	6.70	0.96	96.94
#20	0.850	1.60	4.60	0.73	97.90
#10	2.000	3.00	3.00	1.37	98.63

Site ID	OKH-100	Okeechobe Well			
Sample ID	6			Total Dry Weight	255.1 g
Sample Depth	24	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		0.70	255.00		
#200	0.075	1.10	254.30	0.43	0.31
#170	0.090	4.70	253.20	1.84	0.74
#140	0.105	31.10	248.50	12.19	2.59
#100	0.150	36.80	217.40	14.43	14.78
#80	0.177	88.50	180.60	34.69	29.20
#60	0.250	13.90	92.10	5.45	63.90
#50	0.300	13.70	78.20	5.37	69.35
#40	0.425	7.10	64.50	2.78	74.72
#30	0.600	4.20	57.40	1.65	77.50
#20	0.850	16.80	53.20	6.59	79.15
#10	2.000	36.40	36.40	14.27	85.73

Data Format to import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	7			Total Dry Weight	262.7 g
Sample Depth	27	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.10	262.50		
#200	0.075	2.10	261.40	0.80	0.49
#170	0.090	6.90	259.30	2.63	1.29
#140	0.105	46.10	252.40	17.55	3.92
#100	0.150	36.80	206.30	14.01	21.47
#80	0.177	138.00	169.50	52.53	35.48
#60	0.250	8.50	31.50	3.24	88.01
#50	0.300	6.40	23.00	2.44	91.24
#40	0.425	3.10	16.60	1.18	93.68
#30	0.600	1.70	13.50	0.65	94.86
#20	0.850	4.50	11.80	1.71	95.51
#10	2.000	7.30	7.30	2.78	97.22

Site ID	OKH-100	Okeechobe Well			
Sample ID	8			Total Dry Weight	273.1 g
Sample Depth	30	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.10	273.00		
#200	0.075	0.20	272.90	0.07	0.07
#170	0.090	2.60	272.70	0.95	0.15
#140	0.105	14.90	270.10	5.46	1.10
#100	0.150	28.30	255.20	10.36	6.55
#80	0.177	203.30	226.90	74.44	16.92
#60	0.250	18.70	23.60	6.85	91.36
#50	0.300	3.40	4.90	1.24	98.21
#40	0.425	0.90	1.50	0.33	99.45
#30	0.600	0.40	0.60	0.15	99.78
#20	0.850	0.15	0.20	0.05	99.93
#10	2.000	0.05	0.05	0.02	99.98

Site ID	OKH-100	Okeechobe Well			
Sample ID	9			Total Dry Weight	335.4 g
Sample Depth	34	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.10	335.40		
#200	0.075	1.20	335.30	0.36	0.03
#170	0.090	2.50	334.10	0.75	0.39
#140	0.105	20.50	331.60	6.11	1.13
#100	0.150	34.90	311.10	10.41	7.25
#80	0.177	176.30	276.20	52.56	17.65
#60	0.250	75.40	99.90	22.48	70.21
#50	0.300	21.90	24.50	6.53	92.70
#40	0.425	2.00	2.60	0.60	99.22
#30	0.600	0.40	0.60	0.12	99.82
#20	0.850	0.20	0.20	0.06	99.94
#10	2.000	0.00	0.00	0.00	100.00

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Well			
Sample ID	10			Total Dry Weight	323.1 g
Sample Depth	37	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.10	322.90		
#200	0.075	0.70	322.80	0.22	0.09
#170	0.090	2.20	322.10	0.68	0.31
#140	0.105	16.20	319.90	5.01	0.99
#100	0.150	21.20	303.70	6.56	6.00
#80	0.177	117.20	282.50	36.27	12.57
#60	0.250	92.70	165.30	28.69	48.84
#50	0.300	62.20	72.60	19.25	77.53
#40	0.425	7.40	10.40	2.29	96.78
#30	0.600	1.40	3.00	0.43	99.07
#20	0.850	1.00	1.60	0.31	99.50
#10	2.000	0.60	0.60	0.19	99.81

Site ID	OKH-100	Okeechobee Well			
Sample ID	11			Total Dry Weight	260.4 g
Sample Depth	41	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		9.20	260.00		
#200	0.075	11.50	250.80	4.42	3.69
#170	0.090	34.40	239.30	13.21	8.10
#140	0.105	24.70	204.90	9.49	21.31
#100	0.150	5.90	180.20	2.27	30.80
#80	0.177	15.00	174.30	5.76	33.06
#60	0.250	6.00	159.30	2.30	38.82
#50	0.300	11.40	153.30	4.38	41.13
#40	0.425	11.60	141.90	4.45	45.51
#30	0.600	9.70	130.30	3.73	49.96
#20	0.850	39.00	120.60	14.98	53.69
#10	2.000	81.60	81.60	31.34	68.66

Site ID	OKH-100	Okeechobee Well			
Sample ID	12			Total Dry Weight	241.9 g
Sample Depth	45	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		7.40	241.80		
#200	0.075	9.20	234.40	3.80	3.10
#170	0.090	40.60	225.20	16.78	6.90
#140	0.105	130.00	184.60	53.74	23.69
#100	0.150	7.00	54.60	2.89	77.43
#80	0.177	3.50	47.60	1.45	80.32
#60	0.250	0.90	44.10	0.37	81.77
#50	0.300	1.40	43.20	0.58	82.14
#40	0.425	1.40	41.80	0.58	82.72
#30	0.600	2.10	40.40	0.87	83.30
#20	0.850	7.80	38.30	3.22	84.17
#10	2.000	30.50	30.50	12.61	87.39

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	13			Total Dry Weight	209.8g
Sample Depth	48	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		9.10	209.80		
#200	0.075	9.90	200.70	4.72	4.34
#170	0.090	30.70	190.80	14.63	9.06
#140	0.105	115.90	160.10	55.24	23.69
#100	0.150	13.40	44.20	6.39	78.93
#80	0.177	7.30	30.80	3.48	85.32
#60	0.250	1.70	23.50	0.81	88.80
#50	0.300	2.00	21.80	0.95	89.61
#40	0.425	1.60	19.80	0.76	90.56
#30	0.600	1.80	18.20	0.86	91.33
#20	0.850	5.40	16.40	2.57	92.18
#10	2.000	11.00	11.00	5.24	94.76

Site ID	OKH-100	Okeechobe Well			
Sample ID	14			Total Dry Weight	286.5 g
Sample Depth	54	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		2.30	286.40		
#200	0.075	2.70	284.10	0.94	0.84
#170	0.090	4.70	281.40	1.64	1.78
#140	0.105	11.40	276.70	3.98	3.42
#100	0.150	8.40	265.30	2.93	7.40
#80	0.177	15.60	256.90	5.45	10.33
#60	0.250	6.30	241.30	2.20	15.78
#50	0.300	11.70	235.00	4.08	17.98
#40	0.425	14.20	223.30	4.96	22.06
#30	0.600	16.30	209.10	5.69	27.02
#20	0.850	48.80	192.80	17.03	32.71
#10	2.000	144.00	144.00	50.26	49.74

Site ID	OKH-100	Okeechobe Well			
Sample ID	15			Total Dry Weight	278.2 g
Sample Depth	57	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		0.30	278.10		
#200	0.075	0.90	277.80	0.32	0.14
#170	0.090	2.10	276.90	0.75	0.47
#140	0.105	7.70	274.80	2.77	1.22
#100	0.150	10.80	267.10	3.88	3.99
#80	0.177	62.70	256.30	22.54	7.87
#60	0.250	34.60	193.60	12.44	30.41
#50	0.300	30.80	159.00	11.07	42.85
#40	0.425	11.70	128.20	4.21	53.92
#30	0.600	7.60	116.50	2.73	58.12
#20	0.850	26.20	108.90	9.42	60.86
#10	2.000	82.70	82.70	29.73	70.27



Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Well				
Sample ID	16			Total Dry Weight	270.3	g
Sample Depth	62	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.20	269.60			
#200	0.075	1.40	269.40	0.52	0.33	
#170	0.090	5.30	268.00	1.96	0.85	
#140	0.105	42.00	262.70	15.54	2.81	
#100	0.150	42.90	220.70	15.87	18.35	
#80	0.177	43.20	177.80	15.98	34.22	
#60	0.250	11.70	134.60	4.33	50.20	
#50	0.300	10.40	122.90	3.85	54.53	
#40	0.425	4.50	112.50	1.66	58.38	
#30	0.600	3.30	108.00	1.22	60.04	
#20	0.850	13.70	104.70	5.07	61.27	
#10	2.000	91.00	91.00	33.67	66.33	

Site ID	OKH-100	Okeechobee Well				
Sample ID	17			Total Dry Weight	317.9	g
Sample Depth	66	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.70	317.80			
#200	0.075	2.20	317.10	0.69	0.25	
#170	0.090	75.50	314.90	23.75	0.94	
#140	0.105	31.50	239.40	9.91	24.69	
#100	0.150	79.40	207.90	24.98	34.60	
#80	0.177	120.60	128.50	37.94	59.58	
#60	0.250	2.40	7.90	0.75	97.51	
#50	0.300	1.40	5.50	0.44	98.27	
#40	0.425	0.70	4.10	0.22	98.71	
#30	0.600	0.60	3.40	0.19	98.93	
#20	0.850	1.40	2.80	0.44	99.12	
#10	2.000	1.40	1.40	0.44	99.56	

Site ID	OKH-100	Okeechobee Well				
Sample ID	18			Total Dry Weight	273	g
Sample Depth	73	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.90	273.00			
#200	0.075	2.30	272.10	0.84	0.33	
#170	0.090	9.60	269.80	3.52	1.17	
#140	0.105	77.60	260.20	28.42	4.69	
#100	0.150	99.30	182.60	36.37	33.11	
#80	0.177	64.40	83.30	23.59	69.49	
#60	0.250	0.60	18.90	0.22	93.08	
#50	0.300	0.70	18.30	0.26	93.30	
#40	0.425	0.70	17.60	0.26	93.55	
#30	0.600	0.70	16.90	0.26	93.81	
#20	0.850	1.80	16.20	0.66	94.07	
#10	2.000	14.40	14.40	5.27	94.73	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Well			
Sample ID	19			Total Dry Weight	299.2 g
Sample Depth	76	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.30	299.20		
#200	0.075	2.30	297.90	0.77	0.43
#170	0.090	5.40	295.60	1.80	1.20
#140	0.105	18.50	290.20	6.18	3.01
#100	0.150	22.00	271.70	7.35	9.19
#80	0.177	90.50	249.70	30.25	16.54
#60	0.250	39.90	159.20	13.34	46.79
#50	0.300	57.90	119.30	19.35	60.13
#40	0.425	33.80	61.40	11.30	79.48
#30	0.600	15.20	27.60	5.08	90.78
#20	0.850	9.70	12.40	3.24	95.86
#10	2.000	2.70	2.70	0.90	99.10

Site ID	OKH-100	Okeechobee Well			
Sample ID	20			Total Dry Weight	323.3 g
Sample Depth	84	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.50	323.10		
#200	0.075	1.20	322.60	0.37	0.22
#170	0.090	2.60	321.40	0.80	0.59
#140	0.105	12.20	318.80	3.77	1.39
#100	0.150	17.00	306.60	5.26	5.17
#80	0.177	85.30	289.60	26.38	10.42
#60	0.250	38.80	204.30	12.00	36.81
#50	0.300	32.60	165.50	10.08	48.81
#40	0.425	27.00	132.90	8.35	58.89
#30	0.600	19.20	105.90	5.94	67.24
#20	0.850	34.30	86.70	10.61	73.18
#10	2.000	52.40	52.40	16.21	83.79

Site ID	OKH-100	Okeechobee Well			
Sample ID	21			Total Dry Weight	259.8 g
Sample Depth	87	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.70	259.40		
#200	0.075	1.50	258.70	0.58	0.42
#170	0.090	3.70	257.20	1.42	1.00
#140	0.105	17.80	253.50	6.85	2.42
#100	0.150	30.40	235.70	11.70	9.28
#80	0.177	77.10	205.30	29.68	20.98
#60	0.250	14.50	128.20	5.58	50.65
#50	0.300	14.70	113.70	5.66	56.24
#40	0.425	12.90	99.00	4.97	61.89
#30	0.600	12.70	86.10	4.89	66.86
#20	0.850	29.70	73.40	11.43	71.75
#10	2.000	43.70	43.70	16.82	83.18

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Well				
Sample ID	22			Total Dry Weight	248.8	g
Sample Depth	94	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.60	248.60			
#200	0.075	1.30	248.00	0.52	0.32	
#170	0.090	3.80	246.70	1.53	0.84	
#140	0.105	35.50	242.90	14.27	2.37	
#100	0.150	54.20	207.40	21.78	16.64	
#80	0.177	90.90	153.20	36.54	38.42	
#60	0.250	15.90	62.30	6.39	74.96	
#50	0.300	22.10	46.40	8.88	81.35	
#40	0.425	14.60	24.30	5.87	90.23	
#30	0.600	5.30	9.70	2.13	96.10	
#20	0.850	3.30	4.40	1.33	98.23	
#10	2.000	1.10	1.10	0.44	99.56	

Site ID	OKH-100	Okeechobee Well				
Sample ID	24			Total Dry Weight	355	g
Sample Depth	101	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		1.40	354.70			
#200	0.075	2.70	353.30	0.76	0.48	
#170	0.090	5.50	350.60	1.55	1.24	
#140	0.105	24.90	345.10	7.01	2.79	
#100	0.150	30.10	320.20	8.48	9.80	
#80	0.177	66.30	290.10	18.68	18.28	
#60	0.250	24.00	223.80	6.76	36.96	
#50	0.300	67.20	199.80	18.93	43.72	
#40	0.425	54.40	132.60	15.32	62.65	
#30	0.600	28.00	78.20	7.89	77.97	
#20	0.850	18.70	50.20	5.27	85.86	
#10	2.000	31.50	31.50	8.87	91.13	

Site ID	OKH-100	Okeechobee Well				
Sample ID	25			Total Dry Weight	306	g
Sample Depth	107	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		2.80	305.20			
#200	0.075	1.50	302.40	0.49	1.18	
#170	0.090	3.50	300.90	1.14	1.67	
#140	0.105	21.00	297.40	6.86	2.81	
#100	0.150	22.00	276.40	7.19	9.67	
#80	0.177	57.60	254.40	18.82	16.86	
#60	0.250	24.40	196.80	7.97	35.69	
#50	0.300	67.60	172.40	22.09	43.66	
#40	0.425	51.70	104.80	16.90	65.75	
#30	0.600	26.50	53.10	8.66	82.65	
#20	0.850	16.40	26.60	5.36	91.31	
#10	2.000	10.20	10.20	3.33	96.67	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Well			
Sample ID	26			Total Dry Weight	280.21 g
Sample Depth	110	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.47	279.61		
#200	0.075	2.51	278.14	0.90	0.74
#170	0.090	5.14	275.63	1.83	1.63
#140	0.105	34.89	270.49	12.45	3.47
#100	0.150	38.56	235.60	13.76	15.92
#80	0.177	82.23	197.04	29.35	29.68
#60	0.250	9.57	114.81	3.42	59.03
#50	0.300	11.06	105.24	3.95	62.44
#40	0.425	7.91	94.18	2.82	66.39
#30	0.600	6.71	86.27	2.39	69.21
#20	0.850	17.19	79.56	6.13	71.61
#10	2.000	62.37	62.37	22.26	77.74

Site ID	OKH-100	Okeechobee Well			
Sample ID	27			Total Dry Weight	252.8 g
Sample Depth	113	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.50	252.80		
#200	0.075	2.50	251.30	0.99	0.59
#170	0.090	5.00	248.80	1.98	1.58
#140	0.105	34.20	243.80	13.53	3.56
#100	0.150	36.90	209.60	14.60	17.09
#80	0.177	60.00	172.70	23.73	31.69
#60	0.250	8.80	112.70	3.48	55.42
#50	0.300	12.00	103.90	4.75	58.90
#40	0.425	9.30	91.90	3.68	63.65
#30	0.600	7.40	82.60	2.93	67.33
#20	0.850	17.60	75.20	6.96	70.25
#10	2.000	57.60	57.60	22.78	77.22

Site ID	OKH-100	Okeechobee Well			
Sample ID	28			Total Dry Weight	261.1 g
Sample Depth	118	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		2.00	261.10		
#200	0.075	2.70	259.10	1.03	0.77
#170	0.090	10.10	256.40	3.87	1.80
#140	0.105	83.20	246.30	31.87	5.67
#100	0.150	62.80	163.10	24.05	37.53
#80	0.177	51.60	100.30	19.76	61.59
#60	0.250	10.50	48.70	4.02	81.35
#50	0.300	14.40	38.20	5.52	85.37
#40	0.425	8.60	23.80	3.29	90.88
#30	0.600	4.50	15.20	1.72	94.18
#20	0.850	4.30	10.70	1.65	95.90
#10	2.000	6.40	6.40	2.45	97.55

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Well			
Sample ID	29			Total Dry Weight	274.9 g
Sample Depth	123	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.10	274.90		
#200	0.075	3.30	273.80	1.20	0.40
#170	0.090	11.30	270.50	4.11	1.60
#140	0.105	69.20	259.20	25.17	5.71
#100	0.150	40.10	190.00	14.59	30.88
#80	0.177	20.60	149.90	7.49	45.47
#60	0.250	8.80	129.30	3.20	52.96
#50	0.300	28.50	120.50	10.37	56.17
#40	0.425	42.70	92.00	15.53	66.53
#30	0.600	21.00	49.30	7.64	82.07
#20	0.850	14.30	28.30	5.20	89.71
#10	2.000	14.00	14.00	5.09	94.91

Site ID	OKH-100	Okeechobee Well			
Sample ID	30			Total Dry Weight	228.02 g
Sample Depth	128	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		3.63	227.81		
#200	0.075	4.70	224.18	2.06	1.68
#170	0.090	16.34	219.48	7.17	3.75
#140	0.105	102.68	203.14	45.03	10.91
#100	0.150	60.86	100.46	26.69	55.94
#80	0.177	10.32	39.60	4.53	82.63
#60	0.250	2.65	29.28	1.16	87.16
#50	0.300	9.25	26.63	4.06	88.32
#40	0.425	11.60	17.38	5.09	92.38
#30	0.600	4.58	5.78	2.01	97.47
#20	0.850	1.12	1.20	0.49	99.47
#10	2.000	0.08	0.08	0.04	99.96

Site ID	OKH-100	Okeechobee Well			
Sample ID	31			Total Dry Weight	216.8 g
Sample Depth	134	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		6.20	216.30		
#200	0.075	6.00	210.10	2.77	3.09
#170	0.090	15.00	204.10	6.92	5.86
#140	0.105	121.10	189.10	55.86	12.78
#100	0.150	40.40	68.00	18.63	68.63
#80	0.177	12.30	27.60	5.67	87.27
#60	0.250	1.50	15.30	0.69	92.94
#50	0.300	5.30	13.80	2.44	93.63
#40	0.425	5.80	8.50	2.68	96.08
#30	0.600	2.20	2.70	1.01	98.75
#20	0.850	0.40	0.50	0.18	99.77
#10	2.000	0.10	0.10	0.05	99.95

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Lake			
Sample ID	32			Total Dry Weight	166.5 g
Sample Depth	138	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		5.00	166.50		
#200	0.075	6.40	161.50	3.84	3.00
#170	0.090	24.70	155.10	14.83	6.85
#140	0.105	114.30	130.40	68.65	21.68
#100	0.150	9.80	16.10	5.89	90.33
#80	0.177	1.10	6.30	0.66	96.22
#60	0.250	0.20	5.20	0.12	96.88
#50	0.300	0.50	5.00	0.30	97.00
#40	0.425	0.60	4.50	0.36	97.30
#30	0.600	0.40	3.90	0.24	97.66
#20	0.850	0.80	3.50	0.48	97.90
#10	2.000	2.70	2.70	1.62	98.38

Site ID	OKH-100	Okeechobe Lake			
Sample ID	33			Total Dry Weight	182 g
Sample Depth	142	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		6.10	182.00		
#200	0.075	9.30	175.90	5.11	3.35
#170	0.090	30.10	166.60	16.54	8.46
#140	0.105	116.60	136.50	64.07	25.00
#100	0.150	11.10	19.90	6.10	89.07
#80	0.177	2.30	8.80	1.26	95.16
#60	0.250	0.50	6.50	0.27	96.43
#50	0.300	1.20	6.00	0.66	96.70
#40	0.425	1.00	4.80	0.55	97.36
#30	0.600	0.90	3.80	0.49	97.91
#20	0.850	1.40	2.90	0.77	98.41
#10	2.000	1.50	1.50	0.82	99.18

Site ID	OKH-100	Okeechobe Lake			
Sample ID	34			Total Dry Weight	128 g
Sample Depth	148	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		4.80	127.90		
#200	0.075	8.10	123.10	6.33	3.83
#170	0.090	22.70	115.00	17.73	10.16
#140	0.105	67.70	92.30	52.89	27.89
#100	0.150	7.90	24.60	6.17	80.78
#80	0.177	4.10	16.70	3.20	86.95
#60	0.250	1.30	12.60	1.02	90.16
#50	0.300	2.30	11.30	1.80	91.17
#40	0.425	1.80	9.00	1.41	92.97
#30	0.600	1.80	7.20	1.41	94.38
#20	0.850	3.10	5.40	2.42	95.78
#10	2.000	2.30	2.30	1.80	98.20

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Lake				
Sample ID	35			Total Dry Weight	69.8	g
Sample Depth	154	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		4.20	69.80			
#200	0.075	5.80	65.60	8.31	6.02	
#170	0.090	14.10	59.80	20.20	14.33	
#140	0.105	17.20	45.70	24.64	34.53	
#100	0.150	3.20	28.50	4.58	59.17	
#80	0.177	4.50	25.30	6.45	63.75	
#60	0.250	1.70	20.80	2.44	70.20	
#50	0.300	3.00	19.10	4.30	72.64	
#40	0.425	2.90	16.10	4.15	76.93	
#30	0.600	3.00	13.20	4.30	81.09	
#20	0.850	6.30	10.20	9.03	85.39	
#10	2.000	3.90	3.90	5.59	94.41	

Site ID	OKH-100	Okeechobee Lake				
Sample ID	36			Total Dry Weight	4.8	g
Sample Depth	157	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.30	4.80			
#200	0.075	1.10	4.50	22.92	6.25	
#170	0.090	1.80	3.40	37.50	29.17	
#140	0.105	0.70	1.60	14.58	66.67	
#100	0.150	0.20	0.90	4.17	81.25	
#80	0.177	0.30	0.70	6.25	85.42	
#60	0.250	0.20	0.40	4.17	91.67	
#50	0.300	0.10	0.20	2.08	95.83	
#40	0.425	0.10	0.10	2.08	97.92	
#30	0.600	0.00	0.00	0.00	100.00	
#20	0.850	0.00	0.00	0.00	100.00	
#10	2.000	0.00	0.00	0.00	100.00	

Site ID	OKH-100	Okeechobee Lake				
Sample ID	37			Total Dry Weight	3.82	g
Sample Depth	163	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		3.81	6.00			
#200	0.075	0.03	2.19	0.79	42.67	
#170	0.090	0.09	2.16	2.36	43.46	
#140	0.105	0.08	2.07	2.09	45.81	
#100	0.150	0.23	1.99	6.02	47.91	
#80	0.177	0.15	1.76	3.93	53.93	
#60	0.250	0.26	1.61	6.81	57.85	
#50	0.300	0.15	1.35	3.93	64.66	
#40	0.425	0.32	1.20	8.38	68.59	
#30	0.600	0.51	0.88	13.35	76.96	
#20	0.850	0.31	0.37	8.12	90.31	
#10	2.000	0.06	0.06	1.57	98.43	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobee Lake				
Sample ID	38			Total Dry Weight	5.17	g
Sample Depth	167	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.07	5.17			
#200	0.075	0.14	5.10	2.71	1.35	
#170	0.090	0.18	4.96	3.48	4.06	
#140	0.105	0.54	4.78	10.44	7.54	
#100	0.150	0.31	4.24	6.00	17.99	
#80	0.177	0.66	3.93	12.77	23.98	
#60	0.250	0.39	3.27	7.54	36.75	
#50	0.300	0.74	2.88	14.31	44.29	
#40	0.425	0.65	2.14	12.57	58.61	
#30	0.600	0.56	1.49	10.83	71.18	
#20	0.850	0.72	0.93	13.93	82.01	
#10	2.000	0.21	0.21	4.06	95.94	

Site ID	OKH-100	Okeechobee Lake				
Sample ID	39			Total Dry Weight	1.35	g
Sample Depth	172	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.01	1.35			
#200	0.075	0.08	1.34	5.93	0.74	
#170	0.090	0.07	1.26	5.19	6.67	
#140	0.105	0.13	1.19	9.63	11.85	
#100	0.150	0.07	1.06	5.19	21.48	
#80	0.177	0.15	0.99	11.11	26.67	
#60	0.250	0.09	0.84	6.67	37.78	
#50	0.300	0.14	0.75	10.37	44.44	
#40	0.425	0.13	0.61	9.63	54.81	
#30	0.600	0.11	0.48	8.15	64.44	
#20	0.850	0.31	0.37	22.96	72.59	
#10	2.000	0.06	0.06	4.44	95.56	

Site ID	OKH-100	Okeechobee Lake				
Sample ID	40			Total Dry Weight	0.3	g
Sample Depth	176	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.00	0.30			
#200	0.075	0.00	0.30	0.00	0.00	
#170	0.090	0.00	0.30	0.00	0.00	
#140	0.105	0.00	0.30	0.00	0.00	
#100	0.150	0.10	0.30	33.33	0.00	
#80	0.177	0.00	0.20	0.00	33.33	
#60	0.250	0.00	0.20	0.00	33.33	
#50	0.300	0.17	0.20	56.67	33.33	
#40	0.425	0.03	0.03	10.00	90.00	
#30	0.600	0.00	0.00	0.00	100.00	
#20	0.850	0.00	0.00	0.00	100.00	
#10	2.000	0.00	0.00	0.00	100.00	



Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	41			Total Dry Weight	99 g
Sample Depth	179	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.10	98.80		
#200	0.075	1.10	98.70	1.11	0.30
#170	0.090	2.00	97.60	2.02	1.41
#140	0.105	4.10	95.60	4.14	3.43
#100	0.150	1.90	91.50	1.92	7.58
#80	0.177	4.30	89.60	4.34	9.49
#60	0.250	2.10	85.30	2.12	13.84
#50	0.300	4.40	83.20	4.44	15.96
#40	0.425	5.40	78.80	5.45	20.40
#30	0.600	7.00	73.40	7.07	25.86
#20	0.850	29.50	66.40	29.80	32.93
#10	2.000	36.90	36.90	37.27	62.73

Site ID	OKH-100	Okeechobe Well			
Sample ID	42			Total Dry Weight	27.4 g
Sample Depth	184	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.00	27.40		
#200	0.075	2.30	27.40	8.39	0.00
#170	0.090	3.30	25.10	12.04	8.39
#140	0.105	4.30	21.80	15.69	20.44
#100	0.150	2.10	17.50	7.66	36.13
#80	0.177	4.00	15.40	14.60	43.80
#60	0.250	1.80	11.40	6.57	58.39
#50	0.300	3.00	9.60	10.95	64.96
#40	0.425	2.00	6.60	7.30	75.91
#30	0.600	1.40	4.60	5.11	83.21
#20	0.850	2.70	3.20	9.85	88.32
#10	2.000	0.50	0.50	1.82	98.18

Site ID	OKH-100	Okeechobe Well			
Sample ID	43			Total Dry Weight	267.6 g
Sample Depth	190	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.50	267.10		
#200	0.075	1.40	266.60	0.52	0.37
#170	0.090	3.50	265.20	1.31	0.90
#140	0.105	21.30	261.70	7.96	2.20
#100	0.150	13.40	240.40	5.01	10.16
#80	0.177	36.10	227.00	13.49	15.17
#60	0.250	26.30	190.90	9.83	28.66
#50	0.300	61.60	164.60	23.02	38.49
#40	0.425	61.20	103.00	22.87	61.51
#30	0.600	31.60	41.80	11.81	84.38
#20	0.850	10.20	10.20	3.81	96.19
#10	2.000	0.00	0.00	0.00	100.00

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well				
Sample ID	44			Total Dry Weight	264.7	g
Sample Depth	193	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.00	264.70			
#200	0.075	1.60	264.70	0.60	0.00	
#170	0.090	1.70	263.10	0.64	0.60	
#140	0.105	4.30	261.40	1.62	1.25	
#100	0.150	21.10	257.10	7.97	2.87	
#80	0.177	49.20	236.00	18.59	10.84	
#60	0.250	24.90	186.80	9.41	29.43	
#50	0.300	64.40	161.90	24.33	38.84	
#40	0.425	60.50	97.50	22.86	63.17	
#30	0.600	27.90	37.00	10.54	86.02	
#20	0.850	8.90	9.10	3.36	96.56	
#10	2.000	0.20	0.20	0.08	99.92	

Site ID	OKH-100	Okeechobe Well				
Sample ID	45			Total Dry Weight	268.1	g
Sample Depth	197	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.50	268.10			
#200	0.075	1.30	267.60	0.48	0.19	
#170	0.090	4.00	266.30	1.49	0.67	
#140	0.105	23.20	262.30	8.65	2.16	
#100	0.150	15.00	239.10	5.59	10.82	
#80	0.177	42.30	224.10	15.78	16.41	
#60	0.250	29.30	181.80	10.93	32.19	
#50	0.300	59.30	152.50	22.12	43.12	
#40	0.425	46.80	93.20	17.46	65.24	
#30	0.600	25.80	46.40	9.62	82.69	
#20	0.850	12.50	20.60	4.66	92.32	
#10	2.000	8.10	8.10	3.02	96.98	

Site ID	OKH-100	Okeechobe Well				
Sample ID	46			Total Dry Weight	345.4	g
Sample Depth	201	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.90	345.40			
#200	0.075	2.70	344.50	0.78	0.26	
#170	0.090	7.50	341.80	2.17	1.04	
#140	0.105	58.30	334.30	16.88	3.21	
#100	0.150	31.10	276.00	9.00	20.09	
#80	0.177	84.70	244.90	24.52	29.10	
#60	0.250	34.40	160.20	9.96	53.62	
#50	0.300	65.60	125.80	18.99	63.58	
#40	0.425	34.30	60.20	9.93	82.57	
#30	0.600	13.30	25.90	3.85	92.50	
#20	0.850	4.00	12.60	1.16	96.35	
#10	2.000	8.60	8.60	2.49	97.51	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well				
Sample ID	47			Total Dry Weight	305.9 g	
Sample Depth	205	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		1.20	305.00			
#200	0.075	2.20	303.80	0.72	0.69	
#170	0.090	6.60	301.60	2.16	1.41	
#140	0.105	49.90	295.00	16.31	3.56	
#100	0.150	45.90	245.10	15.00	19.88	
#80	0.177	92.40	199.20	30.21	34.88	
#60	0.250	27.80	106.80	9.09	65.09	
#50	0.300	40.00	79.00	13.08	74.17	
#40	0.425	24.10	39.00	7.88	87.25	
#30	0.600	10.50	14.90	3.43	95.13	
#20	0.850	2.80	4.40	0.92	98.56	
#10	2.000	1.60	1.60	0.52	99.48	

Site ID	OKH-100	Okeechobe Well				
Sample ID	48			Total Dry Weight	285.1 g	
Sample Depth	210	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		3.70	284.60			
#200	0.075	3.40	280.90	1.19	1.47	
#170	0.090	8.50	277.50	2.98	2.67	
#140	0.105	48.30	269.00	16.94	5.65	
#100	0.150	40.70	220.70	14.28	22.59	
#80	0.177	95.40	180.00	33.46	36.86	
#60	0.250	20.20	84.60	7.09	70.33	
#50	0.300	30.50	64.40	10.70	77.41	
#40	0.425	18.80	33.90	6.59	88.11	
#30	0.600	9.40	15.10	3.30	94.70	
#20	0.850	3.40	5.70	1.19	98.00	
#10	2.000	2.30	2.30	0.81	99.19	

Site ID	OKH-100	Okeechobe Well				
Sample ID	49			Total Dry Weight	183.2 g	
Sample Depth	215	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		5.20	183.00			
#200	0.075	4.80	177.80	2.62	2.95	
#170	0.090	7.90	173.00	4.31	5.57	
#140	0.105	62.40	165.10	34.06	9.88	
#100	0.150	28.00	102.70	15.28	43.94	
#80	0.177	41.50	74.70	22.65	59.22	
#60	0.250	7.80	33.20	4.26	81.88	
#50	0.300	12.00	25.40	6.55	86.14	
#40	0.425	7.60	13.40	4.15	92.69	
#30	0.600	3.60	5.80	1.97	96.83	
#20	0.850	1.10	2.20	0.60	98.80	
#10	2.000	1.10	1.10	0.60	99.40	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well				
Sample ID	50			Total Dry Weight	264.8	g
Sample Depth	229	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		17.40	263.50			
#200	0.075	12.70	246.10	4.80	7.06	
#170	0.090	29.50	233.40	11.14	11.86	
#140	0.105	128.90	203.90	48.68	23.00	
#100	0.150	45.80	75.00	17.30	71.68	
#80	0.177	16.40	29.20	6.19	88.97	
#60	0.250	3.80	12.80	1.44	95.17	
#50	0.300	4.80	9.00	1.81	96.60	
#40	0.425	2.40	4.20	0.91	98.41	
#30	0.600	1.10	1.80	0.42	99.32	
#20	0.850	0.50	0.70	0.19	99.74	
#10	2.000	0.20	0.20	0.08	99.92	

Site ID	OKH-100	Okeechobe Well				
Sample ID	51			Total Dry Weight	259	g
Sample Depth	233	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		17.40	259.00			
#200	0.075	10.70	241.60	4.13	6.72	
#170	0.090	27.20	230.90	10.50	10.85	
#140	0.105	154.00	203.70	59.46	21.35	
#100	0.150	27.50	49.70	10.62	80.81	
#80	0.177	9.80	22.20	3.78	91.43	
#60	0.250	3.20	12.40	1.24	95.21	
#50	0.300	5.10	9.20	1.97	96.45	
#40	0.425	2.30	4.10	0.89	98.42	
#30	0.600	0.90	1.80	0.35	99.31	
#20	0.850	0.60	0.90	0.23	99.65	
#10	2.000	0.30	0.30	0.12	99.88	

Site ID	OKH-100	Okeechobe Well				
Sample ID	52			Total Dry Weight	214.75	g
Sample Depth	238	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.84	214.75			
#200	0.075	3.64	213.91	1.69	0.39	
#170	0.090	10.59	210.27	4.93	2.09	
#140	0.105	73.07	199.68	34.03	7.02	
#100	0.150	32.56	126.61	15.16	41.04	
#80	0.177	36.91	94.05	17.19	56.20	
#60	0.250	11.30	57.14	5.26	73.39	
#50	0.300	20.27	45.84	9.44	78.65	
#40	0.425	13.21	25.57	6.15	88.09	
#30	0.600	6.53	12.36	3.04	94.24	
#20	0.850	4.94	5.83	2.30	97.29	
#10	2.000	0.89	0.89	0.41	99.59	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well				
Sample ID	53			Total Dry Weight	303.9	g
Sample Depth	244	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		2.80	302.60			
#200	0.075	4.60	299.80	1.51	1.35	
#170	0.090	11.90	295.20	3.92	2.86	
#140	0.105	65.00	283.30	21.39	6.78	
#100	0.150	30.50	218.30	10.04	28.17	
#80	0.177	59.50	187.80	19.58	38.20	
#60	0.250	28.40	128.30	9.35	57.78	
#50	0.300	53.00	99.90	17.44	67.13	
#40	0.425	31.70	46.90	10.43	84.57	
#30	0.600	11.60	15.20	3.82	95.00	
#20	0.850	3.50	3.60	1.15	98.82	
#10	2.000	0.10	0.10	0.03	99.97	

Site ID	OKH-100	Okeechobe Well				
Sample ID	54			Total Dry Weight	336.8	g
Sample Depth	247	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		4.50	336.70			
#200	0.075	7.20	332.20	2.14	1.37	
#170	0.090	19.20	325.00	5.70	3.50	
#140	0.105	68.10	305.80	20.22	9.20	
#100	0.150	38.00	237.70	11.28	29.42	
#80	0.177	76.70	199.70	22.77	40.71	
#60	0.250	31.40	123.00	9.32	63.48	
#50	0.300	50.30	91.60	14.93	72.80	
#40	0.425	28.50	41.30	8.46	87.74	
#30	0.600	9.70	12.80	2.88	96.20	
#20	0.850	3.10	3.10	0.92	99.08	
#10	2.000	0.00	0.00	0.00	100.00	

Site ID	OKH-100	Okeechobe Well				
Sample ID	55			Total Dry Weight	296.3	g
Sample Depth	250	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		6.00	296.30			
#200	0.075	4.40	290.30	1.48	2.02	
#170	0.090	14.40	285.90	4.86	3.51	
#140	0.105	67.40	271.50	22.75	8.37	
#100	0.150	39.00	204.10	13.16	31.12	
#80	0.177	68.60	165.10	23.15	44.28	
#60	0.250	23.80	96.50	8.03	67.43	
#50	0.300	36.70	72.70	12.39	75.46	
#40	0.425	22.00	36.00	7.42	87.85	
#30	0.600	7.90	14.00	2.67	95.28	
#20	0.850	2.60	6.10	0.88	97.94	
#10	2.000	3.50	3.50	1.18	98.82	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	56			Total Dry Weight	269.5 g
Sample Depth	255	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		4.70	268.90		
#200	0.075	7.00	264.20	2.60	1.97
#170	0.090	22.40	257.20	8.31	4.56
#140	0.105	104.60	234.80	38.81	12.88
#100	0.150	63.70	130.20	23.64	51.69
#80	0.177	33.40	66.50	12.39	75.32
#60	0.250	8.90	33.10	3.30	87.72
#50	0.300	12.30	24.20	4.56	91.02
#40	0.425	7.70	11.90	2.86	95.58
#30	0.600	2.60	4.20	0.96	98.44
#20	0.850	0.90	1.60	0.33	99.41
#10	2.000	0.70	0.70	0.26	99.74

Site ID	OKH-100	Okeechobe Well			
Sample ID	57			Total Dry Weight	303.7 g
Sample Depth	258	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		7.40	303.00		
#200	0.075	9.60	295.60	3.16	2.67
#170	0.090	28.80	286.00	9.48	5.83
#140	0.105	154.20	257.20	50.77	15.31
#100	0.150	66.80	103.00	22.00	66.08
#80	0.177	17.30	36.20	5.70	88.08
#60	0.250	3.90	18.90	1.28	93.78
#50	0.300	7.10	15.00	2.34	95.06
#40	0.425	4.70	7.90	1.55	97.40
#30	0.600	2.10	3.20	0.69	98.95
#20	0.850	1.10	1.10	0.36	99.64
#10	2.000	0.00	0.00	0.00	100.00

Site ID	OKH-100	Okeechobe Well			
Sample ID	58			Total Dry Weight	270.8 g
Sample Depth	262	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		6.80	270.80		
#200	0.075	9.90	264.00	3.66	2.51
#170	0.090	35.90	254.10	13.26	6.17
#140	0.105	116.20	218.20	42.91	19.42
#100	0.150	16.60	102.00	6.13	62.33
#80	0.177	16.00	85.40	5.91	68.46
#60	0.250	9.20	69.40	3.40	74.37
#50	0.300	22.20	60.20	8.20	77.77
#40	0.425	21.90	38.00	8.09	85.97
#30	0.600	11.20	16.10	4.14	94.05
#20	0.850	4.90	4.90	1.81	98.19
#10	2.000	0.00	0.00	0.00	100.00

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	59			Total Dry Weight	258.5 g
Sample Depth	268	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		4.30	258.50		
#200	0.075	6.10	254.20	2.36	1.66
#170	0.090	18.50	248.10	7.16	4.02
#140	0.105	72.00	229.60	27.85	11.18
#100	0.150	34.90	157.60	13.50	39.03
#80	0.177	31.70	122.70	12.26	52.53
#60	0.250	13.80	91.00	5.34	64.80
#50	0.300	32.20	77.20	12.46	70.14
#40	0.425	27.70	45.00	10.72	82.59
#30	0.600	12.00	17.30	4.64	93.31
#20	0.850	5.10	5.30	1.97	97.95
#10	2.000	0.20	0.20	0.08	99.92

Site ID	OKH-100	Okeechobe Well			
Sample ID	60			Total Dry Weight	290.6 g
Sample Depth	271	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		7.00	289.60		
#200	0.075	5.20	282.60	1.79	2.75
#170	0.090	33.60	277.40	11.56	4.54
#140	0.105	57.90	243.80	19.92	16.10
#100	0.150	39.90	185.90	13.73	36.03
#80	0.177	41.40	146.00	14.25	49.76
#60	0.250	17.80	104.60	6.13	64.01
#50	0.300	37.30	86.80	12.84	70.13
#40	0.425	30.60	49.50	10.53	82.97
#30	0.600	13.00	18.90	4.47	93.50
#20	0.850	5.90	5.90	2.03	97.97
#10	2.000	0.00	0.00	0.00	100.00

Site ID	OKH-100	Okeechobe Well			
Sample ID	61			Total Dry Weight	334.1 g
Sample Depth	275	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		4.44	334.10		
#200	0.075	4.34	329.66	1.30	1.33
#170	0.090	11.78	325.32	3.53	2.63
#140	0.105	56.90	313.54	17.03	6.15
#100	0.150	27.15	256.64	8.13	23.18
#80	0.177	71.15	229.49	21.30	31.31
#60	0.250	22.37	158.34	6.70	52.61
#50	0.300	49.66	135.97	14.86	59.30
#40	0.425	40.92	86.31	12.25	74.17
#30	0.600	17.09	45.39	5.12	86.41
#20	0.850	10.13	28.30	3.03	91.53
#10	2.000	18.17	18.17	5.44	94.56

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	62			Total Dry Weight	311.1 g
Sample Depth	279	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		11.70	309.90		
#200	0.075	11.30	298.20	3.63	4.15
#170	0.090	35.90	286.90	11.54	7.78
#140	0.105	107.40	251.00	34.52	19.32
#100	0.150	42.70	143.60	13.73	53.84
#80	0.177	57.80	100.90	18.58	67.57
#60	0.250	9.40	43.10	3.02	86.15
#50	0.300	17.60	33.70	5.66	89.17
#40	0.425	11.20	16.10	3.60	94.82
#30	0.600	3.30	4.90	1.06	98.42
#20	0.850	1.50	1.60	0.48	99.49
#10	2.000	0.10	0.10	0.03	99.97

Site ID	OKH-100	Okeechobe Well			
Sample ID	63			Total Dry Weight	227.9 g
Sample Depth	283	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		11.90	227.80		
#200	0.075	20.70	215.90	9.08	5.27
#170	0.090	67.10	195.20	29.44	14.35
#140	0.105	94.40	128.10	41.42	43.79
#100	0.150	7.00	33.70	3.07	85.21
#80	0.177	8.50	26.70	3.73	88.28
#60	0.250	2.70	18.20	1.18	92.01
#50	0.300	6.00	15.50	2.63	93.20
#40	0.425	5.70	9.50	2.50	95.83
#30	0.600	2.60	3.80	1.14	98.33
#20	0.850	1.20	1.20	0.53	99.47
#10	2.000	0.00	0.00	0.00	100.00

Site ID	OKH-100	Okeechobe Well			
Sample ID	64			Total Dry Weight	219.2 g
Sample Depth	287	feet			
Sieve No.	Diameter (mm)	Weight Retained (g)	Cumulative Weight Retained (g)	% Retained	% Passing
Pan		9.10	218.80		
#200	0.075	10.20	209.70	4.65	4.33
#170	0.090	40.40	199.50	18.43	8.99
#140	0.105	112.90	159.10	51.51	27.42
#100	0.150	8.40	46.20	3.83	78.92
#80	0.177	8.40	37.80	3.83	82.76
#60	0.250	4.50	29.40	2.05	86.59
#50	0.300	10.50	24.90	4.79	88.64
#40	0.425	8.10	14.40	3.70	93.43
#30	0.600	3.90	6.30	1.78	97.13
#20	0.850	2.30	2.40	1.05	98.91
#10	2.000	0.10	0.10	0.05	99.95



Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	65			Total Dry Weight	276.8 g
Sample Depth	293	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		13.90	275.60		
#200	0.075	17.00	261.70	6.14	5.46
#170	0.090	42.70	244.70	15.43	11.60
#140	0.105	66.00	202.00	23.84	27.02
#100	0.150	72.50	136.00	26.19	50.87
#80	0.177	25.10	63.50	9.07	77.06
#60	0.250	6.00	38.40	2.17	86.13
#50	0.300	13.90	32.40	5.02	88.29
#40	0.425	10.50	18.50	3.79	93.32
#30	0.600	4.70	8.00	1.70	97.11
#20	0.850	3.00	3.30	1.08	98.81
#10	2.000	0.30	0.30	0.11	99.89

Site ID	OKH-100	Okeechobe Well			
Sample ID	66			Total Dry Weight	276.4 g
Sample Depth	297	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		5.30	276.30		
#200	0.075	5.80	271.00	2.10	1.95
#170	0.090	15.50	265.20	5.61	4.05
#140	0.105	55.10	249.70	19.93	9.66
#100	0.150	30.80	194.60	11.14	29.59
#80	0.177	41.80	163.80	15.12	40.74
#60	0.250	18.20	122.00	6.58	55.86
#50	0.300	44.10	103.80	15.96	62.45
#40	0.425	35.50	59.70	12.84	78.40
#30	0.600	15.20	24.20	5.50	91.24
#20	0.850	8.60	9.00	3.11	96.74
#10	2.000	0.40	0.40	0.14	99.86

Site ID	OKH-100	Okeechobe Well			
Sample ID	66 A			Total Dry Weight	156.1 g
Sample Depth	301	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		2.90	156.00		
#200	0.075	4.90	153.10	3.14	1.92
#170	0.090	11.80	148.20	7.56	5.06
#140	0.105	44.40	136.40	28.44	12.62
#100	0.150	12.70	92.00	8.14	41.06
#80	0.177	11.20	79.30	7.17	49.20
#60	0.250	3.50	68.10	2.24	56.37
#50	0.300	7.10	64.60	4.55	58.62
#40	0.425	5.20	57.50	3.33	63.16
#30	0.600	3.40	52.30	2.18	66.50
#20	0.850	7.00	48.90	4.48	68.67
#10	2.000	41.90	41.90	26.84	73.16

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well				
Sample ID	67			Total Dry Weight	170.45	g
Sample Depth	305	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		3.50	170.21			
#200	0.075	5.45	166.71	3.20	2.19	
#170	0.090	9.32	161.26	5.47	5.39	
#140	0.105	41.36	151.94	24.27	10.86	
#100	0.150	22.64	110.58	13.28	35.12	
#80	0.177	23.58	87.94	13.83	48.41	
#60	0.250	6.25	64.36	3.67	62.24	
#50	0.300	12.75	58.11	7.48	65.91	
#40	0.425	17.25	45.36	10.12	73.39	
#30	0.600	12.80	28.11	7.51	83.51	
#20	0.850	6.78	15.31	3.98	91.02	
#10	2.000	8.53	8.53	5.00	95.00	

Site ID	OKH-100	Okeechobe Well				
Sample ID	68			Total Dry Weight	133.6	g
Sample Depth	309	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		9.40	133.60			
#200	0.075	10.80	124.20	8.08	7.04	
#170	0.090	30.10	113.40	22.53	15.12	
#140	0.105	37.00	83.30	27.69	37.65	
#100	0.150	6.50	46.30	4.87	65.34	
#80	0.177	7.40	39.80	5.54	70.21	
#60	0.250	3.00	32.40	2.25	75.75	
#50	0.300	7.00	29.40	5.24	77.99	
#40	0.425	9.70	22.40	7.26	83.23	
#30	0.600	7.30	12.70	5.46	90.49	
#20	0.850	2.80	5.40	2.10	95.96	
#10	2.000	2.60	2.60	1.95	98.05	

Site ID	OKH-100	Okeechobe Well				
Sample ID	69			Total Dry Weight	156.9	g
Sample Depth	313	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		11.40	156.40			
#200	0.075	8.90	145.00	5.67	7.58	
#170	0.090	33.50	136.10	21.35	13.26	
#140	0.105	82.60	102.60	52.64	34.61	
#100	0.150	5.30	20.00	3.38	87.25	
#80	0.177	4.80	14.70	3.06	90.63	
#60	0.250	1.70	9.90	1.08	93.69	
#50	0.300	3.10	8.20	1.98	94.77	
#40	0.425	2.40	5.10	1.53	96.75	
#30	0.600	1.70	2.70	1.08	98.28	
#20	0.850	1.00	1.00	0.64	99.36	
#10	2.000	0.00	0.00	0.00	100.00	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well				
Sample ID	70			Total Dry Weight	43.2	g
Sample Depth	317	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.40	43.10			
#200	0.075	0.10	42.70	0.23	1.16	
#170	0.090	1.80	42.60	4.17	1.39	
#140	0.105	4.20	40.80	9.72	5.56	
#100	0.150	2.70	36.60	6.25	15.28	
#80	0.177	5.10	33.90	11.81	21.53	
#60	0.250	2.10	28.80	4.86	33.33	
#50	0.300	3.80	26.70	8.80	38.19	
#40	0.425	4.30	22.90	9.95	46.99	
#30	0.600	4.70	18.60	10.88	56.94	
#20	0.850	13.20	13.90	30.56	67.82	
#10	2.000	0.70	0.70	1.62	98.38	

Site ID	OKH-100	Okeechobe Well				
Sample ID	71			Total Dry Weight	24.6	g
Sample Depth	321	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.35	24.55			
#200	0.075	2.70	24.20	10.98	1.63	
#170	0.090	7.80	21.50	31.71	12.60	
#140	0.105	10.30	13.70	41.87	44.31	
#100	0.150	0.40	3.40	1.63	86.18	
#80	0.177	0.90	3.00	3.66	87.80	
#60	0.250	0.40	2.10	1.63	91.46	
#50	0.300	0.80	1.70	3.25	93.09	
#40	0.425	0.40	0.90	1.63	96.34	
#30	0.600	0.30	0.50	1.22	97.97	
#20	0.850	0.10	0.20	0.41	99.19	
#10	2.000	0.10	0.10	0.41	99.59	

Site ID	OKH-100	Okeechobe Well				
Sample ID	72			Total Dry Weight	3	g
Sample Depth	325	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		0.10	3.00			
#200	0.075	0.40	2.90	13.33	3.33	
#170	0.090	0.90	2.50	30.00	16.67	
#140	0.105	0.80	1.60	26.67	46.67	
#100	0.150	0.20	0.80	6.67	73.33	
#80	0.177	0.20	0.60	6.67	80.00	
#60	0.250	0.10	0.40	3.33	86.67	
#50	0.300	0.20	0.30	6.67	90.00	
#40	0.425	0.00	0.10	0.00	96.67	
#30	0.600	0.00	0.10	0.00	96.67	
#20	0.850	0.10	0.10	3.33	96.67	
#10	2.000	0.00	0.00	0.00	100.00	

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	73			Total Dry Weight	109.3 g
Sample Depth	329	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.80	109.30		
#200	0.075	3.00	108.50	2.74	0.73
#170	0.090	12.80	105.50	11.71	3.48
#140	0.105	52.60	92.70	48.12	15.19
#100	0.150	5.80	40.10	5.31	63.31
#80	0.177	7.30	34.30	6.68	68.62
#60	0.250	2.80	27.00	2.56	75.30
#50	0.300	5.20	24.20	4.76	77.86
#40	0.425	5.50	19.00	5.03	82.62
#30	0.600	4.90	13.50	4.48	87.65
#20	0.850	7.80	8.60	7.14	92.13
#10	2.000	0.80	0.80	0.73	99.27

Site ID	OKH-100	Okeechobe Well			
Sample ID	74			Total Dry Weight	154.2 g
Sample Depth	334	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.39	153.96		
#200	0.075	3.65	152.57	2.37	1.06
#170	0.090	9.88	148.92	6.41	3.42
#140	0.105	51.91	139.04	33.66	9.83
#100	0.150	20.44	87.13	13.26	43.50
#80	0.177	13.39	66.69	8.68	56.75
#60	0.250	5.22	53.30	3.39	65.43
#50	0.300	12.58	48.08	8.16	68.82
#40	0.425	10.74	35.50	6.96	76.98
#30	0.600	7.41	24.76	4.81	83.94
#20	0.850	10.96	17.35	7.11	88.75
#10	2.000	6.39	6.39	4.14	95.86

Site ID	OKH-100	Okeechobe Well			
Sample ID	75			Total Dry Weight	179.7 g
Sample Depth	338	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		8.70	179.00		
#200	0.075	14.30	170.30	7.96	5.23
#170	0.090	31.10	156.00	17.31	13.19
#140	0.105	80.70	124.90	44.91	30.50
#100	0.150	7.20	44.20	4.01	75.40
#80	0.177	11.60	37.00	6.46	79.41
#60	0.250	4.10	25.40	2.28	85.87
#50	0.300	5.60	21.30	3.12	88.15
#40	0.425	3.70	15.70	2.06	91.26
#30	0.600	2.70	12.00	1.50	93.32
#20	0.850	5.10	9.30	2.84	94.82
#10	2.000	4.20	4.20	2.34	97.66

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	76			Total Dry Weight	127.8 g
Sample Depth	342	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.60	127.60		
#200	0.075	4.00	127.00	3.13	0.63
#170	0.090	8.40	123.00	6.57	3.76
#140	0.105	14.20	114.60	11.11	10.33
#100	0.150	8.80	100.40	6.89	21.44
#80	0.177	21.40	91.60	16.74	28.33
#60	0.250	10.10	70.20	7.90	45.07
#50	0.300	13.00	60.10	10.17	52.97
#40	0.425	9.20	47.10	7.20	63.15
#30	0.600	6.10	37.90	4.77	70.34
#20	0.850	12.20	31.80	9.55	75.12
#10	2.000	19.60	19.60	15.34	84.66

Site ID	OKH-100	Okeechobe Well			
Sample ID	77			Total Dry Weight	71.7 g
Sample Depth	346	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.10	71.60		
#200	0.075	4.40	71.50	6.14	0.28
#170	0.090	9.70	67.10	13.53	6.42
#140	0.105	10.90	57.40	15.20	19.94
#100	0.150	3.80	46.50	5.30	35.15
#80	0.177	7.30	42.70	10.18	40.45
#60	0.250	3.50	35.40	4.88	50.63
#50	0.300	6.00	31.90	8.37	55.51
#40	0.425	5.30	25.90	7.39	63.88
#30	0.600	4.50	20.60	6.28	71.27
#20	0.850	7.50	16.10	10.46	77.55
#10	2.000	8.60	8.60	11.99	88.01

Site ID	OKH-100	Okeechobe Well			
Sample ID	78			Total Dry Weight	150.28 g
Sample Depth	350	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		1.11	150.12		
#200	0.075	3.35	149.01	2.23	0.85
#170	0.090	7.55	145.66	5.02	3.07
#140	0.105	47.21	138.11	31.41	8.10
#100	0.150	31.25	90.90	20.79	39.51
#80	0.177	30.87	59.65	20.54	60.31
#60	0.250	5.30	28.78	3.53	80.85
#50	0.300	6.19	23.48	4.12	84.38
#40	0.425	3.91	17.29	2.60	88.49
#30	0.600	3.17	13.38	2.11	91.10
#20	0.850	6.33	10.21	4.21	93.21
#10	2.000	3.88	3.88	2.58	97.42

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well			
Sample ID	79			Total Dry Weight	139.5 g
Sample Depth	354	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		6.40	139.30		
#200	0.075	9.20	132.90	6.59	4.73
#170	0.090	30.40	123.70	21.79	11.33
#140	0.105	69.10	93.30	49.53	33.12
#100	0.150	2.60	24.20	1.86	82.65
#80	0.177	4.30	21.60	3.08	84.52
#60	0.250	2.00	17.30	1.43	87.60
#50	0.300	3.80	15.30	2.72	89.03
#40	0.425	3.20	11.50	2.29	91.76
#30	0.600	2.40	8.30	1.72	94.05
#20	0.850	4.20	5.90	3.01	95.77
#10	2.000	1.70	1.70	1.22	98.78

Site ID	OKH-100	Okeechobe Well			
Sample ID	80			Total Dry Weight	127.21 g
Sample Depth	360	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		2.73	126.98		
#200	0.075	4.89	124.25	3.84	2.33
#170	0.090	15.16	119.36	11.92	6.17
#140	0.105	43.04	104.20	33.83	18.09
#100	0.150	4.55	61.16	3.58	51.92
#80	0.177	5.23	56.61	4.11	55.50
#60	0.250	2.13	51.38	1.67	59.61
#50	0.300	4.14	49.25	3.25	61.28
#40	0.425	4.90	45.11	3.85	64.54
#30	0.600	5.65	40.21	4.44	68.39
#20	0.850	13.41	34.56	10.54	72.83
#10	2.000	21.15	21.15	16.63	83.37

Site ID	OKH-100	Okeechobe Well			
Sample ID	81			Total Dry Weight	13.4 g
Sample Depth	364	feet			
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing
	(mm)	(g)	(g)		
Pan		0.20	13.40		
#200	0.075	2.10	13.20	15.67	1.49
#170	0.090	4.20	11.10	31.34	17.16
#140	0.105	1.90	6.90	14.18	48.51
#100	0.150	0.30	5.00	2.24	62.69
#80	0.177	0.50	4.70	3.73	64.93
#60	0.250	0.20	4.20	1.49	68.66
#50	0.300	0.50	4.00	3.73	70.15
#40	0.425	0.50	3.50	3.73	73.88
#30	0.600	0.60	3.00	4.48	77.61
#20	0.850	1.40	2.40	10.45	82.09
#10	2.000	1.00	1.00	7.46	92.54

Data Format to Import to MVASKF Program

Site ID	OKH-100	Okeechobe Well				
Sample ID	82			Total Dry Weight	78.99	g
Sample Depth	368	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		2.52	78.86			
#200	0.075	4.25	76.34	5.38	3.35	
#170	0.090	15.56	72.09	19.70	8.74	
#140	0.105	43.61	56.53	55.21	28.43	
#100	0.150	2.41	12.92	3.05	83.64	
#80	0.177	3.01	10.51	3.81	86.69	
#60	0.250	0.89	7.50	1.13	90.51	
#50	0.300	1.33	6.61	1.68	91.63	
#40	0.425	1.17	5.28	1.48	93.32	
#30	0.600	1.22	4.11	1.54	94.80	
#20	0.850	2.28	2.89	2.89	96.34	
#10	2.000	0.61	0.61	0.77	99.23	

Site ID	OKH-100	Okeechobe Well				
Sample ID	83			Total Dry Weight	60.3	g
Sample Depth	372	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		1.30	60.30			
#200	0.075	3.50	59.00	5.80	2.16	
#170	0.090	12.60	55.50	20.90	7.96	
#140	0.105	25.00	42.90	41.46	28.86	
#100	0.150	1.70	17.90	2.82	70.32	
#80	0.177	2.40	16.20	3.98	73.13	
#60	0.250	0.80	13.80	1.33	77.11	
#50	0.300	1.80	13.00	2.99	78.44	
#40	0.425	1.60	11.20	2.65	81.43	
#30	0.600	1.60	9.60	2.65	84.08	
#20	0.850	4.30	8.00	7.13	86.73	
#10	2.000	3.70	3.70	6.14	93.86	

Site ID	OKH-100	Okeechobe Well				
Sample ID	84			Total Dry Weight	76.9	g
Sample Depth	378	feet				
Sieve No.	Diameter	Weight Retained	Cumulative Weight Retained	% Retained	% Passing	
	(mm)	(g)	(g)			
Pan		3.90	76.50			
#200	0.075	4.70	72.60	6.11	5.59	
#170	0.090	14.80	67.90	19.25	11.70	
#140	0.105	17.50	53.10	22.76	30.95	
#100	0.150	4.00	35.60	5.20	53.71	
#80	0.177	6.20	31.60	8.06	58.91	
#60	0.250	2.10	25.40	2.73	66.97	
#50	0.300	3.50	23.30	4.55	69.70	
#40	0.425	2.80	19.80	3.64	74.25	
#30	0.600	2.50	17.00	3.25	77.89	
#20	0.850	5.10	14.50	6.63	81.14	
#10	2.000	9.40	9.40	12.22	87.78	

