



XY CALIPER
GAMMA RAY

COMPANY YOUNGQUIST BROTHERS DRILLING CO., INC.

WELL INJECTION WELL CO-2317

FIELD NCRMP1

COUNTY COLLIER

LOCATION STATE FLORIDA

OTHER SERVICES:

SEC. 35 TWP. 48S RGE. 26E

PERMANENT DATUM GL ELEV. FT. ABOVE PERMANENT DATUM

LOG MEASURED FROM GL ELEV. K.B. D.F. G.L.

DRILLING MEASURED FROM GL

DATE 07/25/92

RUN NO. 1

TYPE LOG XY CAL GR

DEPTH-DRILLER 434

DEPTH-LOGGER 444

LOGGED INTERVAL 444 TO 0

OPERATING RIG TIME MUD

TYPE FLUID IN HOLE

SALINITY, PPM CL.

DENSITY-VISCOSITY

LEVEL FULL

MAX. REC. TEMP. DEG. F.

EQUIPMENT-LOCATION POMPANO BEACH

RECORDED BY SALVO


WITNESSED BY G. KENNEDY

BOREHOLE RECORD

CASING RECORD

RUN NO. BIT FROM TO SIZE MGT. FROM TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.



COMPANY YOUNGQUIST BROTHERS DRILLING CO., INC.

WELL INJECTION WELL CO-2317

FIELD COLLIER CO. STATE FLORIDA






COMPANY: YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL: INJECTION WELL CO-2317
 FIELD: NCRMPPT
 COUNTY: COLLIER STATE: FLORIDA
 LOCATION: _____ OTHER SERVICES: _____

SEC. 35 TWP. 48S RGE. 26E
 PERMANENT DATUM GL. _____ ELEV. _____
 LOG MEASURED FROM GL. _____ FT. ABOVE PERMANENT DATUM ELEV.: K. B. _____ D. F. _____ G. I. _____
 DRILLING MEASURED FROM GL. _____

DATE: 07/31/92
 RUN NO.: 1
 TYPE LOG: XY CAL GR
 DEPTH-DRILLER: 1320
 DEPTH-LOGGER: 1320
 LOGGED INTERVAL: 1320 TO 416
 OPERATING RIG TIME: _____
 TYPE FLUID IN HOLE: MUD
 SALINITY, PPM CL: _____
 DENSITY-VISCOSITY LEVEL: FULL
 MAX. REC. TEMP. DEG. F.: _____
 EQUIPMENT-LOCATION: POMPANO BEACH
 RECORDED BY: SALVO
 WITNESSED BY: G KENNEDY

BORHOLE RECORD TO _____ CASING RECORD FROM _____ TO _____
 RUN NO. BIT FROM TO SIZE MGT. FROM TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.



COMPANY: YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL: INJECTION WELL CO-2317
 FIELD: COLLIER CO. STATE: FLORIDA





COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
 WELL: INJECTION WELL CO-2317
 FIELD: NGMPT
 COUNTY: COLLIER STATE: FLORIDA
 LOCATION: _____ OTHER SERVICES: _____

PERMANENT DATUM BL. _____ ELEV. _____ REF. 266
 MEASURED FROM BL. _____ FT. ABOVE PERMANENT DATUM
 DRILLING MEASURED FROM BL. _____ G.L. _____

DATE: 07/31/92
 RUN NO.: 1
 TYPE LOG: DIL GR
 DEPTH-DRILLER: 1324
 DEPTH-LOGGER: 1320
 LOGGED INTERVAL: 1320 TO 416
 OPERATING RIG TIME: _____ TO _____


TYPE FLUID IN HOLE: MUD
 SALINITY, PPM CL: _____
 DENSITY-VISCOSITY: _____
 LEVEL: FULL

MAX. REC. TEMP., DEG. F.: _____
 EQUIPMENT-LOCATION: POMPANO BEACH
 RECORDED BY: SALVO
 WITNESSED BY: G KENNEDY

BORHOLE RECORD TO _____ CASING RECORD FROM _____ TO _____

RUN NO. BIT FROM _____ TO _____ SIZE MGT. FROM _____ TO _____

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.



COMPANY YOUNGQUIST BROTHERS DRILLING CO., INC.

WELL INJECTION WELL CO-2317

FIELD COLLIER CO. STATE FLORIDA





BHC SONIC
VDL

COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
WELL: INJECTION WELL CO-2317

FIELD: NCRHPT
COUNTY: COLLIER STATE: FLORIDA

LOCATION: OTHER SERVICES:

SEC. 35 TWP. 48S RGE. 28E
PERMANENT DATUM GL ELEV. _____
LOG MEASURED FROM GL FT. ABOVE PERMANENT DATUM
DRILLING MEASURED FROM GL ELEV.: K. B. _____
D. F. _____
G. L. _____


DATE	07/31/92
RUN NO.	1
TYPE LOG	BHC SONIC
DEPTH-DRILLER	1324
DEPTH-LOGGER	1320
LOGGED INTERVAL	1320 TO 420
OPERATING RIG TIME	
TYPE FLUID IN HOLE	MUD
SALINITY, PPM CL	
DENSITY-VISCOSITY	
LEVEL	FULL
MAX. REC. TEMP. DEG F.	
EQUIPMENT-LOCATION	POMPANO BEACH
RECORDED BY	SALVO
WITNESSED BY	G KENNEDY
BOREHOLE RECORD	
BOREHOLE RECORD TO	
BIT FROM	
SIZE	
CASING RECORD	
CASING RECORD FROM	
TO	

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.

VERSION: 1.70

N5

FINISH DEPTH: 408.2 FEET DIRECTION: UP DATE: 07/31/92 TIME: 11:38 MODE: TRACE PLAYBACK



START DEPTH: 1318.8 FEET DIRECTION: UP DATE: 07/31/92 TIME: 11:18 MODE: TRACE PLAYBACK
N5
VERSION: 1.70

COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
WELL: INJECTION WELL CO-2317
FIELD: COLLIER CO. STATE: FLORIDA





FLOWMETER

10-2317

COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.

WELL: INJECTION WELL CO-2317

FIELD: NCRBPT

COUNTY: COLLIER

STATE: FLORIDA

LOCATION: _____

OTHER SERVICES: _____

PERMANENT DATUM BL: _____

LOG MEASURED FROM BL: _____

DATE: 07/31/92

TYPE LOG: FLOWMETER

DEPTH-OBTLER: 1324

DEPTH-LOGGER: 1320 TO 350

LOGGED INTERVAL: _____

OPERATING RIG TIME: _____

TYPE FLUID IN HOLE: MUD

SALINITY, PPM CL: _____

DENSITY-VISCOSITY: _____

LEVEL: FULL

MAX. REC. TEMP. DEG F: _____

EQUIPMENT-LOCATION: POMPANO BEACH

RECORDED BY: SALVO

WITNESSED BY: G. KENNEDY

BOREHOLE RECORD

CASTING RECORD

RUN NO., BIT, FROM, TO, SIZE, WGT., FROM, TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION...

FILE HISTORY

Table with columns: FILE NAME, DATE, START, STOP, DEPTH, DEPTH SHIFT, TYPE, DIR, SOURCE, PASS IDENTIFIER

VERSION: 1.70

FINISH DEPTH: 374.5 FEET DIRECTION: UP DATE: 07/31/92 TIME: 14:56 MODE: TRACE PLAYBACK



START DEPTH: 1300.0 FEET DIRECTION: UP DATE: 07/31/92 TIME: 14:54 MODE: TRACE PLAYBACK VERSION: 1.70

COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC. WELL: INJECTION WELL CO-2317 FIELD: COLLIER CO. STATE: FLORIDA





C0-2317 Rev. 8

TEMPERATURE


COMPANY YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL INJECTION WELL CO-2317
 FIELD NCRRPT
 COUNTY COLLIER STATE FLORIDA
 LOCATION _____
 OTHER SERVICES: _____

PERMANENT DATUM BL ELEV. _____
 DRILLING MEASURED FROM BL FT. ABOVE PERMANENT DATUM
 DATE 07/31/82
 TYPE LOG TEMPERATURE
 DEPTH-DRILLER 1324
 DEPTH-LOGGER 1320 TO 25
 LOGGED INTERVAL _____
 OPERATING RIG TIME _____
 TYPE FLUID IN HOLE MUD
 TYPE FLUID IN LOG _____
 DENSITY-VISCOSITY _____
 LEVEL FULL
 MAX. REC. TEMP. DEG F. _____
 EQUIPMENT-LOCATION POMPANO BEACH
 RECORDED BY SALVO
 WITNESSED BY G KENNEDY

SEC. 35	TWP. 48S	RNG. 26E
BL	BL	BL
FT. ABOVE PERMANENT DATUM	ELEV. K.F.	G.L.
TEMPERATURE	TEMPERATURE	TEMPERATURE
1324	1324	1324
1320	1320	1320
TO 25	TO 25	TO 25
MUD	MUD	MUD
FULL	FULL	FULL
POMPANO BEACH	POMPANO BEACH	POMPANO BEACH
SALVO	SALVO	SALVO
G KENNEDY	G KENNEDY	G KENNEDY
BLT FROM	BLT FROM	BLT FROM
TO	TO	TO
SIZE	SIZE	SIZE
MGT. FROM	MGT. FROM	MGT. FROM
TO	TO	TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.

FINISH DEPTH: 1324.6 FEET DIRECTION: DOWN DATE: 07/31/82 TIME: 12:35 MODE: TRACE PLAYBACK



COMPANY YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL INJECTION WELL CO-2317
 FIELD COLLIER CO. STATE FLORIDA





COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
 WELL: INJECTION WELL CO-2317
 FIELD: NCHMPT
 COUNTY: COLLIER
 STATE: FLORIDA
 LOCATION: _____
 OTHER SERVICES: _____


SEC. 35 TWP. 48S R. 26E
 PERMANENT DATUM: D.M. ELEV. N.T.S. D.P. S.L. S.C.

LOG RECORDED FROM: DEPTH: 09/14/82
 LOG RECORDED BY: J. SALVO
 TYPE LOG: XY CAL GR
 DEPTH-ORDER: 2848 TO 1250
 OPERATING RIG TIME: _____
 TYPE FLUID IN HOLE: MUD
 SALINITY, PPM CL: _____

DENSITY-VISCOSITY: FULL
 MAX. REC. TEMP. DEG. F.: _____
 EQUIPMENT-LOCATION: POMPANO BEACH
 RECORDED BY: SALVO
 WITNESSED BY: J. BHELAND

RUN NO.: _____ BIT FROM: _____ TO: _____ SIZE: _____ CASTING RECORD FROM: _____ TO: _____

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.



COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
 WELL: INJECTION WELL CO-2317
 FIELD: COLLIER CO. STATE: FLORIDA



COMPANY: YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL: INJECTION WELL CO-2317
 FIELD: NCRHPT
 COUNTY: COLLIER
 STATE: FLORIDA
 LOCATION: _____
 OTHER SERVICES: _____

FILE NO. _____


PERMANENT DATUM: _____
 LOG MEASURED FROM: _____
 DATE: 09/14/82
 TIME: 09:12
 MODE: RECOMPUTE

DEPTH-DRILLER: 3380
 DEPTH-LOGGER: 2670 TO 1300
 LOGGED INTERVAL: _____
 OPERATING AIR TIME: _____
 TYPE FLUID IN HOLE: MUD
 LEVEL: _____
 MAX. SEC. TEMP. DEG F.: _____
 EQUIPMENT-LOCATION: POMPANO BEACH
 RECORDED BY: J. BRELAND
 WITNESSED BY: _____

RUN NO. _____ BIT FROM _____ TO _____ SIZE _____ CASTING RECORD FROM _____ TO _____

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.

VERSION: 1.70
 NI42
 FINISH DEPTH: 1285.8 FEET DIRECTION: UP DATE: 09/16/82 TIME: 09:12 MODE: RECOMPUTE



START DEPTH: 2870.9 FEET DIRECTION: UP DATE: 09/16/82 TIME: 09:44 MODE: RECOMPUTE
 NI42
 VERSION: 1.70

COMPANY: YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL: INJECTION WELL CO-2317
 FIELD: COLLIER CO. STATE: FLORIDA




COMPANY: YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL: INJECTION WELL CO-2317
 FIELD: NCHAPT
 COUNTY: COLLIER
 STATE: FLORIDA
 LOCATION: _____
 OTHER SERVICES: _____

WILE NO. _____ SEC. 35 TWP. 48S RGE. 26E
 REMAINING GAUGE BL. _____ ELEV. _____
 LOG MEASURED FROM BL. _____ FT. ABOVE PERMANENT DATUM
 ORILLING MEASURED FROM GL. _____ ELEV. _____
 DATE: 09/14/92
 RUN NO. 1 TEMPERATURE
 DEPTH-ORILLER 3380
 DEPTH-LOGGER 2840 TO 1300 TO
 LOGGED INTERVAL 2840 TO 1300 TO
 OPERATING RIG TIME _____
 TYPE LOGS: _____
 TYPE LOGS: _____
 DENSITY: _____
 LEVEL: _____ FULL
 MAN. REC. TEMP. DEG. F. _____
 EQUIPMENT LOCATION: POMPANO BEACH
 SALES OFFICE: _____
 WITNESSED BY: J. BRIELAND

ROB. NO. _____ BIT FROM TO SIZE INGT. FROM TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCE FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT EXCEPT IN THE CASE OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.

FINISH DEPTH: 1293.6 FEET DIRECTION: UP DATE: 09/15/92 TIME: 06:48 MODE: TRACE PLAYBACK



COMPANY: YOUNGQUIST BROTHERS DRILLING CO. INC.
 WELL: INJECTION WELL CO-2317
 FIELD: COLLIER CO. STATE: FLORIDA



0-2311 Part B




XY CALIPER
GAMMA RAY

COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
 WELL: INJECTION WELL CO-2317
 FIELD: NCRAPT
 COUNTY: COLLIER
 STATE: FLORIDA
 LOCATION: _____
 OTHER SERVICES: _____

SEC: 35 TWP: 48S RGE: 26E
 PERMANENT DATUM: GL ELEV: _____
 MEASURED FROM: GL FT. ABOVE PERMANENT DATUM: _____
 DRILLING MEASURED FROM: GL ELEV: _____
 DATE: 10/24/92
 RUN NO.: 1 XY CAL GR
 TYPE: DRILLER
 DEPTH-LOGGER: 3340
 LOGGED INTERVAL: 3342 TO 2450
 OPERATING RIG TIME: _____
 TYPE FLUID IN HOLE: WATER
 SALINITY, PPM CL: _____
 DENSITY-VISCOSITY: _____
 LEVEL: FULL
 MAX. REC. TEMP. DEG. F.: _____
 EQUIPMENT-LOCATION: POMPANO BEACH
 RECORDED BY: SALVO
 WITNESSED BY: C. HARRISON

BOREHOLE RECORD
 RUN NO. BIT FROM TO SIZE CASING RECORD FROM TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.



COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
 WELL: INJECTION WELL CO-2317
 FIELD: COLLIER CO. STATE: FLORIDA





DUAL INDUCTION
S P GAMMA RAY


COMPANY: YOUNGQUIST BROTHERS DRILLING CO., INC.
 WELL: INJECTION WELL CO-2317
 FIELD: NCRPPT
 COUNTY: COLLIER
 LOCATION: STATE FLORIDA
 OTHER SERVICES:

SEC. 35 TWP. 48S RGE. 26E
 PERMANENT DATUM GL ELEV. _____
 LOG MEASURED FROM GL _____ FT. ABOVE PERMANENT DATUM
 DRILLING MEASURED FROM GL ELEV. - F. B. _____
 DATE: 10/24/92
 RUM NO. 1
 TYPE LOG DIL SP GR
 DEPTH-DRILLER 3340
 DEPTH-LOGGER 3342
 LOGGED INTERVAL 3342 TO 2490
 OPERATING RIG TIME TO
 TYPE FLUID IN HOLE WATER
 SALINITY, PPM CL
 DENSITY-VISCOSITY
 LEVEL FULL

MAX. REC. TEMP., DEG F.
 EQUIPMENT-LOCATION POMPANO BEACH
 RECORDED BY SALVO
 WITNESSED BY C. HARRISON

BOREHOLE RECORD
 RUM NO. BIT FROM TO SIZE CASING RECORD FROM TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.



COMPANY YOUNGQUIST BROTHERS DRILLING CO., INC.
 WELL INJECTION WELL CO-2317
 FIELD COLLIER CO. STATE FLORIDA





FLOWMETER

COMPANY YOUNGQUIST BROTHERS DRILLING CO. INC.

WELL INJECTION WELL CO-2317

FIELD NCRMPDT

COUNTY COLLIER

LOCATION STATE FLORIDA

OTHER SERVICES:

FILE NO. SEC. 35 TWP. 48S RGE. 26E

PERMANENT DATUM GL. ELEV. -K-8

LOG MEASURED FROM GL. FT. ABOVE PERMANENT DATUM 0.1'

DRILLING MEASURED FROM GL. 0.1'

DATE 10/24/92

RUN NO. 1 FLOWMETER

DEPTH-DRILLER 3340

DEPTH-LOGGER 3340

LOGGED INTERVAL 3340 TO 2450

OPERATING LOG TIME

TYPE FLUID IN HOLE WATER

SALINITY, PPM CL. FULL

DENSITY-VISCOSITY

LEVEL

MAX. REC. TEMP. DEG. F.

EQUIPMENT-LOCATION POMPANO BEACH

RECORDED BY SALVO

WITNESSED BY C. HARRISON

BOREROLE RECORD

CASING RECORD

RUN NO. BIT FROM TO SIZE MGT. FROM TO

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION. AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.



COMPANY YOUNGQUIST BROTHERS DRILLING CO. INC.

WELL INJECTION WELL CO-2317

FIELD COLLIER CO. STATE FLORIDA

