

8600 Oldbridge Lane Orlando, FL 32819 mobile ph 407-733-8958

www.rmbaker.com rob@rmbaker.com


HEADER NOTES:


Geologist PG2186 PROFESSIONAL LICENSES


Licensed Geology Business

| COMP | | SFWMD | | | | | | |
|---------------|-------------------------|---|---------------|--------------------|------------------------|------|------------------|-------|
| LOC | | COUNTY ROAD 846; IMMOKALEE ROAD | D 846; IMN | IOKALEE | ROAD | | | |
| FLD | | LOWER WEST COAST | COAST | | | | | |
| CNTY | | COLLIER | | | | | | |
| STAT | | 핃 | | | | | | |
| PROV | | 핃 | | | | | | |
| CTRY | | USA | | | | | | |
| LATI | | | X | | | _ | ALL SERVICES: | ES: |
| LONG | | | Y | | | | DUAL INDUCTION | ION |
| GDAT | WGS84 | | H DAT | | | | NA LORAL GAININA | VIVIA |
| SEC | | | ELEV | | | | | |
| TWP | | | V DAT | | | | | |
| RGE | | | | | | | | |
| PERMANEN | PERMANENT DATUM: TOC | TOC | | | | | | |
| LOG MEAS | URED FROM | LOG MEASURED FROM: GROUND SURFACE - 4.21 FT BELOW TOC | ACE - 4.21 FT | BELOW TO | č | | | |
| DRILLING 1 | DRILLING MEASURED FROM: | FROM: | | | | | | |
| DATE | | 13 Aug 20 | | TYPE FLUID IN HOLE | IN HOLE | | WATER | |
| RUN No | | | | LOGGING S | LOGGING SPEED (FT/MIN) | | 30 | |
| TYPE LOG | | DUAL INDUCTION | JCTION | TROLLING DIRECTION | DIRECTION | | P | |
| | | | | PUMPING RATE (GPM) | ATE (GPM) | L | N/A | |
| DEPTH-DRILLER | LLER | 160 | | | | | | |
| DEPTH-LOGGER | GER | 144.5 | | | | | | |
| DRILLER | | | | | | | | |
| RECORDED BY | ВҮ | RMB | | | | | | |
| SRVC | | RMBAKER LLC | LLC | API | | | N/A | |
| WITNESSED BY |) BY | SFWMD | | LIC | | | N/A | |
| RUN B | BOREHOLE RECORD | ECORD | | CASING RECORD | CORD | | | |
| NO. B | BIT | FROM | ТО | SIZE | MAT. | FROM | | ТО |
| 1 | | | | 2 | PVC | 0 | | 160 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| | | LOG CODE | ES | | |
|--------------------------|------|-------------------------------|-----|--------------------------------|------|
| 3-arm caliper | CAL | long normal resistivity | RLN | deep induction conductivity | IDC |
| natural gamma (CPS) | GAMM | 8 inch resistivity | R8 | shallow induction conductivity | ISC |
| spontaneous potential | ESP | 32 inch resistivity | R32 | sonic interval velocity | DT |
| single point resistance | RES | deep induction resistivity | ILD | sonic porosity (RHG method) | SPHI |
| short normal resistivity | RSN | shallow induction resistivity | ILM | repeat designation | R |







NOTES:

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times. If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Florida Geology Business Licenced by PG2186

END OF LOG