



GAMMA RAY (API)-CALIPER


LFMW-2





COMPANY : ROWE DRILLING WELL : LFMW-2 FIELD : TOHO COUNTY : OSCEOLA STATE : FLORIDA	OTHER SERVICES: COMPL 9320	
LOCATION : SECTION : NA TOWNSHIP : NA RANGE : NA API NO. : UNIQUE WELL ID. :		
PERMANENT DATUM : MSL LOG MEASURED FROM: GS DRL MEASURED FROM : NA	ELEVATION KB: NA ELEVATION DF: NA ELEVATION GL: NA	
DATE : 03/26/08 DEPTH DRILLER : 1500 BIT SIZE : 7.5 LOG TOP : 3.75 LOG BOTTOM : 1491.50 CASING OD : CASING BOTTOM : 1020 CASING TYPE : STEEL BOREHOLE FLUID : FOR RM TEMPERATURE : 0 MUD RES : 0 MUD WEIGHT : WITNESSED BY : RECORDED BY : AFB REMARKS 1 : REMARKS 2 :		

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS









0	API-GR	200	0	INCH	25
	GAMMA			CALIPER	
200	API-GR	400	25	INCH	50
	GAMMA			CALIPER	
			0	INCH	25
				BIT	

FEET

TOOL CALIBRATION LFMW-2 03/26/08 12:30

TOOL 9074A1 TM VERSION 0

SERIAL NUMBER 857

	DATE	TIME	SENSOR	STANDARD		RESPONSE	
1	Sep02,03	20:50:58	GAMMA	Default	(CPS)	Default	(CPS)
	Sep02,03	17:50:58	GAMMA	180.000	(API-GR)	205.00	(CPS)
2	Dec13,00	22:19:45	CALIPER	Default	(CPS)	Default	(CPS)
	Dec13,00	22:19:45	CALIPER	Default	(CPS)	Default	(CPS)
3	Mar19,08	16:32:11	CALIPERL	5.000	(INCH)	123216.00	(CPS)
	Mar19,08	16:32:11	CALIPERL	12.000	(INCH)	113543.00	(CPS)
4	Dec13,00	22:19:45	CALIPERX	Default	(CPS)	Default	(CPS)
	Dec13,00	22:19:45	CALIPERX	Default	(CPS)	Default	(CPS)



FULL WAVE BHC ACOUSTIC-VDL

LFMW-2




COMPANY : ROWE DRILLING WELL : LFMW-2 FIELD : TOHO COUNTY : OSCEOLA STATE : FLORIDA	OTHER SERVICES: COMPL 9320	
LOCATION : SECTION : NA TOWNSHIP : NA RANGE : NA API NO. : UNIQUE WELL ID. :		
PERMANENT DATUM : MSL LOG MEASURED FROM: GS DRL MEASURED FROM : NA	ELEVATION KB: NA ELEVATION DF: NA ELEVATION GL: NA	
DATE : 03/26/08 DEPTH DRILLER : 1500 BIT SIZE : 7.5 LOG TOP : 979.50 LOG BOTTOM : 1496.00 CASING OD : CASING BOTTOM : 1020 CASING TYPE : STEEL BOREHOLE FLUID : FOR RM TEMPERATURE : 0 MUD RES : 0 MUD WEIGHT : WITNESSED BY : RECORDED BY : AFB REMARKS 1 : REMARKS 2 :		




ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

POR (SON)		
-100	PERCENT	100
TIME (F)		
100	USEC	800
TIME (N)		
100	USEC	800
GAMMA		
0	API-GR	300

FEET		
DELTAT		
300	USEC/FT	0
BHC-DELT		
300	USEC/FT	0

SONIC (N)		
100	USEC	1200





0	API-GR	300
	GAMMA	
100	USEC	800
	TIME(N)	
100	USEC	800
	TIME(F)	
-100	PERCENT	100
	POR(SON)	


300	USEC/FT	0
	BHC-DELT	
300	USEC/FT	0
	DELTAT	

100	USEC	1200
	SONIC(N)	

FEET

TOOL CALIBRATION LFMW-2 03/26/08 13:42
TOOL 9320A2 TM VERSION 0
SERIAL NUMBER 667

	DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Apr12,99	23:12:30	GAMMA	Default [CPS]	Default [CPS]
	Apr12,99	20:12:30	GAMMA	Default [CPS]	Default [CPS]






PUMPING WATER QUALITY

LFMW-2


COMPANY : ROWE DRILLING		OTHER SERVICES: COMPL 9320
WELL : LFMW-2		
FIELD : TOHO		
COUNTY : OSCEOLA		
STATE : FLORIDA		
LOCATION :		
SECTION : NA		
TOWNSHIP : NA		
RANGE : NA		
API NO. :		
UNIQUE WELL ID. :		
PERMANENT DATUM : MSL	ELEVATION KB: NA	
LOG MEASURED FROM: GS	ELEVATION DF: NA	
DRL MEASURED FROM : NA	ELEVATION GL: NA	
DATE : 03/26/08		
DEPTH DRILLER : 1500		
BIT SIZE : 7.5		
LOG TOP : 1011.00		
LOG BOTTOM : 1492.00		
CASING OD :		
CASING BOTTOM : 1020		
CASING TYPE : STEEL		
BOREHOLE FLUID : FOR		
RM TEMPERATURE : 0		
MUD RES : 0		
MUD WEIGHT :		
WITNESSED BY :		
RECORDED BY : AFB		
REMARKS 1 :		
REMARKS 2 :		

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS





1400
1450



0	API-GR	200
	GAMMA	
200	API-GR	400
	GAMMA	
	COMMENTS1	

70	DEG F	90
	TEMP	
-0.5	DEG F	0.5
	DEL TEMP	
0	OHM-M	50
	RES(FL)	
0	US/CM	5000
	SP COND	

FEET

TOOL CALIBRATION LFMW-2 03/26/08 15:28

TOOL 8044A TM VERSION 0

SERIAL NUMBER 938

	DATE	TIME	SENSOR	STANDARD		RESPONSE	
1	Nov04,05	19:46:21	GAMMA	Default	(CPS)	Default	(CPS)
	Nov04,05	16:46:21	GAMMA	Default	(CPS)	Default	(CPS)
2	Mar12,08	13:04:40	RES(FL)	41.100	(OHM-M)	34952.00	(CPS)
	Mar12,08	13:04:40	RES(FL)	0.200	(OHM-M)	9281.00	(CPS)
3	Feb03,08	14:55:49	SP	0.000	(MV)	59007.00	(CPS)
	Feb03,08	14:55:49	SP	395.000	(MV)	19917.00	(CPS)
4	Jan25,08	16:49:33	RES(16N)	0.000	(OHM-M)	3998.00	(CPS)
	Jan25,08	16:49:33	RES(16N)	1996.000	(OHM-M)	103523.00	(CPS)
5	Feb03,08	14:56:33	RES(64N)	0.000	(OHM-M)	4070.00	(CPS)
	Feb03,08	14:56:33	RES(64N)	1990.000	(OHM-M)	102290.00	(CPS)
6	Mar19,08	15:07:22	TEMP	77.000	(DEG F)	66785.00	(CPS)
	Mar19,08	15:07:22	TEMP	84.000	(DEG F)	61850.00	(CPS)
7	Feb03,08	14:56:13	RES	0.000	(OHM)	9845.00	(CPS)
	Feb03,08	14:56:13	RES	988.000	(OHM)	58326.00	(CPS)





PRODUCTION-STATIC-PUMPING

LFMW-2

COMPANY : ROWE DRILLING WELL : LFMW-2 FIELD : TOHO COUNTY : OSCEOLA STATE : FLORIDA		OTHER SERVICES: COMPL 9320
LOCATION : SECTION : NA TOWNSHIP : NA RANGE : NA API NO. : UNIQUE WELL ID. :		
PERMANENT DATUM : MSL LOG MEASURED FROM: GS DRL MEASURED FROM : NA DATE : 03/26/08 DEPTH DRILLER : 1500 BIT SIZE : 7.5 LOG TOP : 3.75 LOG BOTTOM : 1491.50 CASING OD : CASING BOTTOM : 1020 CASING TYPE : STEEL BOREHOLE FLUID : FOR RM TEMPERATURE : 0 MUD RES : 0 MUD WEIGHT : WITNESSED BY : RECORDED BY : AFB REMARKS 1 : REMARKS 2 :		
ELEVATION KB: NA ELEVATION DF: NA ELEVATION GL: NA		

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS





1450

FEET

TOOL CALIBRATION LFMW-2 03/26/08 16:24

TOOL 8711A TM VERSION 0


SERIAL NUMBER 227


	DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Apr26,06	20:22:05	DFLOW	30.000 (FT/MIN)	38.00 (CPS)
	Apr26,06	17:22:05	DFLOW	123.000 (FT/MIN)	846.00 (CPS)
2	Oct11,06	14:15:38	UFLOW	10.000 (FT/MIN)	8.00 (CPS)
	Oct11,06	14:15:38	UFLOW	40.000 (FT/MIN)	148.00 (CPS)




COMBINATION LOG STATIC WATER QUAL. LFMW-2

	COMPANY : ROWE DRILLING WELL : LFMW-2 FIELD : TOHO COUNTY : OSCEOLA STATE : FLORIDA	OTHER SERVICES: COMPL 9320
LOCATION : SECTION : NA TOWNSHIP : NA RANGE : NA API NO. : UNIQUE WELL ID. :		
PERMANENT DATUM : MSL LOG MEASURED FROM: GS DRL MEASURED FROM : NA	ELEVATION KB: NA ELEVATION DF: NA ELEVATION GL: NA	
DATE : 03/26/08 DEPTH DRILLER : 1500 BIT SIZE : 7.5 LOG TOP : 1011.75 LOG BOTTOM : 1492.75 CASING OD : CASING BOTTOM : 1020 CASING TYPE : STEEL BOREHOLE FLUID : FOR RM TEMPERATURE : 0 MUD RES : 0 MUD WEIGHT : WITNESSED BY : RECORDED BY : AFB REMARKS 1 : REMARKS 2 :		
ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS		





0	API-GR	100
	GAMMA	
100	API-GR	200
	GAMMA	
0	MV	300
	SP	



0	OHM-M	750	70	DEG F	90
	RES(16N)			TEMP	
0	OHM-M	750	-0.5	DEG F	0.5
	RES(64N)			DEL TEMP	
0	OHM-M	750	0	OHM-M	50
	LATERAL			RES(FL)	
0	OHM	750	0	US/CM	2000
	RES			SP COND	

SPEED->
 <-VOLUME
 FEET

TOOL CALIBRATION LFMW-2 03/26/08 14:33

TOOL 8044A TM VERSION 0

SERIAL NUMBER 938

	DATE	TIME	SENSOR	STANDARD		RESPONSE	
1	Nov04,05	16:46:21	GAMMA	Default	(CPS)	Default	(CPS)
	Nov04,05	16:46:21	GAMMA	Default	(CPS)	Default	(CPS)
2	Mar12,08	13:04:40	RES(FL)	41.100	(OHM-M)	34952.00	(CPS)
	Mar12,08	13:04:40	RES(FL)	0.200	(OHM-M)	9281.00	(CPS)
3	Feb03,08	14:55:49	SP	0.000	(MV)	59007.00	(CPS)
	Feb03,08	14:55:49	SP	395.000	(MV)	19917.00	(CPS)
4	Jan25,08	16:49:33	RES(16N)	0.000	(OHM-M)	3998.00	(CPS)
	Jan25,08	16:49:33	RES(16N)	1996.000	(OHM-M)	103523.00	(CPS)
5	Feb03,08	14:56:33	RES(64N)	0.000	(OHM-M)	4070.00	(CPS)
	Feb03,08	14:56:33	RES(64N)	1990.000	(OHM-M)	102290.00	(CPS)
6	Mar19,08	15:07:22	TEMP	77.000	(DEG F)	66785.00	(CPS)
	Mar19,08	15:07:22	TEMP	84.000	(DEG F)	61850.00	(CPS)
7	Feb03,08	14:56:13	RES	0.000	(OHM)	9845.00	(CPS)
	Feb03,08	14:56:13	RES	988.000	(OHM)	58326.00	(CPS)