



WELL LOG

WELL LOCATION

County Hendry  
Station I. D. 051000014  
Date 10-06-87 Well No. H-208  
Latitude 026-32-07 Longitude 080-55-33  
         Section 27 Township 45S Range 34E  
Owner SFWMD-Sugar Mott Phone (305)686-8800  
Driller Tony Lubrano Date Drilled   

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other   
T. Depth - Driller 502 T. Depth - Logger 502  
Casing Depth Driller    Casing Depth Logger     
Bit Size 5 7/8" Casing Dia. I.D.     
Hole Dia. 5 7/8" From 0 To 502 Dia. From    To     
Type of Casing    Casing Thickness     
Type of Screen    Screen Int. From    To     
Type of Packing    Well Use     
Static Water Level    Date     
Yield Flow    Pump   

DATUM


K.B.    L.S. +18' T.O.C.   

FLUID QUALITY

Date    Time    Source of Sample     
Cl    mg/l Type of Fluid     
Temp.    °C Field Density    @    °C  
T.D.S.    mg/l Spec. Cond.    μmhos/cm  
Logged By: P. Dauenhauer Witnessed By:     
Comments: Pilot Hole Plugged

TYPE OF SURVEYS RUN

Lateral 6'  Density   
Caliper  ccl   
Flow meter  Fluid Sampler   
16", 64" normals  Temperature   
Neutron  Delta Temp.   
Natural Gamma  SP   
Fluid Resistivity



RECORDED CHEVY (E) GRAPH CONTROLS CORPORATION BALTIMORE, MD, USA

NO. 101 5128

NUMBER 8 24 17

RECORDED CHEVY (E) GRAPH CONTROLS CORPORATION BALTIMORE, MD, USA



WELL LOG

WELL LOCATION

County Hendry  
Station I. D. 051000014  
Date 10-06-87 Well No. H-208  
Latitude 026-32-07 Longitude 080-55-33  
1/4 1/4 1/4 Section 27 Township 45S Range 34E  
Owner SFWMD-Sugar M&H Phone (305)686-8800  
Driller Tony Lubrano Date Drilled \_\_\_\_\_

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other \_\_\_\_\_  
T. Depth - Driller 502 T. Depth - Logger 502  
Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_  
Hole Dia. 5 7/8" From 0 To 502 Dia. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Casing \_\_\_\_\_ Casing Thickness \_\_\_\_\_  
Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Packing \_\_\_\_\_ Well Use \_\_\_\_\_  
Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM


K.B. \_\_\_\_\_ L.S. +18' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ umhos/cm  
Logged By: P. Dauenhauer Witnessed By: \_\_\_\_\_  
Comments: Pilot Hole Plugged

TYPE OF SURVEYS RUN

Lateral 6'  Density ( )  
Caliper  ccl ( )  
Flow meter  Fluid Sampler ( )  
16", 64" normals  Temperature ( )  
Neutron  Delta Temp. ( )  
Natural Gamma  SP   
Fluid Resistivity



RECORDING CHECKED BY: \_\_\_\_\_  
DATE: \_\_\_\_\_  
DRAWN BY: \_\_\_\_\_  
DATE: \_\_\_\_\_  
CHECKED BY: \_\_\_\_\_  
DATE: \_\_\_\_\_  
APPROVED BY: \_\_\_\_\_  
DATE: \_\_\_\_\_



WELL LOG

WELL LOCATION

County Hendry  
Station I. D. 051000014  
Date 10-06-87 Well No. H-208  
Latitude 026-32-07 Longitude 080-55-33  
1/4 1/4 1/4 Section 27 Township 45S Range 34E  
Owner SFWMD - Sugar Mott Phone (305) 686-8800  
Driller Tony Lubrano Date Drilled \_\_\_\_\_

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other \_\_\_\_\_  
T. Depth - Driller 502 T. Depth - Logger 502  
Casing Depth Driller \_\_\_\_\_ Casing Depth Logger \_\_\_\_\_  
Bit Size 5 7/8" Casing Dia. I.D. \_\_\_\_\_  
Hole Dia. 5 7/8" From 0 To 502 Dia. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Casing \_\_\_\_\_ Casing Thickness \_\_\_\_\_  
Type of Screen \_\_\_\_\_ Screen Int. From \_\_\_\_\_ To \_\_\_\_\_  
Type of Packing \_\_\_\_\_ Well Use \_\_\_\_\_  
Static Water Level \_\_\_\_\_ Date \_\_\_\_\_  
Yield Flow \_\_\_\_\_ Pump \_\_\_\_\_

DATUM


K.B. \_\_\_\_\_ L.S. +18' T.O.C. \_\_\_\_\_

FLUID QUALITY

Date \_\_\_\_\_ Time \_\_\_\_\_ Source of Sample \_\_\_\_\_  
Cl \_\_\_\_\_ mg/l Type of Fluid \_\_\_\_\_  
Temp. \_\_\_\_\_ °C Field Density \_\_\_\_\_ @ \_\_\_\_\_ °C  
T.D.S. \_\_\_\_\_ mg/l Spec. Cond. \_\_\_\_\_ μmhos/cm  
Logged By: P. Dauenbauer Witnessed By: \_\_\_\_\_  
Comments: Pilot Hole Plugged

TYPE OF SURVEYS RUN

Lateral 6'  Density   
Caliper  ccl   
Flow meter  Fluid Sampler   
16", 64" normals  Temperature   
Neutron  Delta Temp.   
Natural Gamma  SP   
Fluid Resistivity



RECORDED & INDEXED BY: [illegible] GRAPHIC CONSULTING CORPORATION, BRUNNEN, NEW YORK



WELL LOG

WELL LOCATION

County Hendry  
Station I. D. 051000014  
Date 10-06-87 Well No. H-208  
Latitude 026-32-07 Longitude 080-55-33  
         Section 27 Township 45S Range 34E  
Owner SFWMD-Sugar Mkt (Phone (305)686-8800)  
Driller Tony Lubrano Date Drilled           

WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other   
T. Depth - Driller 502 T. Depth - Logger 502  
Casing Depth Driller            Casing Depth Logger             
Bit Size 5 7/8" Casing Dia. I.D.             
Hole Dia. 5 7/8" From 0 To 502 Dia.            From            To             
Type of Casing            Casing Thickness             
Type of Screen            Screen Int. From            To             
Type of Packing            Well Use             
Static Water Level            Date             
Yield Flow            Pump           

DATUM

K.B.            L.S. +18' T.O.C.           

FLUID QUALITY

Date            Time            Source of Sample             
Cl            mg/l Type of Fluid             
Temp.            °C Field Density            @            °C  
T.D.S.            mg/l Spec. Cond.            umhos/cm


Logged By: P. Dauenhauer Witnessed By:             
Comments: Pilot Hole Plugged

TYPE OF SURVEYS RUN

Lateral 6'   
Caliper   
Flow meter   
16", 64" normals   
Neutron   
Natural Gamma   
Fluid Resistivity   
Density   
ccl   
Fluid Sampler   
Temperature   
Delta Temp.   
SP

H-208  
CALIPER

2 4 6 8 10  
HOLE DIA.



CALIPER  
H-208

RELECOGRAPHIC COMPANY BUFFALO, NEW YORK  
No. BN 6339  
PRINTED IN U.S.A.