

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

FORM 60
Oct, 1977

WELL LOG

WELL LOCATION

County HIGHLANDS
Station I. D. 055000014
Date 06-09-82 Well No. HIF-39
Latitude 027°21'58" Longitude 081°08'27"
SE 1/4 SW 1/4 NE 1/4 Section 08 Township 36S Range 32E
Owner LYKES BROS. Phone 813-467-1384
Driller HARRY CANNON Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. CT Auger _____ Other _____
T. Depth - Driller _____ T. Depth - Logger 1332
Casing Depth Driller _____ Casing Depth Logger 370
Bit Size _____ Casing Dia. I.D. 9.80
Hole Dia. 10 From 0 To 370 Dia. _____ From _____ To _____
Type of Casing STEEL Casing Thickness 0.3"
Type of Screen OPEN HOLE screen Int. From _____ To _____
Type of Packing _____ Well Use AG. WATER SUPPLY
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. X 2.3 l.s.

FLUID QUALITY

Date 06-09-82 Time 1400 Source of Sample WELLHEAD
Cl _____ mg/l Type of Fluid FORMATION WATER
Temp. 82.0 °F Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 938.0 umhos/cm
Logged By: S. ANDERSON Witnessed By: P. DAUENNAUER

Comments: PUMPED WELL DURING TEMP, AT, F.R. & FLOW SURVEYS

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	ccl	<input type="checkbox"/>
Flow meter	<input checked="" type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input checked="" type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input checked="" type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input checked="" type="checkbox"/>		

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1	10	16	20	37	54	57	59	63	66	68	71
STATION I. D.	SURVEY DATE	A CARD C	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LO N DEG	LO N MIN	LO N SEC	
055000014	060982	W11	H1F-39	HIGHLANDS	027	21	58.00	081	08	22.00	

WELL LOCATION CARD TWO

1	17	20	37	39	42	45	61
STATION I. D.	SURVEY DATE	A CARD C	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT PLANNING AREA
		W12	SE1/4; SW1/4; NE1/4	08	36S	32E	K.P.A.

WELL DATUM CARD

1	17	20	26	32	38	44	59
STATION I. D.	SURVEY DATE	A CARD C	KELLY BUSH-ING (FEET)	LAND SUR-FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)
		W21		23			MSL- ; LS- ; TOC-X

WELL OWNERSHIP CARD

1	17	20	37	54	57	64	80
STATION I. D.	SURVEY DATE	A CARD C	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE
		W31	LYKES, BROS	LYKES, BROS, CITRUS	813	467.1384	AG.; WATER SUPPLY

WELL ORIGIN CARD

1	17	20	37	54	71	76
STATION I. D.	SURVEY DATE	A CARD C	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED
		W41	HARRY CANNON	BRADENTON	CABLE TOOL	

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

151

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
055000014	06.09.82	W5.1		13.32		37.0	9.80		YES-X; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5.2	OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD. SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.10		STEEL	10.00	0	320	03	CEMENT

WELL DESCRIPTION - CONFIGURATION CARD. SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.202							

WELL DESCRIPTION - CONFIGURATION CARD. SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

WELL SURVEY REPORT

FORM RP-39 -- Rev. 10/78

(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
0.550000	14060982	W71	S. ANDERSON	P. DAUENHAUER	X	X	X	X	X			X	X	X

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	FORMATION WATER	060982	1400

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	82.0	PH				93.80				

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91	PUMPED WELL	DURING TEMP-DTEMP	F.O.R. AND F.O.M.

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

TISH



WELL LOG


WELL LOCATION
 County HIGHLANDS
 Station I. D. 055000014
 Date 06-09-82 Well No. HIF-39
 Latitude 027°21'58" Longitude 081°08'27"
SE 1/4 SW 1/4 Section 08 Township 36S Range 32E
 Owner LYNES BROS. Phone 813-467-1384
 Driller HARRY CANNON Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. Air CT X Auger Other
 T. Depth - Driller _____ T. Depth - Logger 1332
 Casing Depth Driller _____ Casing Depth Logger 370
 Bit Size _____ Casing Dia. I.D. 9.80
 Hole Dia. 10 From 0 To 370 Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AG. WATER SUPPLY
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM
 K.B. _____ L.S. _____ T.O.C. X 2.3 t.s.
 FLUID QUALITY
 Date 06-09-82 Time 1400 Source of Sample WELLHEAD
 Cl _____ mg/l Type of Fluid FORMATION WATER
 Temp. 82.0 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 938.0 μ mhos/cm
 Logged By: S. ANDERSON Witnessed By: P. DAUENHAUER
 Comments: PUMPED WELL DURING TEMP. AT, F.R. & FLOW SURVEYS

TYPE OF SURVEYS RUN

Lateral 6'	(X)	Density	()
Caliper	(X)	cci	()
Flow meter	(X)	Fluid Sampler	()
16", 64" normals	(X)	Temperature	(X)
Neutron	(X)	Delta Temp.	(X)
Natural Gamma	(X)	SP	(X)
Fluid Resistivity	(X)		

HIF-39 FLOWMETER



6339
 THE ENGINEERING CENTER
 GRAPHIC CONTROLS CORPORATION
 BUFFALO, NEW YORK
 6339
 THE ENGINEERING CENTER
 GRAPHIC CONTROLS CORPORATION
 BUFFALO, NEW YORK
 6339
 THE ENGINEERING CENTER
 GRAPHIC CONTROLS CORPORATION
 BUFFALO, NEW YORK
 6339
 THE ENGINEERING CENTER
 GRAPHIC CONTROLS CORPORATION
 BUFFALO, NEW YORK
 6339
 THE ENGINEERING CENTER
 GRAPHIC CONTROLS CORPORATION
 BUFFALO, NEW YORK



WELL LOG

WELL LOCATION

County HIGHLANDS
Station I. D. 055000014
Date 06-09-82 Well No. HIF-39
Latitude 027°21'58" Longitude 081°08'27"
SE 1/4 SW 1/4 NE 1/4 Section 08 Township 36S Range 32E
Owner LYKES BROS. Phone 813-467-1384
Driller HARRY CHAMBERLAIN Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. X 2.3 L.S.

FLUID QUALITY

Date 06-09-82 Time 1400 Source of Sample WELLHEAD
CI _____ mg/l Type of Fluid FERRUGINOUS WATER
Temp. 82.0 °F Field Density @ _____ °C
T.D.S. _____ mg/l Spec. Cond. 938.0 umhos/cm
Logged By: S. ANDERSON Witnessed By: P. DRAENNAUER


Comments: PUMPED WELL DURING TEMP. AT, F.R. & FLOW SURVEYS

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other _____
T. Depth - Driller _____ T. Depth - Logger 1332
Casing Depth Driller _____ Casing Depth Logger 370
Bit Size _____ Casing Dia. I.D. 9.80
Hole Dia. 10 From 0 To 370 Dia. From _____ To _____
Type of Casing STEEL Casing Thickness 0.3"
Type of Screen OPEN HOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use AG. WATER SUPPLY
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density cel
Fluid Sampler
Temperature
Delta Temp.
SP



RECORDED (GRAPHIC CONTROL CORPORATION) BUFFALO, NEW YORK 6339



WELL LOG

WELL LOCATION

County HIGHLANDS
 Station I. D. 055000014
 Date 06-09-82 Well No. HIF-39
 Latitude 027°21'58" Longitude 081°08'27"
 SE SW-NE Section 08 Township 36S Range 32E
 Owner LYKES BROS. Phone 813-467-1384
 Driller HARRY CHANNON Date Drilled _____
 Drilling Method: Rot. Air Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 1332
 Casing Depth Driller _____ Casing Depth Logger 370
 Bit Size _____ Casing Dia. I.D. 9.80
 Hole Dia. 10 From 0 To 370 Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AG. WATER SUPPLY
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. X 2.3 L.S.


FLUID QUALITY

Date 06-09-82 Time 1400 Source of Sample WELLHEAD
 Cl _____ mg/l Type of Fluid FORMATION WATER
 Temp. 82.0 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 938.0 umhos/cm
 Logged By: S. ANDERSON Witnessed By: P. DAUENHAVER
 Comments: PUMPED WELL DURING TEMP. AT. F.R. & FLOW SURVEYS

TYPE OF SURVEYS RUN

Lateral 6'
 Caliper
 Flow meter
 16", 64" normals
 Neutron
 Natural Gamma
 Fluid Resistivity
 Density
 Fluid Sampler
 Temperature
 Delta Temp.
 SP

HIF-39
CALIPER



↑
20'/Min

CALIPER

6339
 RECORDED/INDEXED
 GRAPHIC CONTROLS CORPORATION
 BUFFALO, NEW YORK



WELL LOG

WELL LOCATION

County HIGHLANDS
 Station I. D. 055000014
 Date 06-09-82 Well No. HIF-39
 Latitude 027°21'58" Longitude 081°08'27"
SE 1/4 SW 1/4 NE 1/4 Section 08 Township 36S Range 32E
 Owner LYMES BROS. Phone 813-467-1384
 Driller HARRY CANNON Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. X 2.3 L.S.

FLUID QUALITY

Date 06-09-82 Time 1400 Source of Sample WELLHEAD
 _____ mg/l Type of Fluid FORMATION WATER
 Temp. 82.0 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 938.0 umhos/cm
 Logged By: S. ANDERSON Witnessed By: P. DREWENHAVER
 Comments: PUMPED WELLS DURING TEMP. AT, F.R. & FLOW SURVEYS

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger _____ Other _____
 T. Depth - Driller _____ T. Depth - Logger 1332
 Casing Depth Driller _____ Casing Depth Logger 370
 Bit Size _____ Casing Dia. I.D. 9.80
 Hole Dia. 10 From 0 To 370 Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AG. WATER SUPPLY
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____




TYPE OF SURVEYS RUN

Lateral 6' (X) Density ()
 Caliper (X) ccl ()
 Flow meter (X) Fluid Sampler ()
 16", 64" normals (X) Temperature (X)
 Neutron (X) Delta Temp. (X)
 Natural Gamma (X) SP (X)
 Fluid Resistivity (X)

HIF-39

TEMPERATURE DIFFERENTIAL

TEMPERATURE GRADIENT





WELL LOG

WELL LOCATION

County HIGHLANDS
 Station I. D. 05500014
 Date 06-09-82 Well No. HIF-39
 Latitude 027°21'58" Longitude 081°08'27"
SE 1/4 SW 1/4 NE 1/4 Section 08 Township 36S Range 32E
 Owner LYMES BROS. Phone 813-467-1384
 Driller HARRY CHAMBERLAIN Date Drilled _____

DATUM

K.B. _____ L.S. _____ T.O.C. X 2.3 l.s.

FLUID QUALITY

Date 06-09-82 Time 1400 Source of Sample WELLHEAD
 Cl _____ mg/l Type of Fluid FORMATION WATER
 Temp. 82.0 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 938.0 μ mhos/cm

Logged By: S. ANDERSON Witnessed By: P. DAUENHAVER


Comments: PUMPED WELL DURING TEMP, AT, F.R. & FLOW SURVEYS

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger _____ Other _____
 T. Depth - Driller _____ T. Depth - Logger 1332
 Casing Depth Driller _____ Casing Depth Logger 370
 Bit Size _____ Casing Dia. I.D. 9.80
 Hole Dia. 10 From 0 To 370 Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AG. WATER SUPPLY
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6'
 Caliper
 Flow meter
 16", 64" normals
 Neutron
 Natural Gamma
 Fluid Resistivity
 Density
 ocl
 Fluid Sampler
 Temperature
 Delta Temp.
 SP





WELL LOG



WELL LOCATION
 County HIGHLANDS
 Station I. D. 055000014
 Date 06-09-82 Well No. HIF-39
 Latitude 027°21'58" Longitude 081°08'27"
 SE 1/4 NE 1/4 Section 08 Township 36S Range 32E
 Owner LYNES BROS. Phone 813-467-1364
 Driller HARRY PHANNON Date Drilled _____

WELL CONSTRUCTION
 Drilling Method: Rot. Air Auger _____ Other _____
 T. Depth - Driller _____ T. Depth - Logger 1332
 Casing Depth Driller _____ Casing Depth Logger 370
 Bit Size _____ Casing Dia. I.D. 9.80
 Hole Dia. 10 From 0 To 370 Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AG. WATER SUPPLY
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM
 F.S. _____ L.S. _____ T.O.C. X 2.3 t.s.

FLUID QUALITY
 Date 06-09-82 Time 1400 Source of Sample WELLHEAD
 Cl _____ mg/l Type of Fluid FORMATION WATER
 Temp. 82.0 °F Field Density @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 938.0 umhos/cm
 Logged By: S. ANDERSON Witnessed By: P. DAUENHAVER
 Comments: PUMPED WELL DURING TEMP, AT, F.R. & FLOW SURVEYS

TYPE OF SURVEYS RUN
 Lateral G' Density ()
 Caliper ocl ()
 Flow meter Fluid Sampler ()
 16", 64" normals Temperature (X)
 Neutron Delta Temp. (X)
 Natural Gamma SP (X)
 Fluid Resistivity





WELL LOG

WELL LOCATION

County HIGHLANDS
 Station I. D. 055000014
 Date 06-09-82 Well No. HIF-39
 Latitude 027°21'58" Longitude 081°08'27"
 SE 1/4 SW 1/4 NE 1/4 Section 08 Township 36S Range 32E
 Owner LYKES BROS. Phone 813-467-1384
 Driller HARRY CHANDON Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. Air CTX Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 1332
 Casing Depth Driller _____ Casing Depth Logger 370
 Bit Size _____ Casing Dia. I.D. 9.80
 Hole Dia. 10 From 0 To 370 Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.3"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AG. WATER SUPPLY
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. X 2.3 t.s.

FLUID QUALITY

Date 06-09-82 Time 1400 Source of Sample WELLHEAD
 Cl _____ mg/l Type of Fluid FORMATION WATER
 Temp. 82.0 °F Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 938.0 μ mhos/cm

Logged By: S. ANDERSON Witnessed By: P. DAUENHAVER

Comments: PUMPED WELL DURING TEMP. AT F.R. & FLOW SURVEYS

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-----|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | <input checked="" type="checkbox"/> | cel | () |
| Flow meter | <input checked="" type="checkbox"/> | Fluid Sampler | () |
| 16', 64" normals | <input checked="" type="checkbox"/> | Temperature | () |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | () |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | () |
| Fluid Resistivity | <input checked="" type="checkbox"/> | | |

