


Hole NO. = PZ-KRR96-F-FS

Completed = 12/12/96



2" PVC riser with 1' stickup above 8" PVC casing filled with concrete

2' x 2' concrete pad on plastic sheet flush with ground surface.

MATERIALS PLACED:

2.5 - 50# bags standard sand 6-20

3 - 50# bags bentonite enviroplug wyoben

Top of 5' screened interval.

TABLE A1. WELLS NAMES

| OLD WELL NAME **     | NEW WELL NAME | FUNCTION                          | ACTUAL CONSTRUCTION (TD, CD) |
|----------------------|---------------|-----------------------------------|------------------------------|
| PZ-KRR96-E-N15       | KRENNS        | NEAR-FIELD SHALLOW WELL           | TD = 15<br>CD = 10           |
| PZ-KRR96-E-NS<br>*** | KRENNM        | NEAR-FIELD MID-DEPTH WELL         | TD = 30<br>CD = 15           |
| PZ-KRR96-E-NMDC      | KRENNC        | NEAR-FIELD CONFINING-UNIT WELL    | TD = 40<br>CD = 50           |
| PZ-KRR96-E-ND        | KRENND        | NEAR-FIELD DEEP WELL              | TD = 110*<br>CD = 100        |
| PZ-KRR96-E-NM        | KRENNM2       | NEAR-FIELD MID-DEPTH WELL         | TD = 76<br>CD = 66           |
| WT1                  | KRENNW        | NEAR-FIELD WATER TABLE PIEZOMETER | TD = 4                       |
| PZ-KRR96-E-F15       | KREFFS        | FAR-FIELD SHALLOW WELL            | TD = 15<br>CD = 10           |
| PZ-KRR96-E-9'        | KREFFW        | FAR-FIELD WATER TABLE PIEZOMETER  | TD = 10<br>CD = 5            |
| PZ-KRR96-E-FD        | KREFFD        | FAR-FIELD DEEP WELL               | TD = 115<br>CD = 105         |
| PZ-KRR96-E-FS<br>*** | KREFFM        | FAR-FIELD MID-DEPTH WELL          | TD = 35<br>CD = 20           |

TABLE A1. WELLS NAMES

| OLD WELL NAME **   | NEW WELL NAME | FUNCTION                          | ACTUAL CONSTRUCTION (TD, CD) |
|--------------------|---------------|-----------------------------------|------------------------------|
| KRR96-F-NS         | KRRFNS        | NEAR-FIELD SHALLOW WELL           | TD = 15<br>CD = 10           |
| PZ-KRR96-F-NMD     | KRRFNC        | NEAR-FIELD CONFINING-UNIT WELL    | TD = 65<br>CD = 60           |
| PZ-KRR96-F-ND      | KRRFND        | NEAR-FIELD DEEP WELL              | TD = 110*<br>CD = 95         |
| PZ-KRR96-F-NM ***  | KRRFNM        | NEAR-FIELD MID-DEPTH WELL         | TD = 30<br>CD = 15           |
| WT1                | KRRFNW        | NEAR-FIELD WATER TABLE PIEZOMETER | TD = 5                       |
| WT2                | KRRFFW        | FAR-FIELD WATER TABLE PIEZOMETER  | TD = 5                       |
| PZ-KRR96-F-FD      | KRRFFD        | FAR-FIELD DEEP WELL               | TD = 108*<br>CD = 93         |
| PZ-KRR96-F-FS      | KRRFFS        | FAR-FIELD SHALLOW WELL            | TD = 16<br>CD = 11           |
| PZ-KRR96-F-FMD *** | KRRFFM        | FAR-FIELD MID-DEPTH WELL          | TD = 30<br>CD = 15           |

\* These wells were initially drilled to 140 feet and backfilled.

\*\* Well name as given on the as-built drawings.

\*\*\* In order to be consistent with the wells in Pool C, the 30-ft wells in Pool are considered to be mid-depth wells.