



WELL LOG

WELL LOCATION

County MARTIN
 Station I. D. 0850000063
 Date 7/26/88 Well No. M-1235 (U.S.G.S.)
 Latitude 27°-02'-37" Longitude 80°-14'-05"
 Section 27 Township 39S Range 41E
 Owner _____ Phone _____
 Driller T. LUBRANO Date Drilled 7/26/88

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller 160' T. Depth - Logger 160'
 Casing Depth Driller _____ Casing Depth Logger _____
 Bit Size _____ Casing Dia. I.D. 2.0"
 Hole Dia. 6" From 0' To 160' Dia. _____ From _____ To _____
 Type of Casing P.V.C. Casing Thickness _____
 Type of Screen P.V.C. Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 15.0' NGVD T.O.C. + 3.0'

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: K. ADAMS

Comments: WELL WAS SCREENED & CASED AFTER LOGGING

TYPE OF SURVEYS RUN

| | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | () | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | () | | |





WELL LOG

WELL LOCATION

County MARTIN

Station I. D. 0850000063

Date 7/26/88 Well No. M-1235 (U.S.G.S.)

Latitude 27°-02'-37" Longitude 80°-14'-05"

SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 27 Township 39S Range 41E

Owner _____ Phone _____

Driller T. LUBRANO Date Drilled 7/26/88

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 160' T. Depth - Logger 160'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. 2.0"

Hole Dia. 6" From 0' To 160' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 15.0 NGVD T.O.C. + 3.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm


Logged By: E.P. DAUENHAUER Witnessed By: K. ADAMS

Comments: WELL WAS SCREENED & CASED

AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | () | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | () | | |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County MARTIN

Station I. D. Q850000063

Date 7/26/88 Well No. M-1235 (U.S.G.S.)

Latitude 27°-02'-37" Longitude 80°-14'-05"

SE SW SW Section 27 Township 39S Range 41E

Owner _____ Phone _____

Driller T. LUBRANO Date Drilled 7/26/88

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 160' T. Depth - Logger 160'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. 2.0"

Hole Dia. 6" From 0' To 160' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness _____

Type of Screen P.V.C. Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 15.0' NGVD T.O.C. + 3.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: K. ADAMS

Comments: WELL WAS SCREENED & CASED

AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | () |
| Caliper | () | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | () | | |

