

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1			10			16			20			37			54			57			59			63			66			68			71		
STATION	SURVEY	CARD	WELL NO.	COUNTY	LAT DEG	LAT MIN	LAT SEC	LON DEG	LON MIN	LON SEC																									
I. D.	DATE	C																																	
093000051	103079	W11	OKF-34	KEECHIC	027	31	5200	081	01	2200																									

WELL LOCATION CARD TWO

1			17			20			37			39			42			45			61		
STATION	SURVEY	CARD	QUARTERSECTIONS	SEC	TOWN-SHIP	RANGE	WATER MANAGEMENT DISTRICT																
I. D.	DATE	C					PLANNING AREA																
		W12	N.E.1/4; N.E.1/4; N.E.1/4	09	34S	33E	KISSIMMEE																

WELL DATUM CARD

1			17			20			26			32			38			44			59		
STATION	SURVEY	CARD	KELLY BUSH- ING (FEET)	LAND SUR- FACE (FT)	TOP OF CASING (FT)	OTHER (FT) (SEE NOTES)	DATUM (CHECK ONE)																
I. D.	DATE	C					MSL- ; LS-X; TOC-X																
		W21					MSL- ; LS-X; TOC-X																

WELL OWNERSHIP CARD

1			17			20			37			54			57			64			80		
STATION	SURVEY	CARD	NAME OF OWNER	GROVE/PROPERTY NAME	AREA CODE	TELEPHONE	WELL USE																
I. D.	DATE	C																					
		W31	VIKING, C.P.R.P.																				

WELL ORIGIN CARD

1			17			20			37			54			71			76		
STATION	SURVEY	CARD	DRILLER/ DRILLING COMPANY	OFFICE OF DRILLER (CITY)	DRILLING METHOD	DATE COMPLETED														
I. D.	DATE	C																		
		W41																		

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
09,3,0,0,0,0,51	1,0,3,0,79	W5,1		1,143		276	1,050	-	YES-	NO- <input checked="" type="checkbox"/>

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5,2						

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6,10		STEEL	11.00	0	276	0.3	

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6,20		2					

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6,30		3					

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.

COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD), 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS

WELL SURVEY REPORT

FORM RP-39 -- Rev. 10/78

(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
093000051	10,30,79	W71	ANDERSON S.	BROWN M.P.	X	X	X	X		X		X		

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:
 A = CALIPER F = NATURAL GAMMA K = TEMPERATURE GRADIENT
 B = FLOWMETER G = FLUID RESISTIVITY L = DELTA TEMPERATURE
 C = 16-INCH NORMAL RESISTIVITY H = GAMMA GAMMA DENSITY M = SPONTANEOUS POTENTIAL
 D = 64-INCH NORMAL RESISTIVITY I = CASING COLLAR LOCATOR N = POINT RESISTANCE
 E = NEUTRON POROSITY J = FLUID SAMPLER O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81	WELLHEAD	WATER	10,30,79	1,10,0

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	C FIELD	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82	76.40					430.0				

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91			
1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1		10		16		20		37		54		57		59		63		66		68		71	
STATION		SURVEY		CARD		WELL NO.		COUNTY		LAT		LAT		LAT		LON		LON		LON			
I. D.		DATE		C						DEG		MIN		SEC		DEG		MIN		SEC			
093000051		040982		W11		OKE-34		OKEECHOBEE		027		31		52		081		01		27			

WELL LOCATION CARD TWO

1		17		20		37		39		42		45		61	
STATION		SURVEY		CARD		QUARTERSECTIONS		SEC		TOWN-		WATER MANAGEMENT DISTRICT			
I. D.		DATE		C				SHIP		RANGE		PLANNING AREA			
				W12		NE1/4; NE1/4; NE1/4		09		34S		33E		K. P. A.	

WELL DATUM CARD

1		17		20		26		32		38		44		59	
STATION		SURVEY		CARD		KELLY BUSH-		LAND SUR-		TOP OF		OTHER (FT)		DATUM (CHECK ONE)	
I. D.		DATE		C		ING (FEET)		FACE (FT)		CASING (FT)		(SEE NOTES)			
				W21						00				MSL-; LS-X; TOC-	

WELL OWNERSHIP CARD

1		17		20		37		54		57		64		80	
STATION		SURVEY		CARD		NAME OF OWNER		AREA		TELEPHONE		WELL USE			
I. D.		DATE		C				CODE							
				W31		VIKING CORP.									

WELL ORIGIN CARD

1		17		20		37		54		71		76	
STATION		SURVEY		CARD		DRILLER/		OFFICE OF		DRILLING		DATE	
I. D.		DATE		C		DRILLING COMPANY		DRILLER (CITY)		METHOD		COMPLETED	
				W41									

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
09.300.0051	04.0.982	W5.1		1143		276	105		YES- ; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W5.2						

WELL DESCRIPTION - CONFIGURATION CARD. SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.10	0	Steel	110	0	276	5	

WELL DESCRIPTION - CONFIGURATION CARD. SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.20	2						

WELL DESCRIPTION - CONFIGURATION CARD. SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6.30	3						

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

WELL SURVEY REPORT

FORM RP-39 -- Rev. 10/78

(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	A	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*
I. D.	DATE	C				A	B	C	D	E	F	G	H	I
093000051	040982	W71	S. Anderson		P. Dauenhauer	X							XX	

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

A = CALIPER	F = NATURAL GAMMA	K = TEMPERATURE GRADIENT
B = FLOWMETER	G = FLUID RESISTIVITY	L = DELTA TEMPERATURE
C = 16-INCH NORMAL RESISTIVITY	H = GAMMA GAMMA DENSITY	M = SPONTANEOUS POTENTIAL
D = 64-INCH NORMAL RESISTIVITY	I = CASING COLLAR LOCATOR	N = POINT RESISTANCE
E = NEUTRON POROSITY	J = FLUID SAMPLER	O = 6-FOOT LATERAL RESISTIVITY

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	A	CARD	SAMPLE SOURCE	TYPE	DATE
I. D.	DATE	C		(WELLHEAD, ETC.)	FLUID	SAMPLED
			W81			

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75		
STATION	SURVEY	A	CARD	TEMP. OF	C	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C		SAMPLE	F	GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
			W82											

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	A	CARD	COMMENTS	COMMENTS
I. D.	DATE	C		- LINE 1	- LINE 2
			W91		

1	17	20	40	60	76
STATION	SURVEY	A	CARD	COMMENTS	COMMENTS
I. D.	DATE	C		- LINE 4	- LINE 5
			W92		

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.



WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 093000051
 Date 10/30/79 Well No. OKF-34
 Latitude 27° 31' 52.00" Longitude 081° 01' 27.00"
 NE ¼ NE ¼ NE ¼ Section 09 Township 34S Range 33E
 Owner Viking Corp. Phone _____
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. 0.0 L.S. T.O.C. _____

FLUID QUALITY


Date 10/30/79 Time 1100 Source of Sample wellhead
 Cl _____ mg/l Type of Fluid water
 Temp. 76.40 °F 98 Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 430.0 μmhos/cm
 Logged By: S. Anderson Witnessed By: M. P. Brown
 Comments: _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 1143.0'
 Casing Depth Driller _____ Casing Depth Logger 276.0'
 Bit Size _____ Casing Dia. I.D. 9.50"
 Hole Dia. 11.00" From 0' To 276' Dia. From _____ To _____
 Type of Casing steel Casing Thickness 0.3"
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use abandoned
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
 Caliper (XX) ccl (XX)
 Flow meter () Fluid Sampler ()
 16", 64" normals (XX) Temperature ()
 Neutron (XX) Delta Temp. ()
 Natural Gamma (XX) SP (XX)
 Fluid Resistivity ()





WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 0 9 3 0 0 0 5 1
 Date 10/30/79 Well No. OKF-34
 Latitude 27° 31' 52.00" Longitude 081° 01' 27.00"
NE ¼ NE ¼ NE ¼ Section 09 Township 34S Range 33E
 Owner Viking Corp. Phone _____
 Driller _____ Date Drilled _____

DATUM

K.B. _____ L.S. 0.0 L.S. T.O.C. _____

FLUID QUALITY

Date 10/30/79 Time 1100 Source of Sample wellhead
 Cl _____ mg/l Type of Fluid water
 Temp. 76.40 °F 98 Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 430.0 μ mhos/cm
 Logged By: S. Anderson Witnessed By: M. P. Brown

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 1143.0'
 Casing Depth Driller _____ Casing Depth Logger 276.0'
 Bit Size _____ Casing Dia. I.D. 9.50"
 Hole Dia. 11.00" From 0' To 276' Dia. From _____ To _____

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
 Caliper (X) ccl (X)
 Flow meter () Fluid Sampler ()
 16", 64" normals (X) Temperature ()
 Neutron (X) Delta Temp. ()
 Natural Gamma (X) SP (X)
 Fluid Resistivity ()

Type of Casing steel Casing Thickness 0.3"
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use abandoned
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

OKF-34

CALIPER

HOLE DIA.



-0-

-50'-

-100'-

-150'-

-200'-

-250'-

30'/MIN. ↑

-300'-

-350'-

-400'-

-450'-

-500'-

-550'-

-600'-

-650'-

-700'-

-750'-

-800'-

-850'-

-900'-

30'/MIN. ↑

-950'-

-1000'-

-1050'-

-1100'-

-1140'-

CALIPER

OKF-34



WELL LOG

WELL LOCATION

County Okeechobee
 Station I. D. 0 9 3 0 0 0 5 1
 Date 10/30/79 Well No. OKF-34
 Latitude 27° 31' 52.00" Longitude 081° 01' 27.00"
NE 1/4 NE 1/4 NE 1/4 Section 09 Township 34S Range 33E
 Owner Viking Corp. Phone _____
 Driller _____ Date Drilled _____

DATUM

K.B. _____ E.S. 0.0 L.S. _____ T.O.C. _____

FLUID QUALITY

Date 10/30/79 Time 1100 Source of Sample wellhead
 Cl _____ mg/l Type of Fluid water
 Temp. 76.40 °F % Field Density @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. 430.0 μ mhos/cm
 Logged By: S. Anderson Witnessed By: M. P. Brown



WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 1143.0'
 Casing Depth Driller _____ Casing Depth Logger 276.0'
 Bit Size _____ Casing Dia. I.D. 9.50"
 Hole Dia. 11.00" From 0' To 276' Dia. From _____ To _____
 Type of Casing steel Casing Thickness 0.3"
 Type of Screen open hole Screen Int. From _____ To _____
 Type of Packing _____ Well Use abandoned
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

Comments:

TYPE OF SURVEYS RUN

Lateral G' () Density ()
 Caliper (XX) cci (X)
 Flow meter () Fluid Sampler ()
 16" 64" normals (XX) Temperature ()
 Neutron (XX) Delta Temp. ()
 Natural Gamma (X) SP (XX)
 Fluid Resistivity ()





WELL LOG

WELL LOCATION
 County Okeechobee
 Station I. D. 093000051
 Date 04-09-82 Well No. OKF-34
 Latitude 027°31'52" Longitude 081°01'27"
 NE ¼ NE ¼ NE ¼ Section 09 Township 34S Range 33E
 Owner Viking Corp. Phone _____
 Driller _____ Date Drilled _____

DATUM
 K.B. _____ L.S. 0.0 T.O.C. _____
 FLUID QUALITY
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm
 Logged By: S. Anderson Witnessed By: P. Daubhaug
 Comments: _____

WELL CONSTRUCTION
 Drilling Method: Rot. Air CT Auger _____ Other _____
 T. Depth - Driller _____ T. Depth - Logger 1143'
 Casing Depth Driller _____ Casing Depth Logger 276'
 Bit Size _____ Casing Dia. I.D. 10.5"
 Hole Dia. 11" From 0' To 276' Dia. From _____ To _____
 Type of Casing Steel Casing Thickness 0.5"
 Type of Screen _____ Screen Int. From _____ To _____
 Type of Packing _____ Well Use _____
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____


TYPE OF SURVEYS RUN
 Lateral 6' () Density ()
 Caliper () ccl ()
 Flow meter (x) Fluid Sampler ()
 16" 64" normals () Temperature (x)
 Neutron () Delta Temp. (x)
 Natural Gamma () SP ()
 Fluid Resistivity ()

OKF-34

FLOWMETER

CPS

TC:2



50/MIN
↓

50 45 40 35 30 25 20 15 10 5 0
CPS



WELL LOG

WELL LOCATION
 County Okeechobee
 Station I. D. 093000051
 Date 04-09-82 Well No. OKF-34
 Latitude 027-31-52 Longitude 081-01-27
 NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 09 Township 34S Range 33E
 Owner Viking Corp. Phone _____
 Driller _____ Date Drilled _____

WELL CONSTRUCTION
 Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 1143'
 Casing Depth Driller _____ Casing Depth Logger 276'
 Bit Size _____ Casing Dia. I.D. 10.5"
 Hole Dia. 11" From 0' To 276' Dia. From _____ To _____
 Type of Casing Steel Casing Thickness 0.5"
 Type of Screen _____ Screen Int. From _____ To _____
 Type of Packing _____ Well Use _____
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM
 K.B. _____ L.S. 0.0 T.O.C. _____

FLUID QUALITY
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm
 Logged By: S. Anderson Witnessed By: P. Dauenhauer
 Comments: _____

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	()	ccl	()
Flow meter	(X)	Fluid Sampler	()
16", 64" normals	()	Temperature	()
Neutron	()	Delta Temp.	(X)
Natural Gamma	()	SP	()
Fluid Resistivity	()		

OKF-34

TEMPERATURE DIFFERENTIAL

TEMPERATURE GRADIENT

