



SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION


County OKEECHOBEE
 Station I. D. 0993000067
 Date 06/22/92 Well No. OKF-94 (OKFBAR)
 Latitude 27° 24' 38" Longitude 80° 45' 38"
 SE. $\frac{1}{2}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 19 Township 25S Range 36E
 Owner LABSON D&D Phone _____
 Driller _____ Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. Air CT Auger Other _____
 T. Depth Driller _____ T. Depth - Logger 954'
 Casing Depth Driller _____ Casing Depth Logger 370'
 Bit Size _____ Casing Dia. I.D. 7.8"
 Hole Dia. 8" From 0' To 854' Dia. _____ From _____ To _____
 Type of Casing STEEL Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use BARCELONA T&R AL.
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

WELL LOG

DATUM _____ L.S. +657.0 NGVD 10.C.
 K.B. _____
 FLUID QUALITY _____
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.O.S. _____ mg/l Spec. Cond. _____ Jumbos cm
 Logged By: E.P. DAVENHAME Witnessed By: J. HEAR
 Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|------------------------|-----|
| Lateral 6' | (X) | Density | () |
| Calliper | (X) | Fluid Sampler | () |
| Flow meter | () | Temp. 16", 64" normals | (X) |
| Neutron | (X) | Delta Temp. | (X) |
| Neutron Gamma | (X) | Sp. St. | (X) |
| Fluid Resistivity | (X) | Single Pt. | (X) |





FORM 0395
REV. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Section 1, D. 0 9 3 0 0 0 0 0 6 7

Date 06/02/92 Well No. OKF-94 (OKF-DH18)

Latitude 27° 24' 38" Longitude 80° 45' 38"

SE 1/4 NE 1/4 SE 1/4 Section 19 Township 35S Range 36E

Owner LARSON DRAP Phone _____

Driller _____ Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller _____ T. Depth - Logger 854'

Casing Depth Driller _____ Casing Depth Logger 320'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 854' Dia. From _____ To _____

Type of Casing STEEL Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use AGRICULTURAL

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. +65.0' NGVD T.O.C.

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ $\mu\text{mhos/cm}$

Logged By: E.P. DAUTHAUER Witnessed By: J. HERR

Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input type="checkbox"/> | edl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 092000067

Date 06/02/92 Well No. OKF-94 (OKFDHLLR)

Latitude 27° 24' 38" Longitude 80° 45' 38"

SE 1/4 NE 1/4 SE 1/4 Section 19 Township 35S Range 36E

Owner LARSON PROP. Phone _____

Driller _____ Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller _____ T. Depth - Logger 854'

Casing Depth Driller _____ Casing Depth Logger 370'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 854' Dia. _____ From _____ To _____

Type of Casing STEEL Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use BARICAL-TURBIL

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. +65.0' NGVD T.O.C.

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUBMANER Witnessed By: J. HEER

Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | (X) | Density | () |
| Calliper | (X) | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16" 64" normals | (X) | Temperature | (X) |
| Neutron | (X) | Delta Temp. | (X) |
| Natural Gamma | (X) | SP | (X) |
| Fluid Resistivity | (X) | Single pt. | (X) |





FORM 0386
REV. 10/83

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKECHLOHSEE
 Station I. D. 0930000057
 Date 06/02/92 Well No. OKF-94 (OKFDHLR)
 Latitude 27° 24' 30" Longitude 80° 45' 38"
 SE. 1/4 NE. 1/4 E. 1/4 Section 19 Township 35S Range 36E
 Owner LARSON RAO Phone _____
 Driller _____ Date Drilled _____


WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 854'
 Casing Depth Driller _____ Casing Depth Logger 310'
 Bit Size _____ Casing Dia. I.D. 7.8"
 Hole Dia. 8" From 0' To 854' Dia. _____ From _____ To _____
 Type of Casing STEEL Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AGRICULTURAL
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

WELL LOG

DATUM _____ L.S. +65.0' NGVD 1983
 K.B. _____
 FLUID QUALITY _____
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: E.P. DANIELHAKER Witnessed By: S. HERR
 Comments: _____

TYPE OF SURVEYS RUN
 Lateral 6' (X)
 Caliper (X)
 Flow meter (X)
 16" 64" normals (X)
 Neutron (X)
 Natural Gamma (X)
 SP (X)
 Fluid resistivity (X)
 Density ()
 Fluid Sampler (X)
 Temperature (X)
 Delta Temp. (X)
 Single pt. (X)





FORM 0395
Rev. 10-83

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKECHOBEE

Station I. D. 0 9 3 0 0 0 0 0 6 7

Date 06/02/92 Well No. OKF-94 (OKE DLR)

Latitude 27° 24' 38" Longitude 80° 45' 38"

SE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 19 Township 35S Range 36E

Owner LABSON PROP. Phone _____

Driller _____ Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller _____ T. Depth - Logger 854'

Casing Depth Driller _____ Casing Depth Logger 370'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 854' Dia. From _____ To _____

Type of Casing STEEL Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use REGULATORY

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +65.0' MEVD T.O.C.

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAENHAUER Witnessed By: J. HEER

Comments: _____

TYPE OF SURVEYS RUN

- | | |
|-----------------------|-------------------|
| Lateral G. (X) | Density () |
| Calliper (X) | col (X) |
| Flow meter () | Fluid Sampler () |
| 16' 64" normals (X) | Temperature () |
| Neutron (X) | Delta Temp. (X) |
| Natural Gamma (X) | SP (X) |
| Fluid Resistivity (X) | Single pt. (X) |





FORM 0395
REV. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE
 Station I. D. 0930000067 Well No. OKE-94 (OKFDHLR)
 Date 06/02/92 Latitude 27° 24' 38" Longitude 80° 45' 38"
 SE. $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 19 Township 35S Range 36E
 Owner LARSON P&P Phone _____
 Driller _____ Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 854'
 Casing Depth Driller _____ Casing Depth Logger 370'
 Bit Size _____ Casing Dia. I.D. 7.8"
 Hole Dia. 8" From 0' To 854' Dia. From _____ To _____
 Type of Casing STEEL Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use AGRICULTURAL
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

WELL LOG

DATUM
 K.B. _____ L.S. +65.0' NGVD TO C.
 FLUID QUALITY
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm
 Logged By: E.P. DAUBMANER Witnessed By: J. HERR
 Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | (X) | Density | () |
| Calliper | () | cd | (X) |
| Flow meter | () | Fluid Sampler | (X) |
| 16" 64" normals | (X) | Temperature | (X) |
| Neutron | (X) | Delta Temp. | (X) |
| Natural Gamma | (X) | Sp | (X) |
| Fluid Resistivity | (X) | Single pt. | (X) |

