



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION



County OSCEOLA
 Station I. D. 0970000024
 Date 3/23/92 Well No. OSF-62
 Latitude 27° 54' 02" Longitude 81° 02' 40"
1/4 NE 1/4 SW 1/4 SE Section 5 Township 30S Range 33E
 Owner S.F.W.M.D. Phone (407) 686-8800
 Driller MORTON DEWITT & RANG Date Drilled 6/14/92
WELL CONSTRUCTION
 Drilling Method: Rot. Air CT Auger Other
 T. Depth - Driller _____ T. Depth - Logger 629'
 Casing Depth Driller _____ Casing Depth Logger 200'
 Bit Size 7 7/8" Casing Dia. I.D. 7 1/8"
 Hole Dia. 8" From 0 To 629' Dia. _____ From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use D.P.T. MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

WELL LOG

DATUM _____ L.S. +72.0' MEVD T.O.C.
 K.B. _____
FLUID QUALITY
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
 Logged By: E.P. SAUKHAUER Witnessed By: A. TASSINARI
 Comments: PART 3 OF 3

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	ocl	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16', 64" normals	<input checked="" type="checkbox"/>	Temperature	<input checked="" type="checkbox"/>
Neutron	<input type="checkbox"/>	Delta Temp.	<input checked="" type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input checked="" type="checkbox"/>	Single Pt.	<input checked="" type="checkbox"/>





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0970000024

Date 3/23/92 Well No. OSF-62

Latitude 27° 54' 02" Longitude 81° 02' 40"

1/4 NE 1/4 SW 1/4 SE Section 5 Township 30S Range 33E

Owner S.E.W.M.D. Phone (407) 686-8800

Driller Monston Drilling Pump Date Drilled 6/14/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller T. Depth - Logger 629'

Casing Depth Driller Casing Depth Logger 200'

Bit Size 7 7/8" Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0 To 629' Dia. From To

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENABLE Screen Int. From To

Type of Packing Well Use A.P.T. MONITOR

Static Water Level Date

Yield Flow Pump

DATUM

K.B. L.S. +72.0' HGLD T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C



T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.P. DAUBERGER Witnessed By: A. TASSINARI

Comments: PART 3 OF 3

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Calliper | <input checked="" type="checkbox"/> | col | <input type="checkbox"/> |
| Flow meter | <input checked="" type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | Single Pt. | <input checked="" type="checkbox"/> |





FORM 0396
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA
 Station I. D. 097000024
 Well No. OSF-62
 Date 3/23/92
 Latitude 27° 54' 02" Longitude 81° 02' 40"
1/4 NE 1/4 SW 1/4 SE Section 5 Township 30S Range 33E
 Owner S.E.W.M.D. Phone (407) 686-8800
 Driller KRISTON DEXLER & SONS Date Drilled 6/4/92
 WELL CONSTRUCTION
 Drilling Method: Rot. V. Air CT Auger Other _____
 T. Depth - Driller _____ T. Depth - Logger 629'
 Casing Depth Driller _____ Casing Depth Logger 200'
 Bit Size 7/8" Casing Dia. I.D. 1.8"
 Hole Dia. 8" From 0 To 629' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use A.R.I. MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM
K.B. _____ L.S. +72.0' MEVD T.O.C.


FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 CI _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
 Logged By: E.P. DAUSCHNER Witnessed By: A. TASSIARRI
 Comments: PART 3 OF 3

TYPE OF SURVEYS RUN

Lateral 6' Density
 Caliper col
 Flow meter Fluid Sampler
 16" 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

OSF-62





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OSCEOLA

Station I. D. 0970000024

Date 3/23/92 Well No. OSF-62

Latitude 27° 54' 02" Longitude 81° 02' 40"

NE 1/4 SW 1/4 SE Section 5 Township 30S Range 33E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MOTION DRILL & PUMP Date Drilled 6/4/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller T. Depth - Logger 629'

Casing Depth Driller Casing Depth Logger 260'

Bit Size 7 7/8" Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0 To 629' Dia. From To

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use A.R.T. MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. +72.0' MEVD T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C



T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.P. DAUBENBERG Witnessed By: A. TASSINARI

Comments: PART 3 OF 3

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Calliper | <input checked="" type="checkbox"/> | oel | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | Single Pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OSCEOLA
Station I. D. 0 9 7 0 0 0 0 0 2 4

Date 3/23/92 Well No. OSF-62

Latitude 27° 54' 02" Longitude 81° 02' 40"

Owner S.E.W.M.D. Phone (407) 686-8800

Driller MORTON DRILL & PUMP Date Drilled 6/4/92

WELL CONSTRUCTION

Drilling Method: Rot. ✓ Air CT Auger Other

T. Depth - Driller CT Auger Other

Casing Depth Driller CT Casing Depth Logger 629'

Bit Size 7/8" Casing Dia. I.D. 1.8"

Hole Dia. 8" From 0 To 629' Dia. 1.8" From 0 To 0

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From 0 To 0

Type of Packing Well Use A.S.T. MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. + 72.0' MEVD T.O.C.

FLUID QUALITY


Date Time Source of Sample
 Cl mg/l Type of Fluid
 Temp. °C Field Density @ °C
 T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.P. DAUMERIEK Witnessed By: A. TASSINARI

Comments: PART 3 OF 3

TYPE OF SURVEYS RUN

- | | | | |
|--------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6" Caliper | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | oeI | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | Delta Temp. | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| | | Single Pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0970000024

Date 6/14/91 Well No. OSF-62

Latitude 27°53'47" Longitude 81°-02'-26"

NE 1/4 SW 1/4 SE 1/4 Section 5 Township 30S Range 33E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORTON DIP Date Drilled 6/14/91

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger Other

T. Depth - Driller 118' T. Depth - Logger 118'

Casing Depth Driller Casing Depth Logger

Bit Size 7 7/8" Casing Dia. I.D.

Hole Dia. 8" From 0' To 118' Dia. From To

Type of Casing Casing Thickness

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use MONITOR A.P.T.

Static Water Level Date

Yield Flow Pump

DATUM

K.B. L.S. +77.0' NGVD T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.P. DAUGHNER Witnessed By: D. BUTLER

Comments: PART 1 OF 3

TYPE OF SURVEYS RUN

Lateral 6' Density

Caliper ccl



Flow meter Fluid Sampler

16", 64" normals Temperature

Neutron Delta Temp.

Natural Gamma SP

Fluid Resistivity Single pt.





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0970000024

Date 3/23/92 Well No. OSF-62

Latitude 27° 54' 02" N Longitude 81° 02' 40" W

NE 1/4 SW 1/4 SE Section 5 Township 30S Range 33E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller Motion Drilling Pump Date Drilled 6/4/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller T. Depth - Logger 629'

Casing Depth Driller Casing Depth Logger 250'

Bit Size 7 7/8" Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0 To 629' Dia. From To

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use A.S.T. MONITOR

Static Water Level Date

Yield Flow Pump

DATUM L.S. +72.0' MEVD T.O.C.

K.B.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C



T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.P. DAUBENBERG Witnessed By: A. TASSINARI

Comments: PART 3 OF 3

TYPE OF SURVEYS RUN

- | | | | |
|--------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' Caliper | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input checked="" type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | Single Pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OSCEOLA

Station I. D. 0970000024

Date 6/14/91 Well No. OSF-62

Latitude 27°53'41" Longitude 81°02'26"

NE 1/4 SW 1/4 SE 1/4 Section 5 Township 30S Range 33E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORRISON D & P Date Drilled 6/14/91

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger Other

T. Depth - Driller 118' T. Depth - Logger 118'

Casing Depth Driller Casing Depth Logger

Bit Size 7 7/8" Casing Dia. I.D.

Hole Dia. 8" From 0' To 118' Dia. From To

Type of Casing Casing Thickness

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use MONITOR A.P.T.

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. +72.0' NGVD T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C


T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.R. DAUGENHAUER Witnessed By: D. BURLEE

Comments: PART 1 OF 3

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OSCEOLA

Station I. D. 0970000024

Date 6/14/91 Well No. OSF-62

Latitude 27° 53.47' Longitude 81° 02.26'

NE 1/4 SW 1/4 SE 1/4 Section 5 Township 30S Range 33E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORTON DIP Date Drilled 6/14/91

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 118' T. Depth - Logger 118'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 7 7/8" Casing Dia. I.D. _____

Hole Dia. 8" From 0' To 118' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +72.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.R. DAUGENHAUER Witnessed By: D. BUTLER

Comments: PART 1 OF 3

TYPE OF SURVEYS RUN

- Lateral 6" Density
- Calliper ccl
- Flow meter Fluid Sampler
- 16", 64" normals Temperature
- Neutron Delta Temp.
- Natural Gamma SP
- Fluid Resistivity Single pt.





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA
Station I. D. 0970000024
Date 6/20/91 Well No. OSF-62
Latitude 27° 53' 47" Longitude 81° 02' 26"
NE 1/4 SW 1/4 SE 1/4 Section 5 Township 30S Range 33E
Owner S.F.W.M.D. Phone (407) 686-8800
Driller MORTON DRILL & PUMP Date Drilled 6/20/91

DATUM

K.B. _____ L.S. +72.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: J. AMOROSO Witnessed By: D. BUTLER


Comments: PART 2 OF 3

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
T. Depth - Driller _____ T. Depth - Logger 290'
Casing Depth Driller _____ Casing Depth Logger 110'
Bit Size 9" Casing Dia. I.D. 13.5"
Hole Dia. 13.5" From 0' To 110' Dia. 9" From 110' To 290'
Type of Casing P.V.C. Casing Thickness 0.5"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR A.P.T.
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
Caliper (x) ccl ()
Flow meter () Fluid Sampler ()
16", 64" normals (x) Temperature ()
Neutron () Delta Temp. ()
Natural Gamma (x) SP (x)
Fluid Resistivity ()



PRODUCTION BUREAU NEW YORK
REC'D
RECORDING CHIEF
GRAPHIC COMM.



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA
Station I. D. 0970000024
Date 6/20/91 Well No. OSF-62
Latitude 27° 53' 47" Longitude 81° 02' 26"
NE 1/4 SW 1/4 SE 1/4 Section 5 Township 30S Range 33E
Owner S.F.W.M.D. Phone (407) 686-8800
Driller MORTON DRILL & PUMP Date Drilled 6/20/91

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller _____ T. Depth - Logger 290'
Casing Depth Driller _____ Casing Depth Logger 110'
Bit Size 9" Casing Dia. I.D. 13.5"
Hole Dia. 13.5" From 0' To 110' Dia. 9" From 110' To 290'
Type of Casing P.V.C. Casing Thickness 0.5"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR A.P.T.
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. +72.0' NGVD T.O.C. _____


FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: J. AMOROSO Witnessed By: D. BUTLER

Comments: PART 2 OF 3

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | (X) | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | (X) |
| Fluid Resistivity | () | | |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA
Station I. D. 0970000024
Date 6/20/91 Well No. OSF-62
Latitude 27° 53' 47" Longitude 81° 02' 26"
NE 1/4 SW 1/4 SE 1/4 Section 5 Township 30S Range 33E
Owner S.F.W.M.D. Phone (407) 686-8800
Driller MORTON DRILL & PUMP Date Drilled 6/20/91

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller _____ T. Depth - Logger 290'
Casing Depth Driller _____ Casing Depth Logger 110'
Bit Size 9" Casing Dia. I.D. 13.5"
Hole Dia. 13.5" From 0' To 110' Dia. 9" From 110' To 290'
Type of Casing P.V.C. Casing Thickness 0.5"
Type of Screen OPENHOLE Screen Int. From _____ To _____
Type of Packing _____ Well Use MONITOR A.P.T.
Static Water Level _____ Date _____
Yield Flow _____ Pump _____

DATUM


K.B. _____ L.S. +72.0' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
Cl _____ mg/l Type of Fluid _____
Temp. _____ °C Field Density _____ @ _____ °C
T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
Logged By: J. AMOROSO Witnessed By: D. BUTLER
Comments: PART 2 OF 3

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	<input checked="" type="checkbox"/>	ccl	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	()
Neutron	()	Delta Temp.	()
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	()		



MINERAL LOGGING SYSTEMS

PRINTED IN U.S.A.

NO. 06-0475-008

MINERAL LOGGING SYSTEMS, INC. FORT WORTH, TX. 76140



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OSCEOLA

Station I. D. 0970000024

Date 6/14/91 Well No. OSF-62

Latitude 27°53'47" Longitude 81°-02'-26"

NE 1/4 SW 1/4 SE 1/4 Section 5 Township 30S Range 33E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORTON D & P Date Drilled 6/14/91

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger Other

T. Depth - Driller 118' T. Depth - Logger 118'

Casing Depth Driller Casing Depth Logger

Bit Size 7 7/8" Casing Dia. I.D.

Hole Dia. 8" From 0' To 118' Dia. From To

Type of Casing Casing Thickness

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use MONITOR A.P.T.

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. +72.0' NGVD T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.P. DAUGHNER Witnessed By: D. BUTLER

Comments: PART 1 OF 3

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ccl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |

