

Recorded by R. Kane

U.S. DEPT. OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
GROUND WATER SITE INVENTORY  
SITE SCHEDULE

Date 6-18-86

Check One  English  Metric Units

GENERAL SITE DATA (0)

Site Ident No 265606080135503 RG Number R=0 Transaction T=(A) D M V  
 Site-Type 2=C D H I M P T W Data 3=C Reliability U L M Reporting Agency 4=USGS  
 Project No. 5=32500.01 District 6=12 State 7=12 County (or town) Palm Beach 8=099  
 Latitude 9=265606 Longitude 10=10801355 Lat-Long Accuracy 11=S F T M  
 Local Number: 12=P.B. 1548 Land Net Loc. 13=SESE NW S 3 T 41 S R 41 E  
 Location Map 14=hood quad Scale 15=1:24000  
 Altitude 16=20' Method of Measurement 17=A L M Accuracy 18=Topo  
 Topo Setting 19=D C E F H K L O P S T U V W Hydrologic Unit (OWDC) 20=03090202  
 Date of First Construction/Completion 21=06/30/1986 Use of Site 23=T U W X Z  
 Use of Water 24=U Secondary Water Use 25= Tertiary Use of Water 26= Depth of Hole 27=60' Depth of Well 28=60' Source of Depth Data 29=C  
 Water Level 30= Date Measured 31= Source 33=  
 Method of Measurement 34=A C E G H L M R S T V Z  
 Site Status 37=D F G H O P R S T V X Z  
 Source of Geohydrologic Data 36= Pump Used 35= Measuring Point 266 Measuring Point Date 267=

OWNER IDENTIFICATION (1)

R=158 T=(A) D M Date of Ownership 159# 06/18/1986  
 Name: Last 161=USGS First 162= Middle Initial 163=

OTHER SITE IDENTIFICATION NUMBERS (1)

R=189 T=A D M Ident 190# Assigner 191=  
New Card Same R & T Ident 190# Assigner 191=

SITE VISIT DATA (1)

R=186 T=A D M Date of Visit 187# Name of Person 188=

FIELD WATER QUALITY MEASUREMENTS (1)

R=192 T=A D M Date 193# Geohydrologic Unit 195#  
 Temperature 196# 00010 Degrees C 197=  
 Conductance 196# 00095  $\mu$ Mhos 197=  
 Other (STORET) Parameter 196# Value 197=  
 Other (STORET) Parameter 196# Value 197=

FOOT NOTES:

① Source of Data Codes:  
S D O A R L G Z  
 reporting, driller, owner, other gov't, other logs, geologist, other agency, reported,

WELL CONSTRUCTION DATA (1)

R = 68 \* T = A D M \* Entry No. 59 # \* Date of Construction Completion 60 = 06 / 30 / 1986 \* Source of Const. Data 64 = C \*

Name of Contractor/Driller 63 = Duel Tube Reverse \*

Method of Construction 65 = A B C D H J P R T V W Z \*  
air rotary, bored or augered, cable tool, dug, hydraulic rotary, jetted, air percussive, reverse rotary, trenching, driven, drive wash, other

Finish 66 = C F G H Ø P S T W X Z \* Type of Seal 67 = B C G Z \*  
porous concrete, gravel, gravel screen, horizontal gallery, open end, perforated or slotted, screen, sand point, walled, open hole, bentonite, clay, cement, other grout

Bottom of Seal 68 = \* Method of Development 69 = A B C J N P S Z \* Number of Hours in Development 70 = \*  
air lift, bailed, compressed air, jetted, none, other, surged, other pump

Special Treatment During Development 71 = C D E F H M Z \*  
chemicals, dry ice, explosives, deflocculant, hydrofracturing, mechanical, other

DIMENSIONS OF THE HOLE CONSTRUCTED (2)

R = 72 \* T = A D M \* Construction Entry No. 59 # \*

Top of Hole Segment Below LSD  
 73 # \*  
 73 # \*  
 73 # \*  
 73 # \*  
 73 # \*

Bottom of Hole Segment below LSD  
 74 = 60' \*  
 74 = \*  
 74 = \*  
 74 = \*  
 74 = \*

Diameter of Hole Segment  
 75 = 6" \*  
 75 = \*  
 75 = \*  
 75 = \*  
 75 = \*

New Card for Each Hole Segment Same R, T & Field 5 9

CASING SCHEDULE (2)

R = 76 \* T = A D M \* Construction Entry No. 59 # \* New Card for Each Casing With Same R, T & Field 5 9

Top of Casing Segment Below LSD  
 77 # \*  
 77 # \*  
 77 # \*  
 77 # \*

Bottom of Casing Segment Below LSD  
 78 = 60' \*  
 78 = \*  
 78 = \*  
 78 = \*

Diameter of Casing Segment  
 79 # = 2" \*  
 79 # = \*  
 79 # = \*  
 79 # = \*

Casing Material <sup>5</sup>  
 80 = P \*  
 80 = \*  
 80 = \*  
 80 = \*

Thickness of Casing  
 81 = 7/16" \*  
 81 = \*  
 81 = \*  
 81 = \*

OPENINGS SCHEDULE (2)

R = 82 \* T = A D M \* Construction Entry No. 59 # \* New Card for Each Open Section With Same R, T and Field 5 9

Top of Section Below LSD 83 # \* Bottom of Section Below LSD 84 = 60' \*  
 Type of Openings <sup>6</sup> 85 = S \*  
 Type of Material <sup>7</sup> 86 = P \*  
 Diameter of Open Section 87 = 2 1/2" \*  
 Width of Opening 88 = 100' \*  
 Length of Opening 89 = 10' \*

(Openings Data)  
 83 # \*  
 84 = \*  
 85 = \*  
 86 = \*  
 87 = \*  
 88 = \*  
 89 = \*

(Openings Data)  
 83 # \*  
 84 = \*  
 85 = \*  
 86 = \*  
 87 = \*  
 88 = \*  
 89 = \*

FOOT NOTES:

① Source of Data Codes:

S	D	Ø	A	R	L	G	Z
reporting, driller, owner, other gov't, agency				other logs, geologist, other reported,			

⑤ Casing Material Codes

B	C	G	I	M	P	R	S	T	U	W	Z
brick, concrete, galv, wrought, iron	other, PVC or iron	rock or metal	steel, stone	tile, coated, other steel							

6 Type of Openings Codes

F	L	M	P	R	S	T	W	X	Z
fracture, shuttered	louvered, mesh	perforated, wire	screen, sound (unknown)	sand, point	walled, open, other	hole			

7 Type of Material Codes for Open Sections

B	C	G	I	M	P	R	S	T	Z
brass or bronze	concrete, galv, wrought, iron	other, iron	PVC or metal	stainless, steel	tile, other				

PRODUCTION DATA (1)

R = 134 146 \*    T = A D M \*    Entry No 147 #    Date 148 = / / \*  
flowing, pumped    add, delete, modify    month    day    year

Discharge: 150 = \*    Source of Data 151 = \*  
Method of Measurement 152 = B C E F M O P R T U V W Z \*  
hailer, current, estimated, flume, totaling, orifice, pitot-tube, reported, trajectory, venturi, volumetric, weir, other  
meter

Production Level 153 = \*    Static Level 154 = \*    Source of Data 155 = \*    Specific Capacity 272 = \*  
airline, calibrated, estimated, pressure, calibrated, geophysical, marimeter, reported, steel, electric, calibrated, other  
airline    page    pressure gage    logs    tape    tape    electric tape

Method of Measurement 156 = A C E G H L M R S T V Z \*    Pumping Period 157 = \*  
airline, calibrated, estimated, pressure, calibrated, geophysical, marimeter, reported, steel, electric, calibrated, other  
airline    page    pressure gage    logs    tape    tape    electric tape

LIFT DATA (1)

R = 42 \*    T = A D M \*    Type of Lift 43 # A B C J P R S T U Z \*    Entry No 254 # \*  
add, delete, modify    air, bucket, centrifugal, jet, piston, rotary, submergible, turbines, unknown, other

Pump Intake Setting 44 = \*    Type of Power 45 = D E G H L N W Z \*  
diesel, electric, gasoline, hand, LP gas, natural, windmill, other gas

Date 38 = / / \*    Horsepower 46 = \*

MAJOR PUMP DATA (2)

R = 47 \*    T = A D M \*    Type of Lift 43 # \*    Lift Entry No 254 # \*    Manufacturer of Pump 48 = \*  
add, delete, modify

Serial No of Pump 49 = \*    Name of Power Company 50 = \*  
 Power Company Account No 51 = \*    Power Meter No 52 = \*    Pump Rating 53 = \*  
 Person or Company Who Maintains the Pump 54 = \*    Additional Lift 255 = \*    Rated Pump Capacity 268 = \*

STANDBY POWER DATA (2)

(See LIFT DATA for codes of fields 43 and 56 below)

R = 55 \*    T = A D M \*    Type of Lift 43 # \*    Type of Power 56 = \*    Horsepower 57 = \*    Lift Entry No 254 # \*

AVAILABLE LOG DATA (1)

R = 198 \*    T = A D M \*    New Card for Each Log Type Same R & T

Type of Log 199 # *	Begin Depth 200 = *	End Depth 201 = *	Source of Data 202 = *
199 # *	200 = *	201 = *	202 = *
199 # *	200 = *	201 = *	202 = *
199 # *	200 = *	201 = *	202 = *

WATER QUALITY DATA COLLECTION (1)

R = 114 \*    T = A D M \*    Begin Year 115 # \*    End Year 116 = \*    Source Agency 117 = \*  
add, delete, modify

Frequency of Collection 118 = \*    Network Site 257 = \*    Type of Analyses 120 = \*

WATER LEVEL DATA COLLECTION (1)

R = 121 \*    T = A D M \*    Begin Year 122 # \*    End Year 123 = \*    Source Agency 124 = \*  
add, delete, modify

Frequency of Collection 125 = \*    Network Site 258 = \*

WATER PUMPAGE/WITHDRAWAL DATA COLLECTION (1)

R = 127 \*    T = A D M \*    Begin Year 128 # \*    End Year 129 = \*    Source Agency 130 = \*  
add, delete, modify

Frequency of Collection 131 = \*    Network Site 259 = \*    Method of Collection 133 = C E M U Z \*  
calculated, estimated, metered, unknown, other

OTHER DATA AVAILABLE (1)

R = 180 \*    T = A D M \*    Type of Data 181 # \*    Loc 182 = C D Z \*    Format 261 = F M P Z \*  
add, delete, modify    cooperator, district, other    files, machine, published, other readable

New Card Same R & T    Type of Data 181 # \*    Loc 182 = C D Z \*    Format 261 = F M P Z \*

FOOT NOTES:

① Source of Data Codes:

S D Ø A R L G Z  
reporting, driller, owner, other gov't, other logs, geologist, other reported, agency

③ Frequency of Collection Codes

A B C D F I M Ø O S W Z  
annual, bi-monthly, continuous, daily, semi, intermittent, monthly, one time, quarter, semi-weekly, other only annual annual

② Type of Log Codes

A B C D E F G H I J K L M N Ø P Q  
time, collar, caliper, driller's, electric, fluid, geologist, magnetic, induction, gamma, dipmeter, laserlog, microlog, neutron, µ later, photo, radio-active

S T U V Z  
sonic, temp, gamma, fluid, other gamma velocity

④ Type of Quality Analyses Codes

A B C D E F G H J K L M Z  
physical, common, trace, pesticides, nutrients, sanitary, codes, codes, codes, codes, codes, all or, other chemical, elements B&D B&E B&F DRE C,D,E mast

GEOHYDROLOGIC UNIT DESCRIPTIONS (1)

R = 90 \*    T = A D M \*    Entry No 256 # \*    Depth to Top 91 = \*    Depth to Bottom 92 = \*

Unit Identifier 93 = \*    Lithology 96 = \*    Lithologic Modifier 97 = \*

AQUIFER DATA (2)

R = 94 \*    T = A D M \*    Geohydrologic Unit Entry No 256 # \*

Date 95 # / / \*    Water Level 126 = \*    % Water Contributed 132 = \*

GEOHYDROLOGIC UNIT DESCRIPTIONS (1)

R = 90 \*    T = A D M \*    Entry No 256 # \*    Depth to Top 91 = \*    Depth to Bottom 92 = \*

Unit Identifier 93 = \*    Lithology 96 = \*    Lithologic Modifier 97 = \*

AQUIFER DATA (2)

R = 94 \*    T = A D M \*    Geohydrologic Unit Entry No 256 # \*

Date 95 # / / \*    Water Level 126 = \*    % Water Contributed 132 = \*

PERTINENT REMARKS

R = 183 \*    T = A \*    185 = \*  
 add  
 New Card Same R&T    185 = \*  
 185 = \*

NOTES:

