




L-8 TAPE DOWN WELLS

SITE REPORT

L-8 Flow Equalization Basin Location



Author: Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

Report Completed: October 10, 2018



L-8 TAPE DOWN WELLS

TABLE OF CONTENTS

PMW-1	
PMW-1L	1
PMW-1U	3
PMW-103	
PMW-103L	5
PMW-103U	7
PMW-106	
PMW-106L	9
PMW-106U	11
L8DR1	
L8DR1L	13
L8DR1M.....	15
L8DR1U	17
L8DR2	
L8DR2L.....	19
L8DR2M.....	21
L8DR2U	23
L8WF1	
L8WF1L	25
L8WF1M	27
L8WF1U.....	29
PB-685	
PB-685	31



L-8 TAPE DOWN WELLS: L8PMW-1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8PMW-1L	L8PMW-1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/03/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
24	43 SOUTH	39 EAST	26° 43'29.74"	80° 23'38.85"	869652.72	853931.33	14.44 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
PMW-1	10.98 feet (NAVD88)	+1.45 feet	11.73 feet	N/A

NOTES:

NAVD88 – North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville Fl.

WELL SITE PHOTOS

L8PMW-1L



L-8 TAPE DOWN WELLS: L8PMW-1

WELL SITE PHOTOS



South Florida Water Management District

3301 Gun Club Road West Palm Beach, Florida 33406



L-8 TAPE DOWN WELLS: L8PMW-1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8PMW-1U	L8PMW-1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/03/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
24	43 SOUTH	39 EAST	26° 43' 29.74"	80° 23' 38.96"	869652.93	853921.35	14.76 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
PMW-1	10.98 feet (NAVD88)	+1.45 feet	11.59 feet	N/A

NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS

L8PMW-1U



L-8 TAPE DOWN WELLS: L8PMW-1

WELL SITE PHOTOS



South Florida Water Management District

3301 Gun Club Road West Palm Beach, Florida 33406



L-8 TAPE DOWN WELLS: L8PMW-103

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8PMW-103L	L8PMW-103	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/03/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
7	43 SOUTH	40 EAST	26° 45' 02.13"	80° 22' 40.16"	879008.21	859207.49	20.60 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
PMW-103	17.90 feet (NAVD88)	+1.45 feet	18.54 feet	N/A

NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville Fl.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8PMW-103

WELL SITE PHOTOS



South Florida Water Management District

3301 Gun Club Road West Palm Beach, Florida 33406



L-8 TAPE DOWN WELLS: L8PMW-103

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8PMW-103U	L8PMW-103	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/03/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
7	43 SOUTH	40 EAST	26° 45' 02.04"	80° 22' 40.16"	878998.84	859207.34	20.77 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
PMW-103	17.90 feet (NAVD88)	+1.45 feet	18.37 feet	N/A

NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8PMW-103

WELL SITE PHOTOS



South Florida Water Management District

3301 Gun Club Road West Palm Beach, Florida 33406



L-8 TAPE DOWN WELLS: L8PMW-106

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8PMW-106L	L8PMW-106	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/09/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
18	43 SOUTH	40 EAST	26° 44' 23.09"	80° 22' 41.58"	875065.24	859098.10	17.83 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
PMW-106	18.96 feet (NAVD88)	+1.45 feet	15.75 feet	N/A

NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.


WELL SITE PHOTOS

L8PMW-106L



L-8 TAPE DOWN WELLS: L8PMW-106

WELL SITE PHOTOS



South Florida Water Management District

3301 Gun Club Road West Palm Beach, Florida 33406



L-8 TAPE DOWN WELLS: L8PMW-106

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8PMW-106U	L8PMW-106	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/09/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
18	43 SOUTH	40 EAST	26° 44' 22.98"	80° 22' 41.57"	875053.96	859098.46	17.51 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
PMW-106	18.96 feet (NAVD88)	+1.45 feet	15.39 feet	N/A


NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8PMW-106

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8DR1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8DR1L	L8DR1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/01/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
21	43 SOUTH	40 EAST	26° 42' 57.89"	80° 21' 08.05"	866504.74	867620.69	14.88 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8DR1	14.80 feet (NAVD88)	+1.47 feet	14.98 feet	N/A


NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929


Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville Fl.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8DR1

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8DR1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8DR1M	L8DR1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
21	43 SOUTH	40 EAST	26° 44' 58.02"	80° 21' 08.08"	866517.87	867618.55	14.70 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8DR1	14.80 feet (NAVD88)	+1.47 feet	15.02 feet	N/A

NOTES:


NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.


WELL SITE PHOTOS

L8DR1M



L-8 TAPE DOWN WELLS: L8DR1

WELL SITE PHOTOS



South Florida Water Management District

3301 Gun Club Road West Palm Beach, Florida 33406



L-8 TAPE DOWN WELLS: L8DR1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8DR1U	L8DR1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (X)	EASTING (Y)	REFERENCE ELEVATION
21	43 SOUTH	40 EAST	26° 44'58.17"	80° 21'08.07"	866532.53	867619.28	14.41 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8DR1	14.80 feet (NAVD88)	+1.47 feet	14.83 feet	N/A


NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929


Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8DR1

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8DR2

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8DR2L	L8DR2	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
21	43 SOUTH	40 EAST	26° 43' 26.14"	80° 20' 52.32"	869364.61	869032.77	15.66 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8DR2	16.18 feet (NAVD88)	+1.46 feet	16.19 feet	N/A


NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8DR2

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8DR2

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8DR2M	L8DR2	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
21	43 SOUTH	40 EAST	26° 43' 26.25"	80° 20' 52.43"	869375.10	869022.66	16.04 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8DR2	16.18 feet (NAVD88)	+1.46 feet	16.46 feet	N/A

NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8DR2

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8DR2

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8DR2U	L8DR2	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
21	43 SOUTH	40 EAST	26° 43' 26.36"	80° 20' 52.54"	869385.90	869012.98	16.67 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8DR2	16.18 feet (NAVD88)	+1.46 feet	17.05 feet	N/A

NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8DR2

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8WF1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8WF1L	L8WF1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
16	43 SOUTH	40 EAST	26° 44'02.12"	80° 21'24.90"	872982.30	866060.73	16.47 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8WF1	17.07 feet (NAVD88)	+1.46 feet	16.66 feet	N/A

NOTES:



NAVD88 – North America Vertical Datum of 1988
 NGVD29 - National Geodetic Vertical Datum of 1929
 Corpsccon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8WF1

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8WF1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8WF1M	L8WF1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/09/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
16	43 SOUTH	40 EAST	26° 44'01.99"	80° 21'24.89"	872968.70	866061.65	16.88 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8WF1	17.07 feet (NAVD88)	+1.46 feet	17.16 feet	N/A

NOTES:


NAVD88 – North America Vertical Datum of 1988
 NGVD29 - National Geodetic Vertical Datum of 1929
 Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville Fl.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8WF1

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: L8WF1

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
L8WF1U	L8WF1	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
16	43 SOUTH	40 EAST	26° 44'01.86"	80° 21'24.87"	872955.85	866062.84	16.91 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
L8WF1	17.07 feet (NAVD88)	+1.46 feet	17.17 feet	N/A

NOTES:

NAVD88 – North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929


Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville Fl.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: L8WF1

WELL SITE PHOTOS





L-8 TAPE DOWN WELLS: PB-685

SCADA RTU STATION NAME:	DB HYDRO SITE NAME:	DATE OF FIELD WORK:
PB-685	PB-685	09/27/2018

INSTALLATION OF TAPE DOWN ALUMINUM WELL TAGS

REPORT DATE	PREPARED BY
10/02/2018	Alexis Schauer, Infr.Str.Mgt, Surveying & Mapping

SITE SPECIFIC INFORMATION

SECTION	TOWNSHIP	RANGE	LATITUDE	LONGITUDE	NORTHING (Y)	EASTING (X)	REFERENCE ELEVATION
26	43 SOUTH	40 EAST	26° 42' 12.69"	80° 19' 20.35"	861991.13	877411.57	18.46 feet (NAVD88)

BENCHMARK INFORMATION

SITE BENCHMARK NAME	BENCHMARK ELEVATION	CORPSCON 6.0.1 CONVERSION FACTOR (NAVD88 TO NGVD29)	GROUND ELEVATION	PAD ELEVATION
PB-685	17.35 feet (NAVD88)	+1.47 feet	15.80 feet	N/A


NOTES:

NAVD88 - North America Vertical Datum of 1988

NGVD29 - National Geodetic Vertical Datum of 1929

Corpscon 6.0.1 - A U.S. Army Corps of Engineers Engineering Research and Development Center Topographic Engineering Center Alexandria, Virginia Windows-based program to convert coordinates and elevations between datum's using vertcon05.txt and vertcon05.05 files supplied by the U.S. Army Corps of Engineers South Atlantic Division, Jacksonville FL.

WELL SITE PHOTOS



L-8 TAPE DOWN WELLS: PB-685

WELL SITE PHOTOS

